
Doctor:
Hello, how are you feeling today? What brings you in?
Patient:
Ive had hematemesis and melena for the last two months, about 3-4 episodes. I was admitted in
Peshawar where they did an OGD and applied 4 bands.
Doctor:
I see. What medications were you prescribed after that?
Delicate
Patient:
I was started on Inderal 2 tabs twice daily and Spiromide 20 mg once daily.
Doctor:
Thank you for sharing that. We also did a CT scan, which showed a suspicion of Caroli disease. We
performed an ultrasound of the abdomen, which showed a normal caliber portal vein and CBD. How
are you feeling now?
Patient:
Im actually asymptomatic for the past two months. No issues with jaundice, abdominal distension,
peripheral edema, petechiae, or bruises.
Doctor:
Good to hear. On examination, I noticed the liver is enlarged by 5 cm, and the spleen is enlarged by
2 cm. The left lobe of the liver is palpable.
Patient:


Okay.
Doctor:
Lets proceed with some tests to investigate further. Well do a CBC, LFTs, PT/INR, RFTs, Hepatitis
B, Anti-HCV, ANA, IGA, IGG, IGM, Ceruloplasmin, and a slit-lamp examination. Id also like to get a
CT triphasic, ultrasound of the abdomen, EGD, and possibly a liver biopsy.
Patient:
Sounds good. What should I do in the meantime?
Doctor:
You should follow a salt restriction diet and eat egg whites. Continue your current medications for
now. After we get the lab results, we will plan for the EGD and liver biopsy.
Doctor:
Your slit-lamp eye examination for Kayser-Fleischer rings was negative. We can now proceed with
scheduling your EGD and liver biopsy.
Patient:
Thank you.
Doctor:
On your follow-up visit, you mentioned no active complaints. There has been no hematemesis or
melena, and youre not experiencing any fever or jaundice, correct?
Patient:
Yes, that's right.

Doctor: Good. You're still taking your usual medications: Inderal 20 mg twice daily, Spiromide 20/50 mg once daily, and Risek sachets for two weeks. During your examination, I noted no jaundice or pallor. Your left lobe of the liver is still palpable, and the spleen is 3 cm palpable. Your chest sounds clear bilaterally, and theres no ascites. Patient: Okay. Doctor: Here are your lab results: WBC: 4.9 Hb: 12 Platelets: 138 Total Bilirubin: 1.23 ALT: 31

ALP: 285

AST: 43





For today, youre scheduled for surveillance endoscopy. The anesthesia consult is arranged, and
your lab work will include CBC, LFTs, RFTs, S/E, PT/INR, and an abdominal ultrasound.
Patient:
Got it.
Doctor:
After the endoscopy, well optimize your medication as follows:
Arter the endoscopy, well optimize your medication as follows.
Inderal 30 mg twice daily
Spiromide 50/20 mg once-half tablet twice daily
Well schedule your next follow-up for endoscopy in 6 weeks.
Patient:
Okay, thank you.