

Python Loops - Exercise Questions:Solution

Roll Number : ML-R-026-03

```
● # question 1
  food_list: list = ["chia","puratha","chicken","biryani"]
  ✓ for oder in food_list:
    |   print(f"{oder} oder is taken")
    |   print(f"{oder} oder is processing")
    |   print("der is ready")
    |   print("\n")
```

```
● # Question 2
  name_of_user: list = ["Arsalan","Rabia","Ayat"]
  user_name: str = input("Enter user name: ")
  ✓ for name in name_of_user:
  ✓ |   if user_name in name:
  |   |   print("Yes user in our list")
  ✓ |   else:
  |   |   print("user in not in our list")
```

```

# Question 3
oder_list: list = []
for odr in range(2):
    input_oder: str = input("Please give your oder:")
    oder_status: str = input("Cancel/not cancel:")
    # oder_list.append(input_oder)
    if oder_status == "Cancel":
        print(f"{input_oder} is Cancel")
    else:
        print(f"{input_oder} oder taken for cook")

# print(oder_list)

```

```

# Question 4
customer_num = int(input("Enter customers"))
resturnt_status: str = input("Enter the Resturant Status/Emergence/Normal")
✓ if resturnt_status == "emergency":
    print(f"sorry we cant serve more because of emergency occur customer number:{customer_num}")
✓ else:
    print(f"continue serving the customer no: {customer_num}")

```

```

# Question 5
# repetation is used because same oder come again and again
dish_name: str = "pasta"
for i in range(5):
    print(f"Cook one more {dish_name}")

```

```

# Question 6
for i in range(3):
    customer_status: str = input("Customer status /arriving/not arriving")
    if customer_status == "arriving":
        print("continue serving")
        continue
print("customer is not arriving")

```

```
# Question 7
customer_first_table: list = ["rabia","ayat"]
customer_second_table: list = ["arsalan","aimen"]
for i in customer_first_table:
    for j in customer_second_table:
        print(f"preperaring food for {i}")
        print(f"preperaring food for {j}")
```

```
● # Question 8
oder_counter: int = 0
for i in range(3):
    oder_status: str = input("Enter the oder status/complete/not complete")
    if oder_status == "complete":
        oder_counter+=1
    else:
        print("oder is not complete yet")

print(f"No of time oder is complete:{oder_counter}")
```

```
# Question 9
for user_query in range(5):
    user_input: str = input("Enter you query")
    if user_input == "take oder":
        print("oder taken successfully")
    elif user_input == "other":
        continue
    elif user_input == "want chia":
        print("yes offcourse")
        continue
    else:
        print("BYE BYE RESTURANT IS CLOSE MEET TOMMOROW🕶")
        break
```

```
# Question 10
# simple chat
message = input("Write your message")
for msg in message:
    if msg == "hi":
        print("Welcome to our system")
    elif msg == "about oder":
        print("please give you oder")
        # continue
    elif msg == "I want cheeia seed water":
        print("sorry mam cheeia seed is not available")
    elif msg == "stop":
        print("have a nice conversation")
```

```
# Question 11
student_list: list = ["01","02","03","04","05"]
✓ for i in student_list:
    std_attn = input("Student is present or not yes/no")
    ✓ if std_attn == "yes":
        print(f"{i} is present")
    ✓ else:
        print(f"{i} is not present")
```

```
# Question 13
✓ for i in range(15): # for loop print number between range
    print(i)
```

```
# Question 12
inventory_list: list = ["rice", "oil", "spices", "sugar", "tea"]
for item in inventory_list:
    if item == "oil":
        print("found item")
        break
    else:
        print("not found")
```

```
# Question 14
name: str = input("Enter your name:")
for nme in name:
    if nme == "bqr":
        continue
    elif nme == "baqir":
        print("name is match")
        continue
    elif nme == "rabia":
        print("name is found")
```

```
# Question 15
#A restaurant processes VIP customers differently. Explain how special conditions affect loop flow.
customer: list = ["Aimen", "Rabia", "Horain", "Ayat"]
for cust in customer:
    if cust == "Horain":
        print(f"{cust} is the vip customer")
        break
```

```

# Question 16
# A program repeats an action until a condition becomes false
# customers: list = ["Aimen", "Rabia", "Horain", "Ayat"]
# for i in customers:
#     while i == "Horain":
#         print("vip customer is not arrive yet")
#         i+=1

while True:
    user_name: str = input("Enter vip customer name:")
    if user_name == "Rabia":
        print("vip customer is arrived")
        break
    else:
        print("still vip customer is not arrive")

```

```

# Question 17
# A system processes rows of a csv file
import pandas as pd
data = pd.read_csv('data.csv')
for epoc in range(3):
    print(data["Name"])
    print("\n")

```

```
# Question 19
```

```
# A system accumulates total sales throughout
```

```
total_sales = 0
```

```
sale = [2,1,4,5,6,1,4,7,19]
```

```
for totl in sale:
```

```
    total_sales+=totl
```

```
print(f"Total sale of day {total_sales}")
```

```
# Question 20
```

```
for i in range(5):
```

```
    usr_inpt: str = input("Enter your query:")
```

```
    if usr_inpt == "where is nigeria":
```

```
        print("in Africa")
```

```
    elif usr_inpt == "exit":
```

```
        print("ok")
```

```
        break
```