

Claude Code commands

A session is one conversation with Claude Code - everything from when you run Claude to when you type /exit.

It has a unique ID, captures the full message history.

slash command acts as a crux of the Claude Code.

====> Important Commands

1. `claude -r` (shows session history)

```
hp@DESKTOP-9PJP8A8 MINGW64 ~/Desktop/expense-tracker
$ claude -r
  ▾ Search...

expense-tracker

> App.py and requirements.txt
  11 seconds ago · HEAD · 220.8KB

Virtual environment
  39 minutes ago · HEAD · 244.8KB

Python venv
  42 minutes ago · HEAD · 294.6KB

hi
  58 minutes ago · HEAD · 153.2KB

hi
  1 hour ago · HEAD · 14.2KB
```

2. `/resume` (helps to resume another session in middle of the current session)

```
> /resume

Resume session
  ▾ Search...

expense-tracker

> Virtual environment
  6 hours ago · HEAD · 250.4KB

App.py and requirements.txt
  6 hours ago · HEAD · 220.8KB

hi
  7 hours ago · HEAD · 153.2KB

hi
  7 hours ago · HEAD · 14.2KB

Ctrl+A to show all projects · Ctrl+B to only show current branch · Space to preview · Ctrl+R to rename · Type to search · Esc to cancel
```

Some good practices as developers for managing session

a) One session = one task

b) Name your session immediately (else AI names it by own)

- c) Commit frequently within a session
- d) Use /btw for quick questions
- e) Export a session before a big refactor

3. **/rename** (helps to rename the session)

```
> /rename Learning to create virtual environment  
└ Session renamed to: Learning to create virtual environment
```

Rabindra Mishra



4. **/btw** (To ask quick questions and this question would not be part of our conversation history ie. they wont consume the main context window)

Usecase:= our context do not get pollute as here we want to ask some questions just to get information and do not want it to be part of the context.

5. **/export** (help to save/copy the session into a file)

usecase:= we can save a session into a file and then give to claude for reference like working in session B and giving the context of session A to claude.

```
conversation.txt
requirements.txt

(venv)
hp@DESKTOP-9PJP8A8 MINGW64 ~/Desktop/expense-tracker
$ claude -r

• Session model gemma4:31b could not be restored (not a model this version of Claude Code recognizes) – using claude-opus-5 instead.

> /rename Learning to create virtual environment
  L Session renamed to: Learning to create virtual environment

> /exit
  L Bye!

• Session model gemma4:31b could not be restored (not a model this version of Claude Code recognizes) – using the default model instead.

> /export conversation.txt
  L Conversation exported to: C:\Users\hp\Desktop\expense-tracker\conversation.txt
```

Here, conversation.txt is been created.

6. **/logout** (will logout from the current claude)
7. **/login** (will help to login to claude account)
8. **/model** (to switch between models)
9. **/usage** (helps to display usage of the model as session usage and weekly usage)

```
> /usage

Settings Status Config Usage Stats

o Search settings...


Auto-compact true
Continue automatically at usage limit true
Switch models when a message is flagged Switch automatically
Show tips true
Reduce motion false
Thinking mode true
Session recap true
```

10. **/insights** (creates a very detailed breif about our claude usage in documented html page)
11. **/config** (helps to change the configuration settings of claude code)

Popular Claude Models

1. Opus (Flagship model)
2. Sonnet
3. Haiku

12. **./permissions** (manage tools permissions allow/deny)



13. **./theme** (to change claude CLI theme)

14. **./voice** (to toggle to voice mode)

Rabindra Mishra