



## Version 1.2


## ADC =ADC

## **TOP SIDE**





## **BOTTOM SIDE**



- 1. Max input voltge 5.3 V
- 2. CAN LV pinout:

5V

CAN H

CAN L

GND

3. SWD pinout:

GND

**SWCLK** 

**SWDIO** 

3V3

Docimentor	Quantity	Inac	MP	Value	Dackago	Description	Instructions	Tuno	HolpUDI	ChinDin Link	Nama
Designator 3V3	Quantity 1	MF	LTST-C194KRKT	Value RED	Package 0603Lite-On	Description Red 620nm LED Indication Discrete 2.2V 0603 (1608 Metric)	Instructions	Type SMD	HelpURL	ChipDip_Link	Name 0603-LED- RED
BLINK	1		LTST-C191KGKT	GREEN	0603 Lite-On	Green 571nm LED Indication Discrete 2V 0603 (1608 Metric)		SMD			0603-LED- GREEN
C1, C2, C3, C4, C5, C6, C9, C10, C11, C12, C13,	13	AVX	CL10B104JB8NNNC	0.1u	0603 AVX	Cap Thin Film 0.1uf 50v 0603		SMD			GX035C104 MAT2-500
C14, C15  CAN1, CAN2, TARGET SWD	3	JST Sales	SM04B-GHS-TB(LF)(SN)		None	Connector Header Surface Mount, Right Angle 4 position 0.049 _1.25mm_			http://ww w.farnell.co m/datashe ets/2082975 .pdf	https://www.ch ipdip.ru/produc t/sm04b-ghs-tb- lf-sn-gh- 1.25mm-header- side-ent	SM04B-GHS- TB(LF)(SN)-
CAN3	1	Molex	502585-0670		None	1.50mm Pitch, CLIK-Mate PCB Receptacle, Single Row, Surface Mount, Right- Angle, Tin Plating, Positive Lock, 6 Circuits, Natural		SMD			502585-0670
CAN, ST LINK	2		LTST-S270TBKT	BLUE	0603 Lite-On	LED IrLED Chip LED 2-Pin SMD		SMD			0603-LED- BLUE
D3	1		SS16		SMA-2	T/R Diode Schottky 60V 1A Surface Mount SMA	DNP	SMD		https://www.ch ipdip.ru/produc t/ss16	SS16
DD1	1	STM	STM32F103T8U6		VFQFPN-36	STM32F103T8U 6, Микроконтро ллер 32BIT ARM 64K FLASH [VFQFPN-36]		SMD	http://ww w.st.com/st online/pro ducts/litera ture/ds/135 87.pdf		STM32F103T 8
J1	1	CUI Devices	Ш31-CH-31N-SMT-TR		None	Type C, USB 3.1 Gen 2, 5 A, Right Angle, Surface Mount _SMT_, USB Receptacle		SMT	https://ww w.chipdip.r u/product1 /800286222 5	https://www.ch ipdip.ru/produc t1/8002862225	UJ31-CH- 31N-SMT-TR
R5	1	Yageo or NXP	RC0603FR-07120RL	120	R0603	120 Ohms 1 0.1 W 1 10 W Chip Resistor 0603 1608 Metric Thick Film		SMD	https://ww w.chipdip.r u/product0 /900007961 8	https://www.ch ipdip.ru/produc t0/9000079618	RC0603FR- 07120RL
R6, R7, R21, R22, R23, R24, R25, R26	8	Yageo or NXP	10K 1% 0603	10k	R0603	10 kOhms 1 0.1 W 1 10 W Chip Resistor 0603 1608 Metric Thick Film		SMD		https://www.ch ipdip.ru/produc t0/9000079736	RC0603FR- 0710KL
R11, R12, R13, R30, R31	Ę	Yageo or NXP	RC0603FR-101KL	1k	R0603	1 kOhms ±1% 0.1W, 1/10W Chip Resistor 0603 (1608 Metric) Moisture Resistant		SMD			RC0603FR- 101KL
R16, R17, R19, R20, R27, R28	6	Yageo or NXP	RC0603FR-0722RL	22	R0603	Thick Film 22 Ohms ±1% 0.1W, 1/10W Chip Resistor 0603 (1608 Metric) Moisture Resistant Thick Film		SMD			RC0603FR- 0722RL
R18	1	Yageo or NXP	RC0603FR-07100RL	100	R0603	100 Ohms ±1% 0.1W, 1/10W Chip Resistor 0603 (1608 Metric) Thick Film		SMD			RC0603FR- 07100RL
R29	1	Yageo or NXP	RC0603FR-071K5L	1.5k	R0603	1.5 kOhms ±1% 0.1W, 1/10W Chip Resistor 0603 (1608 Metric) Thick Film		SMD			RC0603FR- 071K5L
SWD1, SWD2	2	l JST Sales	SM04B-GHS-TB(LF)(SN)		None	Conn Shrouded Header HDR 4 POS 1.25mm Solder ST SMD Reel	DNP	SMD			SM04B-GHS- TB(LF)(SN)-
TARGET SWD1	1		PLS-6			PLS-6 (DS1021- 1x6), Вилка штыревая 2.54мм 1x6 прямая тип1	DNP	SMD		https://www.ch ipdip.ru/produc t/pls-6	PLS-6
TVS1	1	STM	USBLC6-2P6		SOT-666	17V Clamp 5A (8/20µs) Ipp Tvs Diode Surface Mount SOT-666		SMD	u/lib/093/D OC00109311 7.pdf	https://www.ch ipdip.ru/produc t/usblc6-2p6-2	USBLC6-2P6
υı	1	NXP USA	TJA 1042TK/3		VDFN-8 NXP USA	1/1 Transceiver Half CANbus 8- SO		SMD	https://stat ic.chipdip.r u/lib/583/D OC00158305 9.pdf	https://www.ch ipdip.ru/produc t1/8002840332	TJA1042TK/3
U3	1	MaxLinear, Inc.	SPX3819M5-L-3-3/TR	3V3	SOT-23-5 Exar	Low Dropout Voltage Regulator, Adjustable 0.5A, B±1%, 2.5 to 16 Vin, 5- Pin SOT-23		SMD	http://ww w.farnell.co m/datashe	https://www.ch ipdip.ru/produc t1/8003455237	SPX3819M5- L-3-3/TR
U4	1	STM	STM32F103CBT6		LOFP-48	ARM® Cortex® M3 STM32F1	STM32F103CBT6 - should be B letter not 8	SMD	https://stat ic.chipdip.r u/lib/235/D OC00023573 3.pdf	https://www.ch ipdip.ru/produc t/stm32f103cbt6	STM32F103C BT6
VUSB	1		LTST-C194KFKT	ORANGE	0603Lite-On	Orange 605nm LED Indication Discrete 2.2V 0603 (1608 Metric)		SMD			0603-LED- ORANGE
Y1, Y2	2	Murata	CSTCE8M00G55-R0		SMD-3 Murata	Ceramic Resonator 8MHz ??0.5% _Tol_??0.2% _Stability_ 33pF 400hm 3- Pin CSMD T/R		SMD	https://ww w.murata.c om/en- eu/api/pdf downloada pi?cate=&p artno=CSTC E8M00G55- R0		CSTCE8M00 G55-R0