

The DESIGN

AI-Enhanced User Interfaces

THINGS

User Interface Development
EECS 493 - Winter 2025




Goals for today:

Share Human-Computer Interaction research that designs and develops interfaces that are powered by large language models.

How is the design different from traditional user interfaces?

What are some concrete design ideas and design examples?



Goals for today:

1. Why is human-AI interaction uniquely difficult to design?
2. Human-AI Interaction Guidelines (FeedbackWriter and WorldScribe as examples)
3. Recent research on interfaces to support prompt-based interactions with LLMs

Amazon.com. Spend less. Smile.

To do list Stats HR Request System SciENcv - Home Lab EECS493

Incognito Relaunch to update

amazon Delivering to Ann Arbor 48103 Update location All Search Amazon

All Amazon Haul Big Spring Sale Medical Care Best Sellers Music Amazon Basics New Releases Today's Deals Prime Registry Customer Service Groceries Gift Cards Big Spring Sale ends in: 04:09:34

Returns & Orders Cart



Premium home upgrades



Shop all

Pre-loved handbags



Shop pre-loved handbags

Spring break styles for all



Shop now

Big Spring Sale: Up to 40% off

Shop now



Play free games with Prime Gaming

Explore now



Sponsored

Refresh your kids' space



Designer finds, now 20% off



Refresh your lawn & garden



Best-dressed guest starts here



Amazon.com. Spend less. Sm ChatGPT

chatgpt.com

Incognito Relaunch to update :

To do list Stats HR Request System SciEncv - Home Lab EECS493

ChatGPT Log in Sign up

What can I help with?

Ask anything

Attach

Search

Reason

Voice

Question

What are some differences when you interact with Amazon and ChatGPT?

Are there differences in how you view and interact with the interfaces? What are they?

Why, and How Human-AI Interaction Is Uniquely Difficult to Design

Re-examining Whether, Why, and How Human-AI Interaction Is Uniquely Difficult to Design

Qian Yang Aaron Steinfeld Carolyn Rosé John Zimmerman

Carnegie Mellon University, Pittsburgh PA, USA

{yangqian,steinfeld}@cmu.edu cp3a@andrew.cmu.edu johnz@cs.cmu.edu

ABSTRACT

Artificial Intelligence (AI) plays an increasingly important role in improving HCI and user experience. Yet many challenges persist in designing and innovating valuable human-AI interactions. For example, AI systems can make unpredictable errors, and these errors damage UX and even lead to undesired societal impact. However, HCI routinely grapples with complex technologies and mitigates their unintended consequences. What makes AI different? What makes human-AI interaction appear particularly difficult to design? This paper investigates these questions. We synthesize prior research, our own design and research experience, and our observations when teaching human-AI interaction. We identify two sources of AI's distinctive design challenges: 1) uncertainty surrounding AI's capabilities, 2) AI's output complexity, spanning from simple to adaptive complex. We identify four levels of AI systems. On each level, designers encounter a different subset of the design challenges. We demonstrate how these findings reveal new insights for designers, researchers, and design tool makers in productively addressing the challenges of human-AI interaction going forward.

Author Keywords

User experience, artificial intelligence, sketching, prototyping.

CCS Concepts

•Human-centered computing → Human computer interaction (HCI); *Interaction design process and methods*;

INTRODUCTION

The growing interest in how AI can improve UX implies that HCI designers have become skilled at integrating AI's capabilities into their practices. Interestingly, the research shows something else, that HCI designers largely struggle to envision and prototype AI systems [2, 3, 13, 18, 22, 26, 49]. For example, even simple AI applications can make inference errors that are difficult to anticipate. These errors impact the intended user experience, and can sometimes raise serious ethical concerns or result in societal-level consequences. However, current HCI design methods meant to mitigate unintended consequences (i.e. sketching and prototyping) can seem ill-fitted for AI. HCI professionals cannot easily *sketch* the numerous of ways an AI system might adapt to different users in different contexts [13, 58]. Nor can they easily *prototype* the types of inference errors a not-yet developed AI system might make [29, 42, 49].

Existing research frequently attributes these challenges to AI's technical complexity, demand for data, and unpredictable interactions [49, 26, 13, 42]. Less discussed is that HCI routinely grapples with complex, resource-intensive technologies using simple, inexpensive artifacts, e.g., paper prototypes and Wizard of Oz systems. What makes AI different and distinctly difficult to prototype? Equally important, designers routinely choreograph complex, dynamic, sometimes unpredictable interactions, with focus on mitigating technologies' unintended consequences (e.g., [61]). What makes AI interactions particularly difficult to sketch? A critical first step in designing valuable human-AI interactions is to articulate the unique qualities of AI that made it so difficult to design.

Uncertainty & Output complexity

- Relinquishing control to an AI/ML agent can be helpful, but can be much harder to correct or understand if things go wrong
- Uncertainty and “Unpredictability” can be joyful in one kind of experience, and a terrible idea in another

Risk: Severe Failure



Jacky lives on @jalcine@playviciou...
@jackyalcine


Follow



Google Photos, y'all fucked up. My friend's not a gorilla.



Skyscrapers



Airplanes



Cars



Bikes



Gorillas



Graduation

9:22 PM - 28 Jun 2015

3,303 Retweets 2,297 Likes



235

3.3K

2.3K



Mitigating: Severe Failure

"With enough data and computing power, software can be trained to categorize images or transcribe speech to a high level of accuracy. But it can't easily go beyond the experience of that training. And even the very best algorithms lack the ability to use common sense, or abstract concepts, to refine their interpretation of the world as humans do." - Wired article (shown →)

TOM SIMONITE BUSINESS 01.11.18 07:00 AM

WHEN IT COMES TO GORILLAS, GOOGLE PHOTOS REMAINS BLIND



In WIRED's tests, Google Photos did identify some primates, but no gorillas like this one were to be found. RICK MADONIK/TORONTO STAR/GETTY IMAGES

IN 2015, A black software developer embarrassed Google by tweeting that the company's Photos service had labeled photos of him with a black friend as "gorillas." Google declared itself "appalled and genuinely sorry." An engineer who became the public face of the clean-up operation said the label gorilla would no longer be applied to groups of

Mitigating: Severe Failure

One of those fixes is erasing gorillas, and some other primates, from the service's lexicon.

What do you think about Google's solution?

TOM SIMONITE BUSINESS 01.11.18 07:00 AM

WHEN IT COMES TO GORILLAS, GOOGLE PHOTOS REMAINS BLIND



In WIRED's tests, Google Photos did identify some primates, but no gorillas like this one were to be found. RICK MADONIK/TORONTO STAR/GETTY IMAGES

IN 2015, A black software developer embarrassed Google by tweeting that the company's Photos service had labeled photos of him with a black friend as "gorillas." Google declared itself "appalled and genuinely sorry." An engineer who became the public face of the clean-up operation said the label gorilla would no longer be applied to groups of

Mitigating unintended consequences in AI are critical:

- They impact the intended user experience
- Sometimes raise serious ethical concerns or result in societal-level consequences.
- ML class teaches math, but not teach how to mitigate unintended consequences in AI

Why is Machine Learning + UX Hard?

- Utility of machine learning is unpredictable
- Machine learning is dynamic
- Machine learning solutions not always motivated by real problems

Utility of Machine Learning is Unpredictable

- what errors matter, when, what happens when system is wrong
 - think about agents vs. direct manipulation
 - false positives and false negatives




Figure 4. Graphical analysis of the expected utility of action versus inaction, yielding a threshold probability for action.

	Desired Goal	Not Desired
Action	$u(A, G)$	$u(A, \neg G)$
No Action	$u(\neg A, G)$	$u(\neg A, \neg G)$

Table 1. Four outcomes considered in decisions about whether to engage an intelligent agent to provide service.

Machine Learning is Dynamic


- Designing UX with Machine Learning because it's hard to predict
 - what's going to happen?
 - how to help users build a consistent model?

What's going to happen?

Difficult for users to form a consistent model of dynamic applications

Starting with the Problem

Start at the End ...



Unfortunately, often, design/UX is brought in at the end, to try to fix what once went wrong...

Recap: Design Features for responsible use of AI in FeedbackWriter

Design Feature: Use the highlight in the essay as a way to explain how the AI makes the judgement and generates the feedback.

The screenshot shows the FeedbackWriter interface. At the top, it says "Student, Unnamed (Writing Assignment 2 first draft [rubrics](#))" and "0/1 Graded". Below this are buttons for "Highlight & Comment", "Essay", "Table", and "Preview", along with "Expand All" and "Sort by: Rubric Order".

Assignment: (531 words)

To Governor of California,

After the rise in popularity of almond milk, we have seen a rise in alternative milk substitutes like oak and soy milk. Alternative milk substitutes have started taking market share from almond milk, so the increase in popularity of alternative milk substitutes affects the markets for alternative milk substitutes, almond milk and water. Almond milk and alternative milks are substitutes in consumption, so when the price of one substitutes increases, the demand for the other increases. Before the government gets involved with the market, the demand for almond milk would increase because of consumer preferences, the demand for alternative milk would decrease because it's a substitute in consumption to almond milk and the demand for water would increase because water is an input for almond milk.

As the newly elected governor of California, you should support the almond farmers and their families and consider passing a law to institute a binding price floor in the almond milk market to support farmers. A price floor sets a minimum limit on the price in the almond milk market, but at this price, there will be a surplus of almond milk. This will result in you purchasing the resulting surplus of almond milk.

Feedback:

Know the difference bewteen [demand] and [quantity demanded].

Necessary Basic Economic Concepts (General Economic Structure) ▾

Historic Feedback Add to feedback

Make sure you understand the difference between demand and quantity demanded when discussing adjustments in the market.

GPT Feedback Add to feedback

Consider reviewing the distinction between changes in demand and changes in quantity demanded to ensure clarity in your analysis.

Add some feedback here...

Know the difference between [supply] and [quantity supplied].

Necessary Basic Economic Concepts (General Economic Structure) ▾

Historic Feedback

Not available

GPT Feedback Add to feedback

You've accurately used the term changes in quantity supplied. This precision helps in understanding the effects of price changes on supply.

Recap: Design Features for responsible use of AI in FeedbackWriter

Design Feature: Give users the flexibility to edit the feedback in anyway they want.

The screenshot shows a student assignment titled "Student, Unnamed (Writing Assignment 3 first draft -- [rubrics](#) and [commenting box](#))". The assignment has a grade of 1/10 Graded. A "Highlight & Comment" button is visible. The assignment content discusses market failure and streaming services, mentioning Disney's price increase and the concept of non-excludable goods. A rubric section is shown with a task titled "Define and discuss Free Riders as it's Nonexcludable" marked as 1/10 Graded. Below the rubric, there is a "Preview" section and an "Expand All" button. The "Historic Feedback" section indicates "Not available". The "GPT Feedback" section contains the following text: "Great job defining 'rival in consumption' early on. This helps in understanding the characteristics of the goods discussed." There is also a "Market Failure Comparison to" dropdown and a "Sort by: Rubric Order" button. Another rubric task at the bottom is partially visible: "Expand on the market price and quantity compare to the efficient levels for another good." The overall interface is clean and modern, designed for easy navigation and editing.

Rubric is met, and there's a positive feedback.

Recap: Design Features for responsible use of AI in FeedbackWriter

Design Feature: Give users the flexibility to edit the feedback in anyway they want.

The screenshot shows a student assignment titled "Student, Unnamed (Writing Assignment 3 first)". The assignment is "1/10 Graded".

Define and discuss Free Riders as its nonexcludable:

To understand market failure, you must understand what it means defined as the price and quantity where the total surplus in society without outside intervention like the government, the market fails equilibrium). The four market failures are externalities, common goods. Common resources are non-excludable, but rival in consumption prevent consumers who don't pay for the good from using it. ~~if can't simultaneously consume the same unit of the good.~~ Con

Because there is nothing in place (no payoff) to prevent consumers depletes the amount left for everyone else. So market quantity i

Whelan's article Disney Raises Prices of Most Streaming Plans is artificially scarce goods and examples of market failure. Artificial but non-rival in consumption. Excludable means the supplier of from consuming it. These streaming services are excludable because accessing the platform and consuming the content unless they pay subscription fees, which make this good excludable, are increasing Disney+, Hulu, and ESPN+ (Whelan, 2024). The services are also same unit of goods can be consumed by more than one person at consumption because multiple users of the streaming service can

Artificially scarce goods are a market failure because there is no additional customer to consume the goods. Thus, the efficient output is good, which typically means the price is zero. So, without intervention, price and lower quantity than the efficient quantity. If Disney were to remove the subscription from their streaming services, allowing anyone to access them. This would effectively turn their streaming services into public goods because, without a subscription fee, they would no longer be excludable.

This option is unrealistic unless Disney has an alternative revenue stream because they wouldn't make money. One solution is to get rid of the subscription fee and introduce ads on the platform which would serve as the

Define Rival and Nonrival:

Historic Feedback: In discussion of market failures, it would be good to define the "rival vs. nonrival" and "excludable vs. nonexcludable"

GPT Feedback: You should define rivalry before discussing the article. This would help clarify why Disney's streaming services are considered non-rival in consumption.

Add some feedback here...

Expand on the market price and quantity compare to the efficient levels for another good:

Flip the judgement, and then there's a constructive feedback

Recap: Design Features for responsible use of AI in FeedbackWriter

Design Feature: Give users the flexibility to edit the feedback in anyway they want.

The screenshot shows two identical sections of the FeedbackWriter interface, one above the other. Each section has a title bar with a checkbox and a pink button labeled "Define Rival and Nonrival". Below this is a toolbar with a dropdown menu "Market Failure Comparison to" and several icons. The first section is titled "Historic Feedback" and contains the text: "In discussion of market failures, it would be good to define the \"rival vs. nonrival\" and \"excludable vs. nonexcludable\"". It also has an "Add to feedback" button. The second section is titled "GPT Feedback" and contains the text: "You should define rivalry before discussing the article. This would help clarify why Disney's streaming services are considered non-rival in consumption." It also has an "Add to feedback" button. At the bottom of each section is a summary box containing the combined feedback: "It would be good to define the \"rival vs. nonrival\" and \"excludable vs. nonexcludable\". This would help clarify why Disney's streaming services are considered non-rival in consumption." The bottom section also has a "Define rival and non-rival." button at the very bottom.

Users can use the AI feedback (combine them) or write from scratch

Summary

- Machine Learning + UX is difficult because of uncertainty in ML
 - different errors, different cost, and different levels of trust
- Machine Learning + UX is difficult because ML is dynamic
 - users need consistency
 - dynamic ML can provide improvements
 - design patterns to provide both
- Machine Learning + UX often brought in too late
 - need to help figure out what problem to solve
 - not completely trivial b/c problems must match ML capabilities

Best paper
honorable
mention award
CHI 2019

Guidelines for Human-AI Interaction

Saleema Amershi, Dan Weld^{*†}, Mihaela Vorvoreanu, Adamourney, Besmira Nushi, Penny Collisson,
Jina Suh, Shamsi Iqbal, Paul N. Bennett, Kori Inkpen, Jaime Teevan, Ruth Kikin-Gil, and Eric Horvitz

Microsoft
Redmond, WA, USA
{samershi, mivorvor, adamfo, benushi, pennycoll, jinsuh,
shamsi, pauben, kori, teevan, ruthkg, horvitz}
@microsoft.com

^{*}Paul G. Allen School of Computer
Science & Engineering
University of Washington
Seattle, WA, USA
weld@cs.washington.edu

ABSTRACT

Advances in artificial intelligence (AI) frame opportunities and challenges for user interface design. Principles for human-AI interaction have been discussed in the human-computer interaction community for over two decades, but more study and innovation are needed in light of advances in AI and the growing uses of AI technologies in human-facing applications. We propose 18 generally applicable design guidelines for human-AI interaction. These guidelines are validated through multiple rounds of evaluation including a user study with 49 design practitioners who tested the guidelines against 20 popular AI-infused products. The results verify the relevance of the guidelines over a spectrum of interaction scenarios and reveal gaps in our knowledge, highlighting opportunities for further research. Based on the evaluations, we believe the set of design guidelines can serve as a resource to practitioners working on the design of applications and features that harness AI technologies, and to researchers interested in the further development of guidelines for human-AI interaction design.

CCS CONCEPTS

KEYWORDS

Human-AI interaction; AI-infused systems; design guidelines

ACM Reference Format:

Saleema Amershi, Dan Weld, Mihaela Vorvoreanu, Adamourney, Besmira Nushi, Penny Collisson, Jina Suh, Shamsi Iqbal, Paul N. Bennett, Kori Inkpen, Jaime Teevan, Ruth Kikin-Gil, and Eric Horvitz. 2019. Guidelines for Human-AI Interaction. In *CHI Conference on Human Factors in Computing Systems Proceedings (CHI 2019), May 4–9, 2019, Glasgow, Scotland UK*. ACM, New York, NY, USA, 13 pages. <https://doi.org/10.1145/3290605.3300233>

1 INTRODUCTION

Advances in artificial intelligence (AI) are enabling developers to integrate a variety of AI capabilities into user-facing systems. For example, increases in the accuracy of pattern recognition have created opportunities and pressure to integrate speech recognition, translation, object recognition, and face recognition into applications. However, as automated inferences are typically performed under uncertainty, often producing false positives and false negatives, AI-infused systems may demonstrate unpredictable behaviors that can be

INITIALLY

1
Make clear what the system can do.

2
Make clear how well the system can do what it can do.

DURING INTERACTION

3
Time services based on context.

4
Show contextually relevant information.

5
Match relevant social norms.

6
Mitigate social biases.

WHEN WRONG

7
Support efficient invocation.

8
Support efficient dismissal.

9
Support efficient correction.

10
Scope services when in doubt.

11
Make clear why the system did what it did.

25

OVER TIME

12
Remember recent interactions.

13
Learn from user behavior.

14
Update and adapt cautiously.

15
Encourage granular feedback.

16
Convey the consequences of user actions.

17
Provide global controls.

18
Notify users about changes.

Guidelines for Human AI Interaction

Learn more: <https://aka.ms/aiguidelines>



FeedbackWriter - LLMs for teaching and learning

[Home](#) Student, Unnamed (Writing Assignment 2 first draft [rubrics](#)) 0 / 1 Graded

[Highlight & Comment](#) [Essay](#) [Table](#) [Preview](#) [Expand All](#) Sort by: Rubric Order ▾

Assignment (531 words)

To Governor of California,

After the rise in popularity of almond milk, we have seen a rise in alternative milk substitutes like oak and soy milk. Alternative milk substitutes have started taking market share from almond milk, so the increase in popularity of alternative milk substitutes affects the markets for alternative milk substitutes, almond milk and water. Almond milk and alternative milks are substitutes in consumption, so when the price of one substitutes increases, the demand for the other increases. Before the government gets involved with the market, the demand for almond milk would increase because of consumer preferences, the demand for alternative milk would decrease because it's a substitute in consumption to almond milk and the demand for water would increase because water is an input for almond milk.

As the newly elected governor of California, you should support the almond farmers and their families and consider passing a law to institute a binding price floor in the almond milk market to support farmers. A price floor sets a minimum limit on the price in the almond milk market, but at this price, there will be a surplus of almond milk. This will result in you purchasing the resulting surplus of almond milk.

A price floor would impact the almond milk market because if the price is set above the equilibrium, prices would increase and the quantity demanded would decrease. Quantity supplied would also increase because prices increase. If the quantity supplied outweighs the quantity demanded, then we will have a surplus of almond milk and the

Feedback

Know the difference bewteen [demand] and [quantity demanded].

Necessary Basic Economic Concepts (General Economic Structure) ▾

Historic Feedback Add to feedback Make sure you understand the difference between demand and quantity demanded when discussing adjustments in the market.

GPT Feedback Add to feedback Consider reviewing the distinction between changes in demand and changes in quantity demanded to ensure clarity in your analysis.

Add some feedback here... ▾

Know the difference between [supply] and [quantity supplied].

Necessary Basic Economic Concepts (General Economic Structure) ▾

Historic Feedback Not available

GPT Feedback Add to feedback You've accurately used the term changes in quantity supplied. This precision helps in understanding the effects of price changes on supply.

WorldScribe - LLMs to help blind people navigate

WorldScribe: Towards Context-Aware Live Visual Descriptions

Ruei-Che Chang

rueiche@umich.edu

University of Michigan

Ann Arbor, MI, USA

Yuxuan Liu

liurick@umich.edu

University of Michigan

Ann Arbor, MI, USA

Anhong Guo

anhong@umich.edu

University of Michigan

Ann Arbor, MI, USA




Figure 1: WorldScribe towards making the real world accessible for blind people through context-aware live visual descriptions. WorldScribe dynamically combines different vision-language models to provide live adaptive descriptions. (a) When the user turns quickly to scan the environment and yields frequent visual changes, WorldScribe generates basic descriptions with word-level labels (e.g., YOLO World [27]) or general descriptions with objects and spatial relationships (e.g., Moondream [10]). On the other hand, (b) when the user remains static and faces a new scene for a duration that indicates their interests, WorldScribe provides rich descriptions from an overview to details (e.g., GPT-4v [7]) to facilitate their visual scene understanding.

WorldScribe - Video

<https://www.youtube.com/watch?v=9dRExJzyqxw>

INITIALLY

1
Make clear what the system can do.

2
Make clear how well the system can do what it can do.

DURING INTERACTION

3
Time services based on context.

4
Show contextually relevant information.

5
Match relevant social norms.

6
Mitigate social biases.

WHEN WRONG

7
Support efficient invocation.

8
Support efficient dismissal.

9
Support efficient correction.

10
Scope services when in doubt.

11
Make clear why the system did what it did.

30

OVER TIME

12
Remember recent interactions.

13
Learn from user behavior.

14
Update and adapt cautiously.

15
Encourage granular feedback.

16
Convey the consequences of user actions.

17
Provide global controls.


18
Notify users about changes.

Guidelines for Human AI Interaction

Learn more: <https://aka.ms/aiguidelines>



Now let's look at specifically prompt-based interaction with LLMs



Bridging the Gulf of Envisioning: Cognitive Challenges in Prompt Based Interactions with LLMs


Hari Subramonyam
Stanford University
USA
harihars@stanford.edu

Roy Pea
Stanford University
USA
roypea@stanford.edu


Christopher Lawrence Pondoc
Stanford University
USA
clpondoc@stanford.edu

Maneesh Agrawala
Stanford University
USA
magrawala@stanford.edu

Colleen Seifert
University of Michigan
USA
seifert@umich.edu



Gulf of Execution / Evaluation




With LLM (conversational AI): the gulf of execution may be narrowed, however the gulf of evaluation may be enlarged.

The screenshot shows the ChatGPT website interface. At the top, there's a dark header bar with browser controls (back, forward, search), the URL 'chatgpt.com', and a 'Relaunch to update' button. Below the header, a navigation bar includes links for 'To do list', 'Stats', 'HR Request System', 'SciENcv - Home', 'Lab', and 'EECS493'. On the left, a sidebar has a 'ChatGPT' dropdown menu. In the center, a large input field asks 'What can I help with?'. Below the input field are buttons for 'Ask anything', 'Attach', 'Search', 'Reason', and 'Voice'. The main area is currently empty, showing a light gray background. At the bottom, a footer note states: 'By messaging ChatGPT, you agree to our [Terms](#) and have read our [Privacy Policy](#)'.

Gulf of envisioning:

- How to set my goals and intentions such that the LLM can accomplish the task
- How to best instruct an LLM about my goals (prompt engineering)
- What to expect for the LLM's output



Design Patterns

1. Visually Track Prompts and Outputs
2. Suggest Ideas for Prompting
3. Provide Multiple Outputs
4. Make the output explainable
5. Use domain specific prompting strategies
6. Allow manual control of output

Let's review examples - interactions where users need to write prompts to LLMs

Design Patterns

1. Visually Track Prompts and Outputs
2. Suggest Ideas for Prompting
3. Provide Multiple Outputs
4. Make the output explainable
5. Use domain specific prompting strategies
6. Allow manual control of output

1. Visually Track Prompts and Outputs

Prompts can be iterative, help users know whether their prompt chain has worked or not.

Important questions: how to help users track their thought process? How to help users organize their outputs when there are a lot?

Canvas-based interaction, and node based interactions are frequently used ideas.



ChainForge: A Visual Toolkit for Prompt Engineering and LLM Hypothesis Testing

Ian Arawjo

ian.arawjo@gmail.com

SEAS

Harvard University

Cambridge, Massachusetts, USA

Chelse Swoopes*

cswoopes@g.harvard.edu

SEAS

Harvard University

Cambridge, Massachusetts, USA

Priyan Vaithilingam*

pvaithilingam@g.harvard.edu

SEAS

Harvard University

Cambridge, Massachusetts, USA

Martin Wattenberg

wattenberg@seas.harvard.edu

Insight and Interaction Lab

Harvard University

Cambridge, Massachusetts, USA


Elena L. Glassman

glassman@seas.harvard.edu

SEAS

Harvard University

Cambridge, Massachusetts, USA



Demo of ChainForge

<https://chainforge.ai/play/>



Promptify: Text-to-Image Generation through Interactive Prompt Exploration with Large Language Models

Stephen Brade
University of Toronto
Toronto, Canada
stephen.brade@mail.utoronto.ca

Bryan Wang
University of Toronto
Toronto, Canada
bryanw@dgp.toronto.edu

Mauricio Sousa
University of Toronto
Toronto, Canada
mauricio@dgp.toronto.edu

Sageev Oore
Dalhousie University
Halifax, Canada
sageev@dal.ca

Tovi Grossman
University of Toronto
Toronto, Canada
tovi@dgp.toronto.edu




Figure 1: The Promptify System UI. A) Stable Diffusion Controls for prompt writing. B) Automatic Prompt Suggestion for ideating subject matter and obtaining keywords suggestions for style in a steerable manner via natural language. C) Image Layout and Clustering allows users to view, organize, and cluster their generated images. Users can interact with images and clusters by dragging, dropping, and zooming. They can also access prompt refinement suggestions based on individual images or clusters. D) Minimap provides visual cues for clusters and helps users navigate the visualization. E) Clustering Controls for positioning and clustering images by similarity and adjusting the spacing between images via the "Scale" slider. F) Prompt History allows users to toggle on/off all previous prompts to view or remote images using the prompt history menu.

Promptify

A

Stable Diffusion Controls

Prompt Writing

Enter prompt

A brown and white cow standing in a green meadow with a blue sky in the background, post-impressionism style, brushstrokes visible, warm and vibrant colors, elements of nature, peaceful and serene atmosphere, reminiscent of rural landscapes by Vincent van Gogh

Enter negative prompt

Prompt Extension

EXTEND SUBJECT

Steer the subject matter

STEER SUBJECT

Steer the style




EXTEND STYLE

Batch Size



GENERATE

C



E

Clustering Controls

CLUSTER

POSITION BY SIMILARITY

Scale



F

Select prompts to show



Prompt: A brown and white cow standing in a green meadow with a blue sky in the background, post-impressionism style, brushstrokes visible, warm and vibrant colors, elements of nature, peaceful and serene atmosphere, reminiscent of rural landscapes by Vincent van Gogh



Prompt: A brown cow standing in a snowy field with snow-covered trees and mountains in the distance, impressionism style, soft and blurred brushstrokes, warm and cool tones, simple and peaceful scene, inspired by Camille Pissarro's winter landscapes



Prompt: A white cow with a green wreath around its neck standing in front of a snow-covered fence and a forest of evergreen trees, post-impressionism, soft brushstrokes, pastel colors, winter landscape, calming and peaceful

Stable Diffusion Controls

Prompt Writing

Enter prompt

Lion standing majestically by a cherry blossom tree with Mount Fuji in the background, studio ghibli style , soft lighting, pastel colors, anime-inspired, intricate details, in the style of Hayao Miyazaki and Isao Takahata, breathtaking scenery, trending on artstation

Enter negative prompt

Prompt Extension

CLEAR STYLES

Batch Size



GENERATE

Lion standing majestically by a cherry blossom tree with Mount Fuji in the background, studio ghibli style , soft lighting, pastel colors, anime-inspired, intricate details, in the style of Hayao Miyazaki and Isao Takahata, breathtaking scenery, trending on artstation

Lion surrounded by bamboo in a serene Japanese garden, with a koi pond and a pagoda in the background, studio ghibli style , highly detailed, cel shading, vibrant colors, smooth, in the style of artwork by Hayao Miyazaki and Isao Takahata, perfect for a nature-inspired anime film

Lion on streets of Tokyo, with a backdrop of paper lanterns and a torii gate, studio ghibli style , beautiful lighting, hand-drawn animation, cel shading, highly detailed, smooth, cinematic, vibrant colors, stunning artistry and imagination, trending on artstation





PROMPTCHARM: Text-to-Image Generation through Multi-modal Prompting and Refinement

Zhijie Wang

University of Alberta
Edmonton, AB, Canada
zhijie.wang@ualberta.ca

Yuheng Huang

University of Alberta
Edmonton, AB, Canada
yuheng18@ualberta.ca

Da Song

University of Alberta
Edmonton, AB, Canada
dsong4@ualberta.ca

Lei Ma

The University of Tokyo, Japan
University of Alberta, Canada
ma.lei@acm.org

Tianyi Zhang

Purdue University
West Lafayette, IN, USA
tianyi@purdue.edu




Figure 1: PROMPTCHARM facilitates prompt engineering in text-to-image generation with an enriched, multi-modal feedback loop. (a) Given an initial prompt from a user, PROMPTCHARM first suggests an initial refinement based on a prompt optimization model. (b) The user can explore different styles by searching them in a large database. (c) The user can also explore similar and dissimilar image styles in a drop-down list. (d) Furthermore, the user can adjust the attention of the diffusion model to different keywords in the prompt. (e) Given an initial image generated by the model, the user can examine which part of the image corresponds to which part of the text prompt. (f) The user can further mark undesired parts of an image to remove or regenerate them through an inpainting model.

ABSTRACT

The recent advancements in Generative AI have significantly advanced the field of text-to-image generation. The state-of-the-art text-to-image model, *Stable Diffusion*, is now capable of synthesizing high-quality images with a strong sense of aesthetics. Crafting text prompts that align with the model's interpretation and

the user's intent thus becomes crucial. However, prompting remains challenging for novice users due to the complexity of the stable diffusion model and the non-trivial efforts required for iteratively editing and refining the text prompts. To address these challenges, we propose PROMPTCHARM, a mixed-initiative system that facilitates text-to-image creation through multi-modal prompt engineering and refinement. To assist novice users in prompting,

PromptCharm

Prompt Editor

Tell us what you want in your image

a painting of a wolf sitting next to a human child in front of the full moon

a

🔍 PROMPT

Your generated prompts:

a painting of a wolf sitting next to a human child in front of the full moon, by greg rutkowski and thomas kinkade, trending on artstation

✖ Delete

ⓘ Explore

Click to ⚙ Replace ↕ increase ↕ decrease

a pair of Attention fitting next to a human child in front of the full moon by greg rutkowski and thomas kinkade trending on artstation

0.5x 0.8x 1.0x 1.5x 2x

➤ DIFFUSE

d

Explore different image styles

Image Styles

by greg rutkowski ✘

thomas kinkade ✘

Feel free t...



Version History

VER.0

VER.1

VER.2

VER.3

VER.4

VER.5

VER.6

VER.7


Version 4



a painting of a wolf sitting next to a human child in front of the full moon by greg rutkowski and thomas kinkade, trending on artstation.

C

Version 5



a painting of a wolf sitting next to a human child in front of the full moon by greg rutkowski and baarle ilya kuvshinov, trending on artstation



e

INPAINT COPY PROMPT

INPAINT COPY PROMPT

PromptCharm Video

<https://dl.acm.org/doi/pdf/10.1145/3613904.3642803>

Examples designs - Visually Track Prompts and Outputs

- Canvas that allows juxtaposition of prompts and outputs.
- Node-based interactions and chains that allow users to track the changes in prompts and their effects.
- Allow users to organize and structure the outputs on a Canvas, e.g., grouping by similarity.
- Visualize the parts in the prompts that lead to certain effects.

2. Suggest ideas for prompting

What can I help with?

what is the |



Search Deep research

...



what is the meaning of life?

what is the secret to making the perfect cup of coffee?

what is the latest trend in technology that excites you?

what is the history behind your favorite book?

PromptCharm

Prompt Editor

Tell us what you want in your image

a painting of a wolf sitting next to a human child in front of the full moon

a

🔍 PROMPT

Your generated prompts:

a painting of a wolf sitting next to a human child in front of the full moon, by greg rutkowski and thomas kinkade, trending on artstation

✖ Delete

ⓘ Explore

Click to ⌂ Replace 1. ↑ increase ↓ decrease

a pair of Attention fitting next to a human child in front of the full moon by greg rutkowski and thomas kinkade trending on artstation

0.5x 0.8x 1.0x 1.5x 2x

➤ DIFFUSE

d

Explore different image styles

Image Styles

by greg rutkowski ✕

thomas kinkade ✕

Feel free t...



Version History

VER.0

VER.1

VER.2

VER.3

VER.4

VER.5

VER.6

VER.7


Version 4



a painting of a wolf sitting next to a human child in front of the full moon by greg rutkowski and thomas kinkade, trending on artstation.

C

Version 5



a painting of a wolf sitting next to a human child in front of the full moon by greg rutkowski and baarle ilya kuvshinov, trending on artstation



e

⟳ INPAINT COPY PROMPT

⟳ INPAINT COPY PROMPT

3. Provide multiple outputs

Allowing users to view multiple options to see which best fits their intentions.

How to make sure the options are presented in a way that is understandable and is easy for users to choose from?



Supporting Sensemaking of Large Language Model Outputs at Scale

Katy Ilonka Gero
katy@g.harvard.edu
Harvard University
USA

Chelse Swoopes
cswoopes@g.harvard.edu
Harvard University
USA

Ziwei Gu
ziweigu@g.harvard.edu
Harvard University
USA

Jonathan K. Kummerfeld
jonathan.kummerfeld@sydney.edu.au
University of Sydney
Australia

Elena L. Glassman
glassman@seas.harvard.edu
Harvard University
USA

(a) Grid View of Positional Diction Clustering

(b) Interleaved View of Positional Diction Clustering

(c) Unique Words Feature

(d) Exact Matches Feature

Figure 1: Our exploratory interface instantiates five combinations of text analysis (unique words, exact matches, and a novel algorithm we call Positional Diction Clustering) and renderings (within a grid with highlights or interleaved with grayed out redundancies), which can help users scale up the number of LLM responses they can reason about, e.g., for ideation, model comparison, or response selection. These figures represent how four of the five different combinations render the top of a page of a large collection of LLM responses generated from the test prompt “*Write a short story for a five year old child about a {creature} that loses something and then finds it again*” for three values of {creature}: kitten, puppy, and bunny. The fifth view tested—a grid layout without any visual additions based on text analysis—is not shown.

Visualization for showing multiple outputs: Visualize unique words

Select what to highlight:

- None Exact Matches Unique Words Similar Sentences

a horror novel

0

The sea, a monstrous expanse of blackened wrath, **convulsed** with an eerie silence under the pallor of a ghostly moonlight. Its depth, glinting with evil, undulated like a thousand unseen beasts lurking beneath, waiting to devour the innocent. Menacing waves lashed out, gnashing icy teeth against the ghost ship as distant, foreboding rumbles echoed from the abyss. The mysteries of this unfathomable nightmare world invoked a **bone-chilling** terror whose dread surpassed death.

1

Under the desolate, midnight moon, the sea was an odious abyss of relentless terror. Its black, unfeeling waves thrashed violently, devouring the weak light that strived to penetrate its opaque surface. Every crash against the jagged **coast** echoed like demonic laughter; a hair-raising symphony of dread. This was no **comforting** sanctuary, but a monstrous entity of unfathomable horrors lurking beneath its **deceptive** tranquility, set to awaken at the slightest provocation.

2

The sea, a treacherous beast, snarled under the spectral moon. Its malevolent waves, frothing with unspoken horrors, **assaulted** the ghostly rocks with a blood-curdling roar. The uncanny silence between each attack amplified the dread within one's gut. Beneath its deceptively calm surface lurked unspeakable monstrosities, **biding** their time, ready to drag any unsuspecting soul into their nightmarish abyss.

a romance novel

0

The moonlit sea was a **breathtaking** spectacle, shimmering under a blanket of diamonds. Its pulse danced to the rhythm of passion, crashing waves whispering untold tales of love. The ocean's undeniable allure was enchanting, **drawing** hearts closer with its rhythmic serenade. It held a promise of adventure, as endless and profound as love itself, every **crest** and trough a testament to the eternal **ebb** and flow of romance.

1

The sea, an endless canvas of sapphire, was a lover's whisper in the twilight. Its rhythmic murmur, a **ballet** of waves sighing against the shore, echoed the heartbeat of hidden passions. **Glittering** beneath the **argent** moon, it danced, vibrant and yearning like two hearts in the **constant** pull of love. The sea, in its infinite depths and secretive lull, was a love letter to the world written in salt and moonlight.

2

As the twilight shrouded the landscape, the sea **borrowed** **hues** of the **dimming** sun, rippling with enchanting warmth. The scent of salt and **freedom** laced the breeze, whispering tales of distant places to hearts yearning for adventure. Each wave was a lover's caress, reaching for the shore in a timeless dance of yearning and reunion. In this symphony of nature, the sea was a velvet-wrapped promise of romantic mysteries and unspoken desires.

Figure 3: Example of the ‘unique words’ feature for the prompt “*Write a short paragraph about the sea in the style of {style}.*” where the styles are a horror novel and a romance novel and each prompt had $n = 3$ generations. Unique words makes it easy to see how word choice is influenced by the style.

Visualization for showing multiple outputs: Visualize similar positions

	GPT4 (1)	GPT4 (1.3)
0	A lightbulb works by electricity flowing through a wire inside it, called a filament. As the electricity moves, it heats the filament until it's so hot, it glows, creating light. The glass bulb keeps air out so the filament doesn't burn up quickly. Fascinating, huh?	A lightbulb uses electricity. When you switch it on, electricity flows to a tiny wire inside it called a filament. This filament heats up to a high temperature and glows. That glow is the light you see. The rest of the light bulb keeps the electricity in and the air out, so your glowing filament lasts longer!
1	A light bulb works when electricity travels up a wire inside it. It reaches a small wire filament, heating it until it glows, which produces light. The bulb is full of a gas that helps the filament last longer. So, when you switch a light on, you're really sending electricity to heat a tiny metal thread!	Sure, a lightbulb works when electricity travels through its wires into a small, thin piece inside called a filament. The electricity causes the filament to heat up and start to glow, creating light. That's how we get light when you turn on a lightbulb!
2	A lightbulb works by sending electricity through a wire called a filament in the bulb. The filament gets super hot and starts to glow, creating light. The rest of the bulb is filled with gas that stops the filament from burning up. We turn it on and off by controlling the electricity going to it.	A lightbulb works by using electricity. Electricity flows into the bulb, travels through a thin wire called a filament. The filament opposes the electricity flow, which makes it super hot and starts to glow. This creates the light you see. Pretty cool, right?

Figure 4: Example of the PDC feature in the grid layout for the prompt “*Explain how a lightbulb works to a 12 year old.*” for GPT4 temperature=1 and GPT4 temperature=1.3. In the grid view, sentences with similar relative position and diction are highlighted in the same color; notice that the sentences highlighted in yellow are both about how gas supports filament longevity.

Luminate: Structured Generation and Exploration of Design Space with Large Language Models for Human-AI Co-Creation

Sangho Suh*

University of California San Diego
La Jolla, CA, USA
sanghosuh@ucsd.edu

Meng Chen*

University of Notre Dame
Notre Dame, IN, USA
mchen24@nd.edu

Bryan Min

University of California San Diego
La Jolla, CA, USA
bdmin@ucsd.edu

Toby Jia-Jun Li

University of Notre Dame
Notre Dame, IN, USA
toby.j.li@nd.edu

Haijun Xia

University of California San Diego
La Jolla, CA, USA
haijunxia@ucsd.edu





Figure 1: Our approach, structured multi-output (C), is shown with two current interaction paradigms (A & B). We use *structured* to denote the presence of dimensions relevant to the task / domain in guiding the response generation and *unstructured* to denote their absence. Specifically, in our approach, users' prompt triggers (c1) generation of dimensions and subsequently the (c2) generation of responses using the dimensions from the previous step. Users can (c3) select dimension(s) to organize the responses in one- or two-dimensional space for exploration. The implementation and interaction details for each step are presented in the remainder of this paper.

Luminate: video

<https://dl.acm.org/doi/pdf/10.1145/3613904.3642400>

Use dimensions to categorize the outcomes for creative writing



3. Designs ideas for “Provide multiple outputs”

- Visualize multiple outputs to make it easy for users to read and understand them
 - Highlight unique words, highlight based on positions, etc.
- Use dimensions and values to categorize the outputs

AI-Enhanced User Interfaces

- Why is Human-AI interaction uniquely difficult to design
- Human-AI Interaction Guidelines (FeedbackWriter and WorldScribe)
 - Aligning the interface design with users' mental models.
Understanding users' workflows is critical.
 - Give users sufficient control over what AI should do for them, and give them flexibility to use or not use AI to meet their goals
 - Provide ways for users to understand AI outcomes
 - Provide contextual support, have the system understand users' intentions and contexts.
- For prompt-based interaction with LLMs, provide prompt suggestions, help users track prompts and outputs (e.g., through a canvas), and show multiple outputs.