How a post gets its compliance score


Every post starts at 100. Each finding takes points off, a critical rule caps the score at 40, and 70 or more with nothing critical open is what it takes to be approved. This is read straight from the checker's code.

The flow

Two flows. The check runs every time a post is checked: six steps find and judge the problems, then the findings become a score. The past lookups flow runs separately: after a reviewer decides, the post and the result are stored, and later checks look up similar past results to help decide whether to raise a flag. This is how it works now. Each past post is stored with its photo text and script text as well as its title, caption and video speech.

Reads the post · Uses a Gemini model · Costs a few points or needs a person

Costs the most, or blocks · Costs nothing · Stored in the vector database


PAST LOOKUPS: a separate flow
A reviewer approves or sends the post back
Store the post: title, caption, video speech, photo text, script text
Store the result: decision and note, comments, dismissed flags, ratings
Vector database, Mongo Atlas: rules, brand facts, past posts and their results
Look up past results: step 4 reads past review decisions, step 6 reads past flag decisions, the sentiment analysis reads past reviews
rules close in meaning
THE CHECK: runs every time a
1. Extract the details: AI reads the video, the script and the text in photos
2. Hard match against the rulebook: picks the rules that apply, then matches banned phrases and missing disclaimers
3. Code patterns for risky claims: money figures, forward-looking claims, unnamed customers, government links
past review decisions
4. Find rules close in meaning: vector DB search, then AI confirms with a quote
past flag decisions
5. Check sources: cited links and attached documents compared with the claims by AI
6. AI context matching: word matches on rules marked judge in context are read in their sentence, with similar past flag decisions, to decide whether to raise them
What is each finding now?
Breaks a rule
Claim has no source
A person must check
How sure is the model?
Does not apply here
80% or more
50 to 79%
Under 50%
Violation: 10 to 35 points
Needs a source: 5 points
Half the rule's points
5 points
0 points
Cleared: 0 points
WORK OUT THE SCORE
Score = 100 minus the points, never below 0
Any critical violation?
Yes
No
Blocked: score capped at 40
Score stays as worked out
70 or more and nothing critical open?
Yes
No
Can be approved
Needs changes first

What changed

Only the storing and comparing of past posts changed. Everything else in the flow above works as it did, including which findings the AI reads in step 6.

PART	BEFORE	NOW
What is stored for a past post	Title, caption and video speech.	Also the text read from photos and the script text.
Length kept per post	Up to 4,000 characters of that text.	Up to 12,000 characters (it can be changed with a setting), so long scripts and photo text are not cut off.
What a new post is compared on	Title, caption and video speech.	The same set that is stored, so a photo-led post can match its past equivalent even with no caption.
Past posts already saved	Saved without photo text or script text.	All 5 existing reviews were saved again with the extra text.

What each step does

The numbers are the six steps of the check, in the order they run. The last two cards, S and L, are the separate past-lookups flow. Each card says what the step reads, what it does with it, and whether the answer can change between runs. A dashed "Planned change" tag marks what is different from today.

1 Extract the details

AI turns the post's video, script and photos into text the checks can read.

READS

- Title and caption
- A video: what is said, and text shown on screen
- A script or an article file
- The text in each photo
- Attached supporting documents, used later as evidence

RESULT One block of text. If a photo or video has not been read yet, the check waits and runs again when it has.

TECHNIQUE **Multimodal AI text extraction.** A vision model reads the words in an image (like OCR, but it understands layout). A speech model turns audio into timestamped text.

SAME? Can differ between runs and models

USES AI: reads text in photos · AI: transcribes video speech · Database: the saved post

2 Hard match against the rulebook

Looks for the exact words and phrases each rule bans, and for disclaimers that are missing.

FIRST Picks the rules that apply to the post's rule sets, brand, audience, region and platform. A cashtag such as `$ZENA` also brings in the investor rules.

HOW

- Lowercases the text and turns punctuation into spaces, so "combat-proven" matches "combat proven"
- A `*` in a phrase stands for up to three words
- Hashtags count: `#CombatProven` is read as "combat proven"
- A rule's listed exceptions are skipped

EXAMPLE `number one` matches the Rule 24 ban on unprovable superlatives.

RESULT A violation with points by the rule's severity. Each match is passed on to step 6 to confirm.

TECHNIQUE **Normalised phrase matching** over text filtered by rule tags.

SAME? Same answer every time

USES Word matching · Database: the rulebook

3 Code patterns for risky claims

Looks for the shape of a risky claim, because a word list only knows the phrases someone typed in.

LOOKS FOR

- Money figures
- A financial word near a future word
- A customer described but not named
- "Approved" or "certified" with no one named as the issuer
- Status and contract announcements
- Tagged government or military accounts, and .gov or .mil links

EXAMPLE `expected to add $10M+ in revenue this year` slips past a rule that only knows "revenue is expected", but the pattern catches it.

RESULT A finding worth 20 (high) or 10 (medium) points, or a free "needs a source" warning. Each is passed on to step 6 to confirm.

TECHNIQUE **Regular expressions with proximity windows**, plus link and @handle parsing.

SAME? Same answer every time

USES Code patterns · Link and handle detection

4 Find rules close in meaning

Catches a post that breaks a rule without using any of its banned words.

HOW

- Searches the post, whole and sentence by sentence, for rules close to it in meaning (at least 0.66 similar)
- Gemini reads the post against only those rules, with similar past decisions as guidance
- It must quote the exact wording (12 words at most) and be at least 70% sure, or it reports nothing

EXAMPLE "Arizona is becoming our next major manufacturing hub" is matched to the forward-looking rule even though no banned phrase appears.

RESULT **Adds** findings. They are "needs a person" or "needs a source", never a hard violation.

TECHNIQUE **Semantic search with embeddings, then an AI judge.** Posts and rules are turned into vectors by a Gemini embedding model. The database returns the nearest rules by cosine similarity, and Gemini judges only those. This is retrieval-augmented generation.

SAME? Can differ between runs and models

USES Vector database (Mongo Atlas) · AI: Gemini embeddings · AI: Gemini confirms · Past decisions

5 Check sources

Checks whether the evidence the post points to actually says what the post says.

FINDS

- Links the post cites and "Source:" lines
- Attached supporting documents (PDF, Word, text)

HOW Opens the page or document and has Gemini compare it with each claim. Each claim ends up as matches, does not match, not in the source, or unclear.

RESULT A claim the source **contradicts** costs points. One it does not settle goes to a person. One it **supports** removes that claim's "needs a source" cost. A post that cites nothing is unchanged.

TECHNIQUE **Citation finding, then AI claim checking** that returns structured verdicts.

SAME? Can differ between runs and models

USES Web page fetch · Attached documents · AI: Gemini compares

6 AI context matching

A word match is only a candidate. The AI reads it in its sentence to see whether the rule really applies.

READS Each word match from step 2 on a rule marked "judge in context", with the sentence it sits in, the lines around it, and the closest past flag decisions from the vector database.

DECIDES

- Raise it: a real breach
- A person should check
- A claim that needs a source
- Does not apply: cleared

EXAMPLE `1 drone` matched, but the sentence says "DRONE AS A SERVICE", a business model, and reviewers have cleared the same wording before. Cleared, no points.

RESULT **Changes** findings that already exist and never adds new ones. Findings from the claim patterns, the meaning check and the source check are not sent here. Low confidence, or a quote that is not in the post, makes a safeguard adjust the answer. If no model can answer, the rule's own answer stands and the check is marked incomplete.

TECHNIQUE **AI as a judge, with examples.** Gemini classifies each match using its sentence and similar past flag decisions retrieved from the vector database. It answers as structured data with a confidence and its reasoning.

SAME? Can differ between runs and models

USES AI: Gemini reads the sentence · Past decisions as examples

→ Then each finding gets points

Everything left is sorted into one of four kinds, and the points are added up.

KINDS

- **Violation:** breaks a rule
- **Needs a source:** a claim with no evidence
- **Needs a person:** only someone with the final visuals can tell
- **Cleared:** does not apply here

RESULT

The cost tables below say what each kind costs, and how the cap at 40 and the line at 70 work.

TECHNIQUE

Fixed points with confidence weighting. Plain arithmetic: set points per severity, a cap and a threshold. For findings a model judged, the points scale with its confidence.

SAME?

Same answer every time

USES

Plain code

S Past lookups: store

After a reviewer decides, the post and its result are saved so later checks can learn from them.

WHEN

A reviewer approves a post or sends it back, rates a finding, or dismisses a flag. Existing reviews are brought up to date when the server starts.

THE POST

- Title and caption
- Video speech
- Photo text
- Script text
- Brand, audience, platforms and content type

THE RESULT

- The decision and the reviewer's note
- The reviewer's comments
- Flags dismissed as false alarms, with the reason
- Sentiment findings rated useful or "not an issue"
- A reviewer's call on a single flag, as a labelled example

NOT STORED

The picture or video itself, and posts still waiting for a decision. Full posts stay in the normal database.

TECHNIQUE

Embeddings. The post's text becomes a vector (a list of numbers capturing its meaning), saved with the result beside it.

USES

Vector database (Mongo Atlas)

AI: Gemini embeddings

L

Past lookups: look up

While a post is checked, similar past results are looked up to help decide whether to raise a flag.

USED BY

- **Step 4:** reads the closest past review decisions (0.68 or more similar, up to 6 documents with the brand facts) as notes, such as "a reviewer dismissed this wording as a false alarm"
- **Step 6:** reads the closest past flag decisions for the same rule (0.85 or more similar, up to 3)
- **Sentiment analysis:** reads the closest past reviews (0.88 or more similar, up to 4) as precedent

COMPARES

Step 4 and the sentiment analysis compare the new post's title, caption and video speech with stored past posts. Step 6 compares the sentence a flag sits in with stored flag decisions.

PHOTO AND SCRIPT TEXT

The sentiment analysis compares on the caption, video speech, script and photo text, the same set that is stored. Step 4 already compares on all text the check reads, which includes photo and script text.

EXAMPLE

Reviewers dismissed "1 drone" on earlier posts as a false alarm, so a new post with the same wording is more likely to be cleared.

SAME?

Can differ between runs and models It depends on which past results exist, so the same post can be judged slightly differently as more reviews are saved.

IF OFF

When the Mongo connection is not set up, nothing is stored and the checks run without past-result guidance.

USES Vector database (Mongo Atlas) AI: Gemini embeddings

Steps 1, 4, 5 and 6 use Gemini, so their results can differ a little between runs, and from one model to another. Steps 2 and 3 are plain code and never vary. If no model can answer, the check is marked incomplete and its score is not trusted.

The techniques, in plain words

Vector or embedding

A piece of text turned into a long list of numbers that captures its meaning. Texts that mean similar things get lists that are close together, even if they share no words.

Vector database

A database built to answer "which stored items are closest in meaning to this one?" quickly. Ours is MongoDB Atlas, holding the rulebook and past reviewer decisions as vectors.

Cosine similarity

How "close" two vectors are, as a score from 0 to 1. The checker keeps rule matches scoring at least 0.66.

Retrieval-augmented generation (RAG)

First retrieve the few most relevant items from a database, then hand only those to an AI model to reason about. It keeps the model focused and stops it inventing rules.

AI as a judge

Asking a language model to make a call, such as "is this a breach?", and to explain it. The answer comes back as structured data with a confidence, and safeguards check it (the quote must really be in the post).

Regular expression

A compact pattern for finding text by its shape, such as a dollar sign followed by digits. Fast, free and always the same result.

OCR and speech-to-text

Turning pictures of words, and spoken audio, into text the checker can read. Here a Gemini model does both.

Structured output

The AI is told to answer in a fixed format (named fields) instead of free text, so the checker can read the answer reliably.

What each finding costs

Violation

The wording breaks a rule. Only these can block.

RULE IS	POINTS OFF
Critical (red)	35
High	20
Any other	10
Required disclaimer missing	20
Each further separate claim, same rule	5 (10 at most)

The same words flagged under two rules are counted once.

Needs a source

A factual claim with no evidence given. The claim may be true; it has to be backed up.

CASE	POINTS OFF
Each claim	5
All claims together	10 at most
The source supports the claim	0

The same claim under two rules is charged once, by the stricter rule.

Needs a person

Costs points only by how sure the model is that the rule is broken.

MODEL IS	POINTS OFF
80% sure or more	half the rule's points (18 / 10 / 5)
50 to 79% sure	5
Under 50%, or it would clear it	0

Cleared by context

The wording matched, but the sentence around it shows the rule does not apply.

CASE	POINTS OFF
Cleared	0
Flag dismissed with a reason	points returned

The lines that matter

100
Where every post starts

40
Highest score a post with a critical violation can get

70
Lowest score that can be approved, with no open critical flag

R / Y / G
Red if blocked, yellow if anything is open, green if nothing is

If the AI could not read part of the post (quota, outage, no key), the check is marked incomplete and the score is not trusted.

A worked example

SUB-1071 ("Daas"), the post with the Arizona manufacturing image.

Start	100
Rule 24 "1 drone": cleared by context	0
Rule 25 forward-looking statement: needs a person, model 80%+ sure, high rule (20 / 2)	-10
No critical violation, so no cap	–
Score	**90 / 100**

90 is above the 70 line with nothing critical open, so it can be approved.