# DATE:01/04/2024

### **Practice questions:**

## Output 1

```
0

    mongosh mongodb+snc//cc × + ∨

Atlas atlas-50jt9m-shard-0 [primary] test> db.createCollection("Student")
Atlas atlas-50jt9m-shard-0 [primary] test> db.Student.insert([rollno:1,age:20,contactno:9854816655,email:"xyz@outlook.co
 "1);
  acknowledged: true,
insertedIds: { '0': ObjectId("668a8396d2ceeb139ef22135") }
Atlas atlas-50jt9m-shard-0 [primary] test> db.Student.insert({rollno:10,age:21,contactno:6754816655,email:"qwerty@outloo
  acknowledged: true,
insertedIds: { '0': ObjectId("660a83d6d2ceeb139ef22136") }
Atlas atlas-50jt9m-shard-0 [primary] test> db.Student.insert({rollno:11,age:20,contactno:8675496482,email:"abc@outlook.c
 m"});
  acknowledged: true,
insertedIds: { '0': ObjectId("660a83f8d2ceeb139ef22137") }
Atlas atlas-50jt9m-shard-0 [primary] test> db.Student.update({rollno:10},{$set:{email:"prakar@gmail.com"}});
  insertedId: null,
  matchedCount: 1,
modifiedCount: 1,
  upsertedCount: 0
Atlas atlas-50jt9m-shard-0 [primary] test>
```

#### Output 2

```
Atlas atlas-50jt9m-shard-0 [primary] test> db.Student.update({rollno:11},{$set:{studname:"fem"}},{upsert:true});
{
    acknowledged: true,
    insertedId: null,
    matchedCount: 1,
    modifiedCount: 1,
    upsertedCount: 0
}
Atlas atlas-50jt9m-shard-0 [primary] test> db.Student.find()
[
    {
        id: ObjectId("660a8396d2ceeb139ef22135"),
        rollno: 1,
        age: 20,
        contactno: 9854816655,
        email: 'xyz@outlook.com',
```

## Output 3

```
Atlas atlas-@p3eke-shard-@ [primary] test> db.Student.insert({_id:1,StudName:"MichelleJacintha",Grade:"VII",Hobbies:"InternetSurfing"));

DeprecationNaming: Collection.insert() is deprecated. Use insertOne, insertNamy, or bulkNamite.

d acknowledged: true, insertedIds: { '0': 1 }

Atlas atlas-@p3eke-shard-@ [primary] test> db.Student.update({_id:3,StudName:"AryanDavid",Grade:"VII"},{$set:{Hobbies:"Sknting"}},{upsertictrue});

DeprecationNaming: Collection.update() is deprecated. Use updateOne, updateNamy, or bulkNamite.

{
    acknowledged: true,
    insertedId: 3,
    matchedCount: 0,
    upsertedCount: 0,
    upsertedCount: 0,
    upsertedCount: 1
}

Atlas atlas-@p3eke-shard-@ [primary] test> db.Student.find({StudName:"AryanDavid"});

{
    StudName: 'MichelleJacintha', Grade: 'VII' },
    Grade: 'VII', StudName: 'AryanDavid' }

}

Atlas atlas-@p3eke-shard-@ [primary] test> db.Student.find({Grade:{Seq:'VII'}}).pretty();

[
    __id: 1,
    StudName: 'MichelleJacintha',
    Grade: 'VII',
    Hobbies: 'InternetSurfing'
},

Hobbies: 'InternetSurfing'
},
```

## Output 4

```
Atlas atlas-Up3eke-shard-0 [primary] test> db.Student.count();

DeprecationMarning: Collection.count() is deprecated. Use countDocuments or estimatedDocumentCount.

Atlas atlas-Up3eke-shard-0 [primary] test> db.Student.find().sort({StudMame:-1}).pretty();

{
    id: 1,
    StudMame: 'MichelleJacintha',
    Grade: 'VII',
    Hobbies: 'InternetSurfing'
},

{    id: 3, Grade: 'VII', StudMame: 'AryanDavid', Hobbies: 'Skating' }

Atlas atlas-Up3eke-shard-0 [primary] test> db.Student.find({Hobbies: {$in: ['Chess','Skating']}}).pretty();

{    id: 3, Grade: 'VII', StudMame: 'AryanDavid', Hobbies: 'Skating' }

Atlas atlas-Up3eke-shard-0 [primary] test> db.Student.find({StudMame:/MV}).pretty();

{
    id: 1,
    StudMame: 'MichelleJacintha',
    Grade: 'VII',
    Hobbies: 'InternetSurfing'
}
```

#### Output 5

```
Atlas atlas-Up3eke-shard-0 [primary] test> db.Student.find({StudName:/e/}).pretty();

{
    _id: 1,
    StudName: 'MichelleJacintha',
    Grade: 'VII',
    Hobbies: 'InternetSurfing'
}

}
```