

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ CSS

```
<div class="text-right">
  <a class = "btn account-home-btn" href="/furniture/">Cancel</a>
  <button class = "btn account-action-btn" type="submit">Update
Furniture</button>
</div>
</form>
</div>
</div>
```

<!--based on code from Code Institute's Boutique Ado Project -->

```
<div class="btt-button shadow-sm rounded-0 border">
  <a class="btt-link d-flex h-100">
    <i class="fas fa-arrow-up mx-auto my-auto"></i>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 389, column 5; to line 389, column 101](#)

```
jpg"></a>
```

- Error** Duplicate attribute `id`.

[At line 400, column 99](#)

```
"site-forms" id="id_image"></
```

- Error** Element `p` not allowed as child of element `strong` in this context. (Suppressing further errors from this subtree.)

[From line 402, column 9; to line 402, column 45](#)

```
><strong><p class="text-danger" id="filename"></p></
```

Contexts in which element **p** may be used:

Where [flow content](#) is expected.

Content model for element **strong**:

[Phrasing content](#).

4. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 427, column 5; to line 427, column 35](#)

```
<script type="text/javascript">
```

5. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 433, column 1; to line 433, column 31](#)

```
<script type="text/javascript"> $
```

Document checking completed.

Source

```
1. <
2. <
3. <
4. <!doctype html>
5. <html lang="en">
6.   <head>
7.   <
8.     <
9.       <meta http-equiv="X-UA-Compatible" content="ie=edge">
10.      <meta charset="utf-8">
11.      <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
12.    <
13.    <
14.    <
15.    <
16.    <
17.    <
18.      <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGs03+HhXv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
19.      <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"
/>
20.      <link rel="preconnect" href="https://fonts.gstatic.com">
21.      <link rel="stylesheet" href="/static/css/base.css">
22.      <link rel="preconnect" href="https://fonts.gstatic.com">
23.      <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
rel="stylesheet">
24.    <
25.    <
26.    <
27.    <
28.    <
29.    <
30.      <script src="https://kit.fontawesome.com/a2015cea33.js"
crossorigin="anonymous"></script>
31.      <script src="https://code.jquery.com/jquery-3.6.0.min.js"
integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
crossorigin="anonymous"></script>
```

```

32.     <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>↵
33.     <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>↵
34.     <!-- Stripe -->↵
35.     <script src="https://js.stripe.com/v3/"></script>↵
36. ↵
37.     ↵
38. ↵
39.     ↵
40.     ↵
41. ↵
42.     <title>From Field to Frame </title>↵
43. </head>↵
44. <body>↵
45.     ↵
46.     <header class="container-fluid fixed-top">↵
47.         <div class="row">↵
48.             ↵
49. ↵
50.             <div class="col-3 my-1 d-flex flex-row">↵
51.                 <nav class="navbar navbar-expand-lg navbar-light">↵
52.                     <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarNavDropdown"↵
53.                         aria-controls="navbarNavDropdown" aria-expanded="false"
aria-label="Toggle navigation">↵
54.                         <span class="navbar-toggler-icon"></span>↵
55.                     </button>↵
56.                     <div class="collapse navbar-collapse"
id="navbarNavDropdown">↵
57.                         <div class="container-fluid ">↵
58.                             <div>↵
59.                                 <ul class="navbar-nav">↵
60.                                     <li><a href="/art/" class="mr-3">Art</a>
</li>↵
61.                                     <li><a href="/furniture/" class="mr-
3">Furniture</a></li>↵
62.                                     <li><a href="/blog/" class="mr-3">Blog</a>
</li>↵
63.                                     <li><a href="/contact/" class="mr-
3">Contact</a></li>↵
64.                                     <li><a href="/profile/" class="mr-3 d-block
d-lg-none">Profile</a></li>↵
65.                                 </ul>↵
66.                             </div>↵
67.                         </div>↵
68.                     </div>↵
69.                 </nav>↵
70.             </div>↵
71.             ↵
72.             <div class="col-6 my-1 py-1 py-lg-0">↵
73.                 <a href="/" class="nav-link text-center title-text">↵
74.                     <h2 class="logo-font my-0">From Field to Frame</h2>↵
75.                 </a>↵
76.             </div>↵
77.             ↵
78. ↵
79.     <!-- From Code Institute Boutique Ado walkthrough project -->↵
80.     <div class="col-3 my-1 py-1 py-lg-0">↵
81.         <ul class="list-inline list-unstyled text-right my-0">↵
82.             <li class="list-inline-item dropdown">↵
83.                 <a class="text-black nav-link d-none d-lg-block"
href="#" id="user-options" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
84.                 <div class="text-center">↵

```

```

85.         <div><i class="fas fa-user fa-lg"></i></div><↵
86.         <p class="my-0">My Account</p><↵
87.     </div><↵
88. </a><↵
89.     <div class="dropdown-menu profile-dropdown border-0"
aria-labelledby="user-options"><↵
90.         <↵
91.         <↵
92.         <a href="/profile/" class="dropdown-item">My
Profile</a><↵
93.         <a href="/accounts/logout/" class="dropdown-
item">Logout</a><↵
94.     </div><↵
95. </li><↵
96. <↵
97.     <li class="list-inline-item"><↵
98.         <a class="text-black nav-link" href="/basket/"><↵
99.         <div class="text-center"><↵
100.             <div><i class="fas fa-shopping-bag fa-lg">
</i></div><↵
101.             <p class="my-0"><↵
102.                 <↵
103.                 £0.00<↵
104.             </p><↵
105.             </div><↵
106.         </a><↵
107.     </li><↵
108. </ul><↵
109. </div><↵
110. </div><↵
111. </header> <↵
112. <↵
113. <↵
114. <↵
115. <div class="message-container"><↵
116.     <↵
117.     <↵
118.     <!-- Toast HTML based on code taken from Code Institute
Boutique Ado project--><↵
119.     <div class="toast custom-toast rounded-0 border-top-0" data-autohide="false"><↵
120.         <div class="arrow-up arrow-info"></div><↵
121.         <div class="w-100 toast-capper bg-info"></div><↵
122.         <div class="toast-header bg-white text-dark"><↵
123.             <strong class="mr-auto">Alert!</strong><↵
124.             <button type="button" class="ml-2 mb-1 close text-dark" data-
dismiss="toast" aria-label="Close"><↵
125.                 <span aria-hidden="true">&times;</span><↵
126.             </button><↵
127.         </div><↵
128.         <div class="toast-body bg-white"><↵
129.             You are editing Writing Desk <↵
130.         </div><↵
131.     </div><↵
132. </div><↵
133.     <↵
134.     <↵
135.     <div class="container header-container"><↵
136.         <div class="row"><↵
137.             <div class="col"></div><↵

```

```

150.         </div><↵
151.     </div><↵
152. ↵
153. ↵
154.     ↵
155. ↵
156. <div class="container-fluid"><↵
157.     <div class="row"><↵
158.         <div class="col text-center mt-3"><↵
159.             <h2 class="title-text page-title">Edit Furniture Example</h2><↵
160.             <hr class="w-50 mb-1 title-hr"><↵
161.         </div><↵
162.     </div><↵
163. </div><↵
164. ↵
165. <div class="row"><↵
166.     <div class="col-10 offset-1 col-md-6 offset-md-3"><↵
167.         <form method = "POST" action="/furniture/edit/1/" class="form mb-2"
168.         enctype = "multipart/form-data"><↵
169.             <input type="hidden" name="csrfmiddlewaretoken"
170.             value="pF1wpjcImAsHXT2HOLgFWbsaMBsLAoT2XYZQQprRql0EYtT09cC15VdQPyzxVgLi"><↵
171.                 ↵
172.                 ↵
173.                 ↵
174.                 ↵
175.         <div id="div_id_title" class="form-group"><↵
176.             ↵
177.             <label for="id_title" class=""><↵
178.                 Title<↵
179.             </label><↵
180.             ↵
181.             ↵
182.             ↵
183.             ↵
184.             ↵
185.             ↵
186.             ↵
187.             ↵
188.                 <div class=""><↵
189.                     ↵
190.                     <input type="text" name="title" value="Writing Desk"
191.                     maxlength="250" class="site-forms textinput textInput form-control"
192.                     id="id_title"><↵
193.                         ↵
194.                         ↵
195.                         ↵
196.                         ↵
197.                         ↵
198.                         ↵
199.                         ↵
200.                         ↵
201.                         ↵
202.                         ↵
203.                         ↵
204.                     </div><↵
205.                 ↵
206.             ↵
207.         </div><↵
208.     ↵
209.     ↵
210.     ↵
211.         ↵
212.         ↵
213.         ↵
214.         ↵
215.     ↵
216.     ↵

```

```
217. ↵
218. <div id="div_id_product" class="form-group">↵
219.   ↵
220.     <label for="id_product" class=" requiredField">↵
221.       Product<span class="asteriskField">*</span>↵
222.     </label>↵
223.   ↵
224. ↵
225.   ↵
226. ↵
227.   ↵
228. ↵
229.   ↵
230.     ↵
231.       <div class="">↵
232.         ↵
233.           <input type="text" name="product" value="Writing Desk
with Chalk Paint" maxlength="250" class="site-forms textinput textInput form-
control" required id="id_product">↵
234.         ↵
235.         ↵
236. ↵
237. ↵
238.   ↵
239. ↵
240. ↵
241. ↵
242. ↵
243.   ↵
244. ↵
245. ↵
246. ↵
247.     </div>↵
248.   ↵
249. ↵
250. </div>↵
251. ↵
252. ↵
253. ↵
254.     ↵
255.   ↵
256.     ↵
257.       ↵
258. ↵
259. ↵
260. ↵
261. <div id="div_id_medium" class="form-group">↵
262.   ↵
263.     <label for="id_medium" class="">↵
264.       Medium↵
265.     </label>↵
266.   ↵
267. ↵
268.   ↵
269. ↵
270.   ↵
271. ↵
272.   ↵
273.     ↵
274.       <div class="">↵
275.         ↵
276.           <input type="text" name="medium" maxlength="100"
class="site-forms textinput textInput form-control" id="id_medium">↵
277.         ↵
278.         ↵
279. ↵
280. ↵
281.   ↵
282. ↵
283. ↵
284. ↵
```

```

285. ↵
286. ↵
287. ↵
288. ↵
289. ↵
290. ↵      </div>↵
291. ↵
292. ↵
293. ↵    </div>↵
294. ↵
295. ↵
296. ↵
297. ↵      ↵
298. ↵      ↵
299. ↵      ↵
300. ↵      ↵
301. ↵
302. ↵
303. ↵
304. ↵    <div id="div_id_description" class="form-group">↵
305. ↵      ↵
306. ↵      <label for="id_description" class=" requiredField">↵
307. ↵        Description<span class="asteriskField">*</span>↵
308. ↵      </label>↵
309. ↵      ↵
310. ↵
311. ↵      ↵
312. ↵
313. ↵      ↵
314. ↵
315. ↵      ↵
316. ↵      ↵
317. ↵      <div class="">↵
318. ↵        ↵
319. ↵          <textarea name="description" cols="40" rows="10"
320. ↵            class="site-forms textarea form-control" required id="id_description">↵
321. ↵            A stunning project which upcycled an old writing desk with chalk paint to
322. ↵            create a feature piece. Reminiscent of a beach sunset.</textarea>↵
323. ↵
324. ↵
325. ↵      ↵
326. ↵
327. ↵
328. ↵
329. ↵
330. ↵      ↵
331. ↵
332. ↵
333. ↵
334. ↵      </div>↵
335. ↵      ↵
336. ↵      ↵
337. ↵    </div>↵
338. ↵
339. ↵
340. ↵
341. ↵      ↵
342. ↵      ↵
343. ↵      ↵
344. ↵      ↵
345. ↵
346. ↵
347. ↵
348. ↵    <div id="div_id_image_url" class="form-group">↵
349. ↵      ↵
350. ↵      <label for="id_image_url" class="">↵
351. ↵        Image url↵
352. ↵      </label>↵
353. ↵

```

```

354. ↵
355.     ↵
356. ↵
357.     ↵
358. ↵
359.     ↵
360.     ↵
361.         <div class="">↵
362.             ↵
363.                 <input type="url" name="image_url" maxlength="1024"
class="site-forms urlinput form-control" id="id_image_url">↵
364.             ↵
365.             ↵
366. ↵
367. ↵
368.     ↵
369. ↵
370. ↵
371. ↵
372. ↵
373.     ↵
374. ↵
375. ↵
376. ↵
377.         </div>↵
378.     ↵
379.     ↵
380. </div>↵
381.     ↵
382. ↵
383. ↵
384.         ↵
385.     ↵
386.     ↵
387.         <p>Current Image:</p>↵
388. <a href="/media/dark-writing-desk_aDM9zJM.jpg">↵
389.     ↵
390. </a>↵
391. ↵
392.     <div class="custom-control custom-checkbox mt-2">↵
393.         <input class="custom-control-input" type="checkbox" name="image-clear"
id="image-clear_id">↵
394.         <label class="custom-control-label text-danger" for="image-
clear_id">Remove</label>↵
395.     </div>↵
396. <br>↵
397. ↵
398. ↵
399. <span class="btn btn-widget btn-file">↵
400. Select Image <input id="new-image" type="file" name="image" accept="image/*"
class="site-forms" id="id_image">↵
401. </span>↵
402. <strong><p class="text-danger" id="filename"></p></strong>↵
403.     ↵
404.     ↵
405.         <div class="text-right">↵
406.             <a class = "btn account-home-btn"
href="/furniture/">Cancel</a>↵
407.             <button class = "btn account-action-btn" type="submit">Update
Furniture</button>↵
408.         </div>↵
409.     </form>↵
410. </div>↵
411. </div>↵
412. ↵
413. <!--based on code from Code Institute's Boutique Ado Project -->↵
414. ↵
415. <div class="btt-button shadow-sm rounded-0 border">↵
416.     <a class="btt-link d-flex h-100">↵
417.         <i class="fas fa-arrow-up mx-auto my-auto"></i>↵

```



```
418.      </a>      ↵
419. </div>↵
420. ↵
421. ↵
422. ↵
423.      ↵
424. ↵
425.      ↵
426. ↵
427.      <script type="text/javascript">↵
428.          $(''.toast').toast('show');↵
429.      </script>↵
430. ↵
431.      ↵
432. ↵
433. <script type="text/javascript">↵
434.     $(''.btt-link').click(function(e) {↵
435.         window.scrollTo(0,0)↵
436.     });↵
437. ↵
438.     $('#new-image').change(function() {↵
439.         var file = $('#new-image')[0].files[0];↵
440.         $('#filename').text(`Image will be set to: ${file.name}`);↵
441.     });↵
442. </script>↵
443. ↵
444. ↵
445. ↵
446. ↵
447. ↵
448.      ↵
449. ↵
450.      <footer class="container-fluid fixed-bottom text-center mt-5">↵
451.          ↵
452.              <a target="_blank"
href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
social-footer-links"><i class="fab fa-instagram"></i></a>↵
453.              <a target="_blank" href="https://twitter.com/" class= "mx-2 social-
footer-links"><i class="fab fa-twitter"></i></a>↵
454.              <a target="_blank" href="https://facebook.com/" class= "mx-2
social-footer-links"><i class="fab fa-facebook-f"></i></a>↵
455.          ↵
456.      </footer>↵
457.      ↵
458. </body>↵
459. </html>
```

Used the HTML parser.

Total execution time 28 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.7.31