

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by  ☐ css

```

Profile</a>
item">Logout</a>

        </div>
    </li>

    <li class="list-inline-item">
        <a class="text-black nav-link" href="/basket/">
            <div class="text-center">
                <div><i class="fas fa-shopping-bag fa-lg"></i>

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

#### 1. **Error** Duplicate attribute `id`.

[At line 364, column 99](#)

```
"site-forms" id="id_image"></
```

#### 2. **Error** Element `p` not allowed as child of element `strong` in this context. (Suppressing further errors from this subtree.)

[From line 366, column 9; to line 366, column 45](#)

```
><strong><p class="text-danger" id="filename"></p></
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `strong`:

[Phrasing content](#).

#### 3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 391, column 5; to line 391, column 35](#)

```
<script type="text/javascript">
```

4. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 397, column 1; to line 397, column 31](#)

```
<script type="text/javascript"> $
```

Document checking completed.

## Source

```
1. <
2. <
3. <
4. <!doctype html>
5. <html lang="en">
6.   <head>
7.   <
8.     <
9.       <meta http-equiv="X-UA-Compatible" content="ie=edge">
10.      <meta charset="utf-8">
11.      <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
12.    <
13.  <
14.    <
15.    <
16.  <
17.    <
18.      <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGs03+HhXv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
19.      <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"
/>
20.      <link rel="preconnect" href="https://fonts.gstatic.com">
21.      <link rel="stylesheet" href="/static/css/base.css">
22.      <link rel="preconnect" href="https://fonts.gstatic.com">
23.      <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
rel="stylesheet">
24.    <
25.  <
26.    <
27.    <
28.  <
29.    <
30.      <script src="https://kit.fontawesome.com/a2015cea33.js"
crossorigin="anonymous"></script>
31.      <script src="https://code.jquery.com/jquery-3.6.0.min.js"
integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
crossorigin="anonymous"></script>
32.      <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
33.      <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6"
crossorigin="anonymous"></script>
34.    <!-- Stripe -->
```

```

35.     <script src="https://js.stripe.com/v3/"></script>↵
36. ↵
37.     ↵
38. ↵
39.     ↵
40.     ↵
41. ↵
42.     <title>From Field to Frame </title>↵
43. </head>↵
44. <body>↵
45.     ↵
46.     <header class="container-fluid fixed-top">↵
47.         <div class="row">↵
48.             ↵
49. ↵
50.                 <div class="col-3 my-1 d-flex flex-row">↵
51.                     <nav class="navbar navbar-expand-lg navbar-light">↵
52.                         <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarNavDropdown"↵
53.                             aria-controls="navbarNavDropdown" aria-expanded="false"
aria-label="Toggle navigation">↵
54.                             <span class="navbar-toggler-icon"></span>↵
55.                         </button>↵
56.                         <div class="collapse navbar-collapse"
id="navbarNavDropdown">↵
57.                             <div class="container-fluid ">↵
58.                                 <div>↵
59.                                     <ul class="navbar-nav">↵
60.                                         <li><a href="/art/" class="mr-3">Art</a>
</li>↵
61.                                         <li><a href="/furniture/" class="mr-
3">Furniture</a></li>↵
62.                                         <li><a href="/blog/" class="mr-3">Blog</a>
</li>↵
63.                                         <li><a href="/contact/" class="mr-
3">Contact</a></li>↵
64.                                         <li><a href="/profile/" class="mr-3 d-block
d-lg-none">Profile</a></li>↵
65.                                     </ul>↵
66.                                 </div>↵
67.                             </div>↵
68.                         </div>↵
69.                     </nav>↵
70.                 </div>↵
71. ↵
72.                 <div class="col-6 my-1 py-1 py-lg-0">↵
73.                     <a href="/" class="nav-link text-center title-text">↵
74.                         <h2 class="logo-font my-0">From Field to Frame</h2>↵
75.                     </a>↵
76.                 </div>↵
77. ↵
78. ↵
79.         <!-- From Code Institute Boutique Ado walkthrough project -->↵
80.         <div class="col-3 my-1 py-1 py-lg-0">↵
81.             <ul class="list-inline list-unstyled text-right my-0">↵
82.                 <li class="list-inline-item dropdown">↵
83.                     <a class="text-black nav-link d-none d-lg-block"
href="#" id="user-options" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
84.                         <div class="text-center">↵
85.                             <div><i class="fas fa-user fa-lg"></i></div>↵
86.                             <p class="my-0">My Account</p>↵
87.                         </div>↵
88.                     </a>↵
89.                     <div class="dropdown-menu profile-dropdown border-0"
aria-labelledby="user-options">↵
90.                         ↵
91.                         ↵
92.                         <a href="/profile/" class="dropdown-item">My
Profile</a>↵

```

```

93.         <a href="/accounts/logout/" class="dropdown-
item">Logout</a>↵
94.         ↵
95.     </div>↵
96. </li>↵
97. ↵
98.     <li class="list-inline-item">↵
99.         <a class="text-black nav-link" href="/basket/">↵
100.         <div class="text-center">↵
101.             <div><i class="fas fa-shopping-bag fa-lg">
102.                 <p class="my-0">↵
103.                     ↵
104.                         £0.00↵
105.                     ↵
106.                 </p>↵
107.             </div>↵
108.         </a>↵
109.     </li>↵
110. ↵
111. </ul>↵
112. </div>↵
113. </div>↵
114. ↵
115. </header> ↵
116. ↵
117. ↵
118. ↵
119. ↵
120. ↵
121. ↵
122. ↵
123. <div class="container header-container">↵
124.     <div class="row">↵
125.         <div class="col"></div>↵
126.     </div>↵
127. </div>↵
128. ↵
129. ↵
130. ↵
131. ↵
132. <div class="container-fluid">↵
133.     <div class="row">↵
134.         <div class="col text-center mt-3">↵
135.             <h2 class="title-text page-title">Add Furniture Example</h2>↵
136.             <hr class="w-50 mb-1 title-hr">↵
137.         </div>↵
138.     </div>↵
139. </div>↵
140. ↵
141. <div class="row">↵
142.     <div class="col-10 offset-1 col-md-6 offset-md-3">↵
143.         <form method = "POST" action="/furniture/add/" class="form mb-2"
enctype = "multipart/form-data">↵
144.             <input type="hidden" name="csrfmiddlewaretoken"
value="T6cWvNT3I20wRcMv3LWrG4SOGZw4KJANrpagWT8cMNYtSMD0ociNPODuJWDQ5Bs3">↵
145.             ↵
146.                 ↵
147.                 ↵
148.             ↵
149.             ↵
150.             ↵
151.         <div id="div_id_title" class="form-group">↵
152.             ↵
153.                 <label for="id_title" class="">↵
154.                     Title↵
155.                 </label>↵
156.             ↵
157.             ↵
158.             ↵
159.             ↵

```

```
160.      ↵
161. ↵
162.      ↵
163.      ↵
164.      <div class="">↵
165.      ↵
166.      <input type="text" name="title" maxlength="250"
class="site-forms textinput textInput form-control" id="id_title">↵
167.      ↵
168.      ↵
169. ↵
170. ↵
171. ↵
172. ↵
173. ↵
174. ↵
175. ↵
176. ↵
177. ↵
178. ↵
179. ↵
180.      </div>↵
181.      ↵
182.      ↵
183. </div>↵
184. ↵
185. ↵
186. ↵
187.      ↵
188.      ↵
189.      ↵
190.      ↵
191. ↵
192. ↵
193. ↵
194. <div id="div_id_product" class="form-group">↵
195.      ↵
196.      <label for="id_product" class=" requiredField">↵
197.      Product<span class="asteriskField">*</span>↵
198.      </label>↵
199.      ↵
200. ↵
201.      ↵
202. ↵
203.      ↵
204. ↵
205.      ↵
206.      ↵
207.      <div class="">↵
208.      ↵
209.      <input type="text" name="product" maxlength="250"
class="site-forms textinput textInput form-control" required id="id_product">↵
210.      ↵
211.      ↵
212. ↵
213. ↵
214. ↵
215. ↵
216. ↵
217. ↵
218. ↵
219. ↵
220. ↵
221. ↵
222. ↵
223.      </div>↵
224.      ↵
225.      ↵
226. </div>↵
227. ↵
228. ↵
```

```
229. ↵
230.     ↵
231.     ↵
232.     ↵
233.     ↵
234. ↵
235. ↵
236. ↵
237. <div id="div_id_medium" class="form-group">↵
238.     ↵
239.         <label for="id_medium" class="">↵
240.             Medium↵
241.         </label>↵
242.     ↵
243. ↵
244.     ↵
245. ↵
246.     ↵
247. ↵
248.     ↵
249.     ↵
250.         <div class="">↵
251.             ↵
252.                 <input type="text" name="medium" maxlength="100"
class="site-forms textinput textInput form-control" id="id_medium">↵
253.             ↵
254.             ↵
255. ↵
256. ↵
257.     ↵
258. ↵
259. ↵
260. ↵
261. ↵
262.     ↵
263. ↵
264. ↵
265. ↵
266.         </div>↵
267.     ↵
268.     ↵
269. </div>↵
270. ↵
271. ↵
272. ↵
273.     ↵
274.     ↵
275.     ↵
276.     ↵
277. ↵
278. ↵
279. ↵
280. <div id="div_id_description" class="form-group">↵
281.     ↵
282.         <label for="id_description" class=" requiredField">↵
283.             Description<span class="asteriskField">*</span>↵
284.         </label>↵
285.     ↵
286. ↵
287.     ↵
288. ↵
289.     ↵
290. ↵
291.     ↵
292.     ↵
293.         <div class="">↵
294.             ↵
295.                 <textarea name="description" cols="40" rows="10"
class="site-forms textarea form-control" required id="id_description">↵
296.             </textarea>↵
297.             ↵
```

```

298.                                     ↵
299. ↵
300. ↵
301. ↵
302. ↵
303. ↵
304. ↵
305. ↵
306. ↵
307. ↵
308. ↵
309. ↵
310.                                     </div>↵
311. ↵
312. ↵
313. </div>↵
314. ↵
315. ↵
316. ↵
317. ↵
318. ↵
319. ↵
320. ↵
321. ↵
322. ↵
323. ↵
324. <div id="div_id_image_url" class="form-group">↵
325. ↵
326.     <label for="id_image_url" class="">↵
327.         Image url↵
328.     </label>↵
329. ↵
330. ↵
331. ↵
332. ↵
333. ↵
334. ↵
335. ↵
336. ↵
337.     <div class="">↵
338. ↵
339.         <input type="url" name="image_url" maxlength="1024"
class="site-forms urlinput form-control" id="id_image_url">↵
340. ↵
341. ↵
342. ↵
343. ↵
344. ↵
345. ↵
346. ↵
347. ↵
348. ↵
349. ↵
350. ↵
351. ↵
352. ↵
353.                                     </div>↵
354. ↵
355. ↵
356. </div>↵
357. ↵
358. ↵
359. ↵
360. ↵
361. ↵
362. ↵
363.         <span class="btn btn-widget btn-file">↵
364. Select Image <input id="new-image" type="file" name="image" accept="image/*"
class="site-forms" id="id_image">↵
365. </span>↵
366. <strong><p class="text-danger" id="filename"></p></strong>↵

```

```

367.         ↵
368.         ↵
369.         <div class="text-center mt-2">↵
370.             <a class = "btn account-home-btn"
371. href="/furniture/">Cancel</a>↵
371.             <button class = "btn account-action-btn" type="submit">Add
Product</button>↵
372.         </div>↵
373.     </form>↵
374. </div>↵
375. </div>↵
376. ↵
377. <!--based on code from Code Institute's Boutique Ado Project -->↵
378. ↵
379.     <div class="btt-button shadow-sm rounded-0 border">↵
380.         <a class="btt-link d-flex h-100">↵
381.             <i class="fas fa-arrow-up mx-auto my-auto"></i>↵
382.         </a>↵
383.     </div>↵
384. ↵
385. ↵
386. ↵
387.     ↵
388. ↵
389.     ↵
390. ↵
391.     <script type="text/javascript">↵
392.         $(''.toast').toast('show');↵
393.     </script>↵
394. ↵
395.     ↵
396.     ↵
397. <script type="text/javascript">↵
398.     $(''.btt-link').click(function(e) {↵
399.         window.scrollTo(0,0)↵
400.     })↵
401. ↵
402.     $('#new-image').change(function() {↵
403.         var file = $('#new-image')[0].files[0];↵
404.         $('#filename').text(`Image will be set to: ${file.name}`);↵
405.     });↵
406. </script>↵
407. ↵
408. ↵
409. ↵
410.     ↵
411. ↵
412.     <footer class="container-fluid fixed-bottom text-center mt-5">↵
413.         ↵
414.         <a target="_blank"
href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
social-footer-links"><i class="fab fa-instagram"></i></a>↵
415.         <a target="_blank" href="https://twitter.com/" class= "mx-2 social-
footer-links"><i class="fab fa-twitter"></i></a>↵
416.         <a target="_blank" href="https://facebook.com/" class= "mx-2
social-footer-links"><i class="fab fa-facebook-f"></i></a>↵
417.         ↵
418.     </footer>↵
419.     ↵
420. </body>↵
421. </html>

```

Used the HTML parser.

Total execution time 134 milliseconds.



