
## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning The type attribute is unnecessary for JavaScript resources.

From line 180, column 5; to line 180, column 35

← ← <script type="text/javascript">←

Column 35

Column 35
```

Document checking completed.

## Source

```
1. ↔
2. ↔
3. ↔
4. ↔
5. <!doctype html>↔
6. <html lang="en">↔
7. <head>←
8. ↔
9. ↔
10. <meta http-equiv="X-UA-Compatible" content="ie=edge">↔
11. <meta charset="utf-8">↔
```

```
12.
            <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
    shrink-to-fit=no">↔
13.
14.
15.
        \leftarrow
16.
17.
18.
19.
            <link rel="stylesheet"</pre>
    href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
    integrity="sha384-
    Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
    crossorigin="anonymous">↔
20.
            <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"</pre>
    />←
            <link rel="preconnect" href="https://fonts.gstatic.com">←
21.
            <link rel="stylesheet" href="/static/css/base.css">←
22.
            <link rel="preconnect" href="https://fonts.gstatic.com">←
23.
24.
            <link href="https://fonts.googleapis.com/css2?</pre>
    family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
    rel="stylesheet">↔
25.
26.
27.
        <u>ب</u>
28.
29.
30.
31.
            <script src="https://kit.fontawesome.com/a2015cea33.js"</pre>
    crossorigin="anonymous"></script>↔
            <script src="https://code.jquery.com/jquery-3.6.0.min.js"</pre>
32.
    integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4=
    crossorigin="anonymous"></script>↔
33.
            <script
    src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
    integrity="sha384-
    Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous"></script>↔
34.
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
    integrity="sha384-
    wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCEx130g8ifwB6"
    crossorigin="anonymous"></script>↔
35.
            <!-- Stripe -->↔
            <script src="https://js.stripe.com/v3/"></script>↩
36.
37.
38.
39. ←
40.
        \leftarrow
41.
        \hookrightarrow
42. ←
        <title>From Field to Frame </title>←
43.
44.
      </head>←
45.
      <body>←
46.
47.
        <header class="container-fluid fixed-top">←
48.
            <div class="row">↔
49.
50. ←
                 <div class="col-3 my-1 d-flex flex-row">←
51.
52.
                     <nav class="navbar navbar-expand-lg navbar-light">←
53.
                         <button class="navbar-toggler" type="button" data-</pre>
    toggle="collapse" data-target="#navbarNavDropdown"↔
54.
                             aria-controls="navbarNavDropdown" aria-expanded="false"
    aria-label="Toggle navigation">↔
55.
                              <span class="navbar-toggler-icon"></span>↔
56.
                         </button>←
57.
                         <div class="collapse navbar-collapse"</pre>
    id="navbarNavDropdown">↔
58.
                              <div class="container-fluid ">←
59.
                                  <div>←
                                      ↔
60.
```

```
121. ←
122.
123.
         \downarrow
124. ←
125.
126.
         <div class="container header-container">←
127.
           <div></div>←
             <div class="row">↔
128.
                 <div class="col-12">↔
129.
                      <div class="allauth-form-inner-content">←
130.
131.
132. ←
133. <div class="container-fluid">↔
134.
       <div class="row">↔
           <div class="col text-center mt-3">←
135.
136.
                <h2 class="title-text page-title">Log In</h2>↔
137.
                <hr class="w-50 mb-1 title-hr">↔
138.
           </div>←
139.
       </div>←
140. </div>↩
141. ←
142. ←
143. ←
144. ←
145. ←
146. rclass="mt-2">If you have not created an account yet, then please↔
147. <a class="allauth-links" href="/accounts/signup/">sign up</a> first.
148. ←
149. ←
150. <form class="login" method="POST" action="/accounts/login/">←
151
       <input type="hidden" name="csrfmiddlewaretoken"</pre>
     value="ezyt8n8UtsQJsB2k3pVnJgBk8V4zF4nMzTiWhauYpDOXjTAqoY6C43hWNy2TgOet">↔
152.
153. ←
154. <div id="div_id_login" class="form-group"> <label for="id_login" class="
     requiredField">↔
155.
                      Login<span class="asteriskField">*</span> </label> <div
     class=""> <input type="text" name="login" placeholder="Username or e-mail"
     autocomplete="email" class="textinput textInput form-control" required
     id="id_login"> </div> </div> <div id="div_id_password" class="form-group">
     <label for="id_password" class=" requiredField">←
156.
                      Password<span class="asteriskField">*</span> </label> <div
     class=""> <input type="password" name="password" placeholder="Password"</pre>
     autocomplete="current-password" class="textinput textInput form-control"
     required id="id_password"> </div> </div> <div class="form-group"> <div
     id="div_id_remember" class="form-check"> <input type="checkbox" name="remember"
class="checkboxinput form-check-input" id="id_remember"> <label</pre>
     for="id remember" class="form-check-label">↔
157.
                          Remember Me↔
158.
                      </label> </div> </div>↔
159. ←
160.
161.
       <a class ="btn account-home-btn" href="/">Home</a>←
162.
163.
       <button class="primaryAction btn account-action-btn" type="submit">Sign
     In</button>←
       ←
164.
165.
         Forgotten Password? <a class="btn secondaryAction allauth-links"
     href="/accounts/password/reset/">Click here to reset!</a>↔
166.
         ←
167. </form>↔
168. ←
169. ←
170. ←
171.
                      </div>←
172.
                  </div>←
173.
             </div>←
174.
         </div>←
175. ←
176.
177.
```

```
178. ←
179.
          <script type="text/javascript">←
  $('.toast').toast('show');←
180.
181.
182.
          </script>↩
183. ←
184.
185.
186. ←
187.
          \downarrow
188. ←
189.
          <footer class="container-fluid fixed-bottom text-center mt-5">←
190.
                   <a target="_blank"</pre>
191.
     href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
     social-footer-links"><i class="fab fa-instagram"></i></a>↔
                   <a target="_blank" href="https://twitter.com/" class= "mx-2 social-</pre>
192.
     footer-links"><i class="fab fa-twitter"></i></a>↔
                   <a target="_blank" href="https://facebook.com/" class= "mx-2</pre>
193.
     social-footer-links"><i class="fab fa-facebook-f"></i></a>↔
194.
195.
          </footer>↩
196.
197.
       </body>←
198.
    </html>
```

Used the HTML parser.

Total execution time 14 milliseconds.

About this checker • Report an issue • Version: 21.8.2