

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by  ☐ CSS

```
<script type="text/javascript">

// Disable +/- buttons outside 1-99 range
function handleEnableDisable(itemId) {
    var currentValue = parseInt($('#id_qty_${itemId}`).val());
    var minusDisabled = currentValue < 2;
    var plusDisabled = currentValue > 98;
    $('#decrement-qty_${itemId}`).prop('disabled', minusDisabled);
    $('#increment-qty_${itemId}`).prop('disabled', plusDisabled);
}

// Ensure proper enabling/disabling of all inputs on page load
var allQtyInputs = $('.qty_input');
for(var i = 0; i < allQtyInputs.length; i++){
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 248, column 5; to line 248, column 35](#)

```
<script type="text/javascript">
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 254, column 1; to line 254, column 31](#)

```
<script type="text/javascript"> $
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 264, column 1; to line 264, column 31](#)

```
ject --><script type="text/javascript">
```

Document checking completed.

## Source

```

1.  ↵
2.  ↵
3.  ↵
4.  <!doctype html>↵
5.  <html lang="en">↵
6.    <head>↵
7.    ↵
8.      ↵
9.        <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
10.       <meta charset="utf-8">↵
11.       <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">↵
12.     ↵
13.    ↵
14.      ↵
15.      ↵
16.    ↵
17.      ↵
18.      <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGs03+Hhxxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">↵
19.      <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"
/>↵
20.      <link rel="preconnect" href="https://fonts.gstatic.com">↵
21.      <link rel="stylesheet" href="/static/css/base.css">↵
22.      <link rel="preconnect" href="https://fonts.gstatic.com">↵
23.      <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
rel="stylesheet">↵
24.    ↵
25.    ↵
26.      ↵
27.      ↵
28.    ↵
29.      ↵
30.      <script src="https://kit.fontawesome.com/a2015cea33.js"
crossorigin="anonymous"></script>↵
31.      <script src="https://code.jquery.com/jquery-3.6.0.min.js"
integrity="sha256-/xUj+30JU5yExlq6GSYSHk7tPXikynS7ogEvDej/m4="
crossorigin="anonymous"></script>↵
32.      <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>↵
33.      <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6"
crossorigin="anonymous"></script>↵
34.      <!-- Stripe -->↵
35.      <script src="https://js.stripe.com/v3/"></script>↵
36.    ↵
37.      ↵
38.    ↵
39.      ↵
40.      ↵
41.    ↵
42.    <title>From Field to Frame </title>↵
43.  </head>↵
44.  <body>↵
45.    ↵
46.    <header class="container-fluid fixed-top">↵
47.      <div class="row">↵
48.        ↵
49.      ↵
50.      <div class="col-3 my-1 d-flex flex-row">↵

```

```

51.         <nav class="navbar navbar-expand-lg navbar-light">↵
52.             <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarNavDropdown"↵
53.                 aria-controls="navbarNavDropdown" aria-expanded="false"
aria-label="Toggle navigation">↵
54.                 <span class="navbar-toggler-icon"></span>↵
55.             </button>↵
56.             <div class="collapse navbar-collapse"
id="navbarNavDropdown">↵
57.                 <div class="container-fluid ">↵
58.                     <div>↵
59.                         <ul class="navbar-nav">↵
60.                             <li><a href="/art/" class="mr-3">Art</a>
↵
61.                             <li><a href="/furniture/" class="mr-
3">Furniture</a></li>↵
62.                             <li><a href="/blog/" class="mr-3">Blog</a>
↵
63.                             <li><a href="/contact/" class="mr-
3">Contact</a></li>↵
64.                             <li><a href="/profile/" class="mr-3 d-block
d-lg-none">Profile</a></li>↵
65.                         </ul>↵
66.                     </div>↵
67.                 </div>↵
68.             </div>↵
69.         </nav>↵
70.     </div>↵
71.     ↵
72.     <div class="col-6 my-1 py-1 py-lg-0">↵
73.         <a href="/" class="nav-link text-center title-text">↵
74.             <h2 class="logo-font my-0">From Field to Frame</h2>↵
75.         </a>↵
76.     </div>↵
77.     ↵
78.     ↵
79.     <!-- From Code Institute Boutique Ado walkthrough project -->↵
80.     <div class="col-3 my-1 py-1 py-lg-0">↵
81.         <ul class="list-inline list-unstyled text-right my-0">↵
82.             <li class="list-inline-item dropdown">↵
83.                 <a class="text-black nav-link d-none d-lg-block"
href="#" id="user-options" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
84.                     <div class="text-center">↵
85.                         <div><i class="fas fa-user fa-lg"></i></div>↵
86.                         <p class="my-0">My Account</p>↵
87.                     </div>↵
88.                 </a>↵
89.                 <div class="dropdown-menu profile-dropdown border-0"
aria-labelledby="user-options">↵
90.                     ↵
91.                     ↵
92.                     <a href="/profile/" class="dropdown-item">My
Profile</a>↵
93.                     <a href="/accounts/logout/" class="dropdown-
item">Logout</a>↵
94.                     ↵
95.                 </div>↵
96.             </li>↵
97.             ↵
98.             <li class="list-inline-item">↵
99.                 <a class="text-black nav-link" href="/basket/">↵
100.                     <div class="text-center">↵
101.                         <div><i class="fas fa-shopping-bag fa-lg">
↵
102.                         <p class="my-0">↵
103.                             ↵
104.                             £0.00↵
105.                         </p>↵
106.                     </div>↵
107.                 </a>↵

```

```

108.         </a><↵
109.     </li><↵
110. ↵
111.     </ul><↵
112. </div><↵
113. </div><↵
114. ↵
115. </header> <↵
116. ↵
117. ↵
118. ↵
119. ↵
120. ↵
121. ↵
122. ↵
123. ↵
124. ↵
125. ↵
126. ↵
127. <div class="row"><↵
128.     <div class="col text-center mt-3"><↵
129.         <h2 class="title-text page-title">Cloud Tower</h2><↵
130.         <hr class="w-50 mb-1 title-hr"><↵
131.     </div><↵
132. </div><↵
133. ↵
134. <div class="row text-center" id="delivery-banner"><↵
135.     <div class="col"><↵
136.         <h3 class="my-1">Free delivery on art orders over £40</h3><↵
137.     </div><↵
138. </div><↵
139. ↵
140. ↵
141. <div class="text-center mt-3"><↵
142.     <a href="/art/add/" class="account-action-btn">Add Item of Art to
Site</a><↵
143. </div><↵
144. ↵
145. ↵
146. ↵
147. ↵
148. <div class="row"><↵
149.     <div class="col-xs-10 offset-xs-1 col-md-6 offset-md-3 col-lg-8 offset-lg-2
text-center"><↵
150.         ↵
151. ↵
152.         <↵
153.         <a class="image-link" href="/media/Cloudtower.jpg" target="_blank">View
larger image</a><↵
154.         ↵
155.         ↵
156.     </div><↵
157. ↵
158.     <div class="col-xs-10 offset-xs-1 col-md-6 offset-md-3 col-lg-8 offset-lg-2
art-detail-info"><↵
159.         <div class="text-center art-detail-title"><strong>Cloud Tower</strong>
</div><↵
160.         ↵
161.         <div class="text-center mt-2"><↵
162.             <a href="/art/edit/3/" class="edit-delete-link">Edit</a><↵
163.             <a class="delete-modal-trigger edit-delete-link delete-link" data-
toggle="modal" data-target="#artDeleteModal_3">Delete</a><↵
164.         </div><↵
165.         ↵
166.         <br><↵
167.         <strong>Description:</strong> Cloud TowerCloud TowerCloud TowerCloud
TowerCloud TowerCloud TowerCloud TowerCloud TowerCloud Tower<↵
168.         <br><↵
169.         <strong>Price:</strong> £19.99<↵
170.     </div><↵

```

```

171.     <form class="form" action="/basket/add/3/" method="POST">↵
172.         <input type="hidden" name="csrfmiddlewaretoken"
value="wqFfmdAeusyThD91j7EWHr18NGniNgPogykhBSywPW5DV89Sg2Wx3zd5nlN3FrGM">↵
173.         <div class="form-row">↵
174.             <div class="col-12">↵
175.                 <p class="mt-3"><strong>Quantity:</strong></p>↵
176.                 <div class="form-group w-50">↵
177.                     <div class="input-group">↵
178.                         <div class="input-group-prepend">↵
179.                             <button class="decrement-qty btn btn-black
rounded-0" data-item_id="3">↵
180.                                 id="decrement-qty_3">↵
181.                                 <span class="icon">↵
182.                                     <i class="fas fa-minus"></i>↵
183.                                 </span>↵
184.                             </button>↵
185. ↵
186. ↵
187.                                 <input class="form-control-qty qty_input"
type="number" name="quantity" value="1">↵
188.                                     min="1" max="99" data-item_id="3"
id="id_qty_3">↵
189.                                 <div class="input-group-append">↵
190.                                     <button class="increment-qty btn btn-black
rounded-0" data-item_id="3">↵
191.                                         id="increment-qty_3">↵
192.                                         <span class="icon">↵
193.                                             <i class="fas fa-plus"></i>↵
194.                                         </span>↵
195. ↵
196.                                     </button>↵
197. ↵
198.                                 </div>↵
199.                             </div>↵
200.                         </div>↵
201.                     <input type="submit" class="btn text-uppercase mt-3
add-to-basket-button" value="Add to Basket">↵
202.                 </div>↵
203.                 <input type="hidden" name="redirect_url" value="/art/3/">↵
204.             </div>↵
205.         </div>↵
206.     </form>↵
207. </div>↵
208. </div>↵
209. ↵
210. ↵
211. <br>↵
212. <div class="text-center">↵
213.     <a href="/art/" class="account-action-btn"><i class="fas fa-arrow-left">
</i> Back to all art</a>↵
214. </div>↵
215. <!-- Art Delete Modal -->↵
216. <div class="modal fade" id="artDeleteModal_3" tabindex="-1" aria-
labelledby="artDeleteModalLabel-" aria-hidden="true">↵
217.     <div class="modal-dialog modal-dialog-centered">↵
218.         <div class="modal-content custom-modal">↵
219.             <div class="modal-header">↵
220.                 <h5 class="modal-title" id="artDeleteModalLabel-">Confirm
deletion</h5>↵
221.                 <button type="button" class="close" data-dismiss="modal" aria-
label="Close">↵
222.                     <span aria-hidden="true">&times;</span>↵
223.                 </button>↵
224.             </div>↵
225.             <div class="modal-body">↵
226.                 Are you sure you want to delete Cloud Tower?↵
227.             </div>↵
228.             <div class="modal-footer">↵
229.                 <button type="button" class="btn btn-outline-dark" data-
dismiss="modal">Close</button>↵
230.                 <a class="btn btn-danger" href="/art/delete/3/">Delete</a>↵

```

```

231.         </div><↵
232.     </div><↵
233. </div><↵
234. </div><↵
235. <!--based on code from Code Institute's Boutique Ado Project --><↵
236. <div class="btt-button shadow-sm rounded-0 border"><↵
237.     <a class="btt-link d-flex h-100"><↵
238.         <i class="fas fa-arrow-up mx-auto my-auto"></i><↵
239.     </a><↵
240. </div><↵
241. ↵
242. ↵
243. ↵
244.     ↵
245. ↵
246.     ↵
247. ↵
248.     <script type="text/javascript"><↵
249.         $(''.toast').toast('show');<↵
250.     </script><↵
251. ↵
252.     ↵
253.     ↵
254. <script type="text/javascript"><↵
255.     $(''.btt-link').click(function (e) {↵
256.         window.scrollTo(0, 0)<↵
257.     })<↵
258.     $('#artDeleteModal').on('shown.bs.modal', function () {↵
259.         $('#artDeleteModal').trigger('focus');<↵
260. </script><↵
261. ↵
262. <!-- JS taken from Code Institute Boutique Ado Walkthrough project --><↵
263. ↵
264. <script type="text/javascript"><↵
265. ↵
266.     // Disable +/- buttons outside 1-99 range<↵
267.     function handleEnableDisable(itemId) {↵
268.         var currentValue = parseInt($('#id_qty_{$itemId}`).val());<↵
269.         var minusDisabled = currentValue < 2;<↵
270.         var plusDisabled = currentValue > 98;<↵
271.         $('#decrement-qty_{$itemId}').prop('disabled', minusDisabled);<↵
272.         $('#increment-qty_{$itemId}').prop('disabled', plusDisabled);<↵
273.     }<↵
274. ↵
275.     // Ensure proper enabling/disabling of all inputs on page load<↵
276.     var allQtyInputs = $(''.qty_input');<↵
277.     for(var i = 0; i < allQtyInputs.length; i++){<↵
278.         var itemId = $(allQtyInputs[i]).data('item_id');<↵
279.         handleEnableDisable(itemId);<↵
280.     }<↵
281. ↵
282.     // Check enable/disable every time the input is changed<↵
283.     $(''.qty_input').change(function() {<↵
284.         var itemId = $(this).data('item_id');<↵
285.         handleEnableDisable(itemId);<↵
286.     });<↵
287. ↵
288.     // Increment quantity<↵
289.     $(''.increment-qty').click(function(e) {<↵
290.         e.preventDefault();<↵
291.         var closestInput = $(this).closest('.input-group').find('.qty_input')
292.         [0];<↵
293.         var currentValue = parseInt($(closestInput).val());<↵
294.         $(closestInput).val(currentValue + 1);<↵
295.         var itemId = $(this).data('item_id');<↵
296.         handleEnableDisable(itemId);<↵
297.     });<↵
298. ↵
299.     // Decrement quantity<↵
300.     $(''.decrement-qty').click(function(e) {<↵
        e.preventDefault();<↵

```

```
301.     var closestInput = $(this).closest('.input-group').find('.qty_input')
    [0];↵
302.     var currentValue = parseInt($(closestInput).val());↵
303.     $(closestInput).val(currentValue - 1);↵
304.     var itemId = $(this).data('item_id');↵
305.     handleEnableDisable(itemId);↵
306.   });↵
307. </script>↵
308. ↵
309. ↵
310. ↵
311. ↵
312.     <footer class="container-fluid fixed-bottom text-center mt-5">↵
313.         ↵
314.         <a target="_blank"
href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
social-footer-links"><i class="fab fa-instagram"></i></a>↵
315.         <a target="_blank" href="https://twitter.com/" class= "mx-2 social-
footer-links"><i class="fab fa-twitter"></i></a>↵
316.         <a target="_blank" href="https://facebook.com/" class= "mx-2
social-footer-links"><i class="fab fa-facebook-f"></i></a>↵
317.         ↵
318.     </footer>↵
319.     ↵
320. </body>↵
321. </html>
```

Used the HTML parser.

Total execution time 27 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 21.8.5