
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

From line 432, column 5; to line 432, column 91

| jpg">← <img width="96" height="96" class="rounded shadow-sm" src="/media/bluebellrainbow.jpg">←</a>←

2. Error Duplicate attribute id.

At line 443, column 99

| "site-forms" id="id_image">←</|
| 3. Error Element p not allowed as child of element strong in this context. (Suppressing further errors from this subtree.)
```

From line 445, column 9; to line 445, column 45

|>↩</

```
Contexts in which element <u>p</u> may be used:

Where <u>flow content</u> is expected.

Content model for element <u>strong</u>:

<u>Phrasing content</u>.
```

```
4. Warning The type attribute is unnecessary for JavaScript resources.

From line 470, column 5; to line 470, column 35

← 
← < < cript type="text/javascript">←
```

Document checking completed.

Source

```
1. ←
 2. ←
 3. ←
 4. <!doctype html>↔
 5. <html lang="en">↔
 6.
      <head>←
 7.
 8.
 9.
             <meta http-equiv="X-UA-Compatible" content="ie=edge">←
10.
             <meta charset="utf-8">↔
             <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
11.
    shrink-to-fit=no">↩
12.
13. ←
14.
        ے
15.
16.
    \leftarrow
17.
18.
             <link rel="stylesheet"</pre>
    href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
    integrity="sha384-
    Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
    crossorigin="anonymous">←
             <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"</pre>
19.
    />↩
20.
             <link rel="preconnect" href="https://fonts.gstatic.com">←
             <link rel="stylesheet" href="/static/css/base.css">←
21.
             <link rel="preconnect" href="https://fonts.gstatic.com">←
22.
23.
             <link href="https://fonts.googleapis.com/css2?</pre>
    family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
    rel="stylesheet">↔
24.
        پ
25. ←
26.
        <u>ب</u>
27.
        \leftarrow
28. ←
29.
30.
             <script src="https://kit.fontawesome.com/a2015cea33.js"</pre>
    crossorigin="anonymous"></script>↔
             <script src="https://code.jquery.com/jquery-3.6.0.min.js"</pre>
31.
    integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
    crossorigin="anonymous"></script>↔
```

```
32.
            <script
   src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
   integrity="sha384-
   Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
   crossorigin="anonymous"></script>↔
33.
            <script
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
   integrity="sha384-
   wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
   crossorigin="anonymous"></script>↔
            <!-- Stripe -->↔
34.
35.
            <script src="https://js.stripe.com/v3/"></script>←
36.
37.
38.
        <u>ب</u>
39.
40.
        \hookrightarrow
41. ←
42.
        <title>From Field to Frame </title>←
43.
      </head>←
44.
      <body>←
45.
46.
        <header class="container-fluid fixed-top">←
47.
            <div class="row">↔
                \leftarrow
48.
49.
50.
                <div class="col-3 my-1 d-flex flex-row">←
51.
                    <nav class="navbar navbar-expand-lg navbar-light">←
                        <button class="navbar-toggler" type="button" data-</pre>
52.
   {\tt toggle="collapse"} \  \, {\tt data-target="\#navbarNavDropdown"} \, {\leftarrow} \, \\
53.
                            aria-controls="navbarNavDropdown" aria-expanded="false"
   aria-label="Toggle navigation">↔
54.
                            <span class="navbar-toggler-icon"></span>↔
55.
                        </button>←
                        <div class="collapse navbar-collapse"</pre>
56.
   id="navbarNavDropdown">↔
                            <div class="container-fluid ">←
57.
58.
                                <div>←
                                    class="navbar-nav">↔
59.
                                        <a href="/art/" class="mr-3">Art</a>
60
    ↔
61.
                                        <a href="/furniture/" class="mr-
   3">Furniture</a>
                                        <a href="/blog/" class="mr-3">Blog</a>
62.
    ↩
63.
                                        <a href="/contact/" class="mr-
   3">Contact</a>↔
                                        <a href="/profile/" class="mr-3 d-block"
64.
   d-lg-none">Profile</a>↔
65.
                                    ←
                                </div>↔
66
67.
                            </div>←
68.
                        </div>←
69.
                    </nav>↩
70.
                </div>←
71.
                \leftarrow
72.
                <div class="col-6 my-1 py-1 py-lg-0">←
                    <a href="/" class="nav-link text-center title-text">↔
73.
74.
                        <h2 class="logo-font my-0">From Field to Frame</h2>↔
75.
                    </a>↔
76.
                </div>←
77.
78.
79.
                <!-- From Code Institute Boutique Ado walkthrough project -->↔
80.
                <div class="col-3 my-1 py-1 py-lg-0">←
81.
                    ←
82.
                        ←
                            <a class="text-black nav-link d-none d-lg-block"</pre>
83.
   href="#" id="user-options" data-toggle="dropdown" aria-haspopup="true" aria-
    expanded="false">↔
84.
                                <div class="text-center">←
```

```
04/08/2021
                                   Showing results for contents of text-input area - Nu Html Checker
     85.
                                          <div><i class="fas fa-user fa-lg"></i></div>↔
     86.
                                          My Account↔
     87.
                                      </div>←
     88.
                                  </a>←
     89.
                                  <div class="dropdown-menu profile-dropdown border-0"</pre>
         aria-labelledby="user-options">↔
     90.
     91.
     92.
                                          <a href="/profile/" class="dropdown-item">My
         Profile</a>↔
     93.
                                          <a href="/accounts/logout/" class="dropdown-</pre>
         item">Logout</a>↔
     94.
     95.
                                  </div>←
                              ←
     96.
     97.
     98.
                                  ←
     99.
                                      <a class="text-black nav-link" href="/basket/">←
    100.
                                          <div class="text-center">←
    101.
                                              <div><i class="fas fa-shopping-bag fa-lg">
         </i></div>←
    102.
                                              ←
    103.
    104.
                                                       £0.00↔
    105.
    106.
                                              ←
    107.
                                          </div>↩
    108.
                                      </a>←
                                  ↩
    109.
    110.
                         ↩
    111.
    112.
                     </div>←
    113.
                 </div>←
    114.
    115.
             </header> ←
    116.
    117. ←
    118.
             \rightarrow
    119. ←
    120.
             پ
    121.
                 <div class="message-container">←
    122.
    123.
    124.
    125.
                                  <!-- Toast HTML based on code taken from Code Institute
         Boutique Ado project-->↔
    126.
    127. <div class="toast custom-toast rounded-0 border-top-0" data-autohide="false">↔
    128.
             <div class="arrow-up arrow-info"></div>←
             <div class="w-100 toast-capper bg-info"></div>←
    129.
    130.
             <div class="toast-header bg-white text-dark">←
                 <strong class="mr-auto">Alert!</strong>←
    131.
                 <button type="button" class="ml-2 mb-1 close text-dark" data-</pre>
    132.
         dismiss="toast" aria-label="Close">↔
    133.
                     <span aria-hidden="true">&times;</span>↔
    134.
                 </button>←
    135.
    136.
             <div class="toast-body bg-white">↔
    137.
                 You are editing Bluebell Rainbow
    138.
             </div>↩
    139. </div>←
    140.
    141.
    142.
    143.
                 </div>←
    144.
    145. ←
    146.
    147.
             <div class="container header-container">←
    148.
                 <div class="row">↔
    149.
                     <div class="col"></div>↔
```

```
150.
             </div>←
151.
         </div>←
152. ←
153. ←
154.
155. ←
156. <div class="container-fluid">←
         <div class="row">↔
157.
158.
             <div class="col text-center mt-3">↔
159.
                  <h2 class="title-text page-title">Edit Product</h2>↔
                  <hr class="w-50 mb-1 title-hr">←
160.
161.
             </div>←
162.
         </div>↔
163. </div>↔
164. ←
    <div class="row">↔
165.
166.
         <div class="col-10 offset-1 col-md-6 offset-md-3">\leftrightarrow
             <form method = "POST" action="/art/edit/1/" class="form mb-2" enctype =</pre>
167.
     "multipart/form-data">↔
                  <input type="hidden" name="csrfmiddlewaretoken"</pre>
168.
     value="R8rsNhzWGI1STkApRPgaAN1BWtIasz3uprpMen05KtzPUUrIcgCwJxMhZqPWNrVK">↔
169.
170.
171.
172. ←
173. ←
174.
175.
         <div id="div_id_title" class="form-group">←
176.
177.
                  <label for="id_title" class=" requiredField">←
178.
                      Title<span class="asteriskField">*</span>↔
179.
                  </label>↩
180.
181. ←
182.
183. ←
184.
             \downarrow
185. ←
186.
             \rightarrow
187.
                  \downarrow
188.
                      <div class="">←
189.
     190.
     required id="id_title">↔
191.
192.
                          \downarrow
193. ←
194. ←
195.
         \leftarrow
196. ←
197. ←
198. ←
199. ←
200.
201. ←
202. ←
203. ←
204.
                      </div>←
205.
                  \leftarrow
206.
             \leftarrow
207.
         </div>↩
208.
209. ←
210. ←
211.
212.
213.
214.
215. ←
216. ←
```

```
217.
218.
          <div id="div_id_description" class="form-group">←
219.
220.
                   <label for="id_description" class=" requiredField">←
221.
                       Description<span class="asteriskField">*</span>↔
222.
                   </label>↩
223.
224. ←
225.
              پ
226. ←
227.
228. ←
229.
230.
231.
                       <div class="">←
232.
233.
                                <textarea name="description" cols="40" rows="10"</pre>
     class="site-forms textarea form-control" required id="id_description">←
     wwew Bluebell Rainbow Bluebell Rainbow Bluebell Rainbow Bluebell Rainbow
234.
     Bluebell Rainbow</textarea>↔
235.
236.
237. ←
238. ←
239.
240.
     \leftarrow
     \leftarrow
241.
242. ←
243.
     \leftarrow
244.
245. ←
246. ←
247. ←
248.
                       </div>←
249.
250.
251.
          </div>↩
252.
253. ←
254. ←
255.
256.
257.
258.
259. ←
260. ←
261.
          <div id="div_id_medium" class="form-group">←
262.
263.
264.
                   <label for="id_medium" class="">↔
265.
                       Medium↔
266.
                   </label>↔
267.
268. ←
269.
270. ←
271.
272. ←
273.
              \leftarrow
274.
                       <div class="">↔
275.
276.
                                <input type="text" name="medium" value="Watercolour"</pre>
277.
     maxlength="100" class="site-forms textinput textInput form-control"
     id="id_medium">↔
278.
279.
                            \leftarrow
280. ←
281.
282.
283. ←
```

```
284.
     \leftarrow
285.
     \leftarrow
286.
     \leftarrow
287.
288.
     \leftarrow
289.
290. ←
291.
                         </div>↩
292.
                    \leftarrow
293.
294.
          </div>↩
295.
296. ←
297. ←
298.
299.
300.
301.
302. ←
303. ←
304.
305.
          <div id="div_id_product_type" class="form-group">←
306.
307.
                    <label for="id_product_type" class="">←
308.
                        Product type ←
309.
                    </label>↩
310.
311. ←
312.
313. ←
314.
315. ←
316.
317.
                         <div class="">↔
318.
319.
                                  <input type="text" name="product_type" value="Picture"</pre>
320.
     maxlength="100" class="site-forms textinput textInput form-control"
     \verb"id="id\_product\_type">{} \hookleftarrow
321.
322.
                             \leftarrow
323. ←
324. ←
325.
326. ←
327.
328. ←
329. ←
330.
331. ←
332. ←
333. ←
334.
                         </div>←
335.
336.
337.
          </div>←
338.
339. ←
340. ←
341.
342.
343.
344.
345. ←
346. ←
347.
348.
          <div id="div_id_price" class="form-group">←
349.
                    <label for="id_price" class=" requiredField">←
350.
                        Price<span class="asteriskField">*</span>↔
351.
                    </label>↩
352.
```

```
04/08/2021
                                         Showing results for contents of text-input area - Nu Html Checker
    353.
    354. ←
    355.
    356. ←
    357.
    358. ←
    359.
                    \leftarrow
    360.
                              <div class="">↔
    361.
    362.
                                        <input type="number" name="price" value="15.99"</pre>
    363.
          step="0.01" class="site-forms numberinput form-control" required
          id="id_price">↔
    364.
    365.
                                   \leftarrow
    366.
    367. ←
    368.
    369. ←
    370. ←
    371. ←
    372.
          \leftarrow
    373.
    374.
          \leftarrow
    375.
          \leftarrow
    376.
    377.
                              </div>←
    378.
    379.
    380.
                </div>↩
    381.
    382. ←
    383. ←
    384.
    385.
    386.
    387.
    388. ←
    389. ←
    390.
    391.
               <div id="div_id_image_url" class="form-group">←
    392.
    393.
                         <label for="id_image_url" class="">↔
                              Image url←
    394.
    395.
                         </label>↩
    396.
    397. ←
    398.
    399. ←
    400.
                    پ
    401. ←
    402.
    403.
    404.
                              <div class="">↔
    405.
                                        <input type="url" name="image url" maxlength="1024"</pre>
    406.
          class="site-forms urlinput form-control" id="id_image_url">↔
    407.
    408.
                                   ب
    409. ←
    410. ←
    411.
    412. ←
    413. ←
    414.
          \leftarrow
    415.
    416.
    417.
          \leftarrow
          \leftarrow
    418.
          \leftarrow
    419.
    420.
                              </div>↔
```

```
04/08/2021
                                                                             Showing results for contents of text-input area - Nu Html Checker
        421.
        422.
                                      \hookrightarrow
        423.
                             </div>←
        424.
        425. ←
        426. ←
        427.
                                                         \leftarrow
        428.
        429.
        430.
                                                                  Current Image:
        431. <a href="/media/bluebellrainbow.jpg">↔
                             <img width="96" height="96" class="rounded shadow-sm"</pre>
        432.
                    src="/media/bluebellrainbow.jpg">←
        433.
                  </a>←
        434. ←
        435.
                             <div class="custom-control custom-checkbox mt-2">←
        436.
                                      <input class="custom-control-input" type="checkbox" name="image-clear"</pre>
                    id="image-clear_id">↔
        437.
                                      <label class="custom-control-label text-danger" for="image-</pre>
                    clear_id">Remove</label>↔
                             </div>↩
        438.
        439. <br>
<
        440. ←
        441. ←
        442. <span class="btn btn-widget btn-file">←
        443. Select Image <input id="new-image" type="file" name="image" accept="image/*"
                    class="site-forms" id="id_image">↔
        444. </span>←
        445. <strong></strong>↔
        446.
        447.
        448.
                                               <div class="text-right">←
        449.
                                                         <a class = "btn account-home-btn" href="/art/">Cancel</a>←
        450.
                                                         <button class = "btn account-action-btn" type="submit">Update
                    Product</button>←
                                               </div>←
        451.
        452.
                                      </form>←
        453.
                             </div>←
        454. </div>↔
        455. ←
        456.
                           <!--based on code from Code Institute's Boutique Ado Project -->↔
        457. ←
        458.
                           <div class="btt-button shadow-sm rounded-0 border">←
        459.
                             <a class="btt-link d-flex h-100">←
        460.
                                      <i class="fas fa-arrow-up mx-auto my-auto"></i></i>
        461.
                             </a>
        462. </div>↔
        463. ←
        464. ←
        465. ←
        466.
        467. ←
        468.
        469. ←
        470.
                             <script type="text/javascript">←
        471.
                                      $('.toast').toast('show');↔
        472.
                             </script>↔
        473. ←
        474.
                             \downarrow
        475.
        476. ←
        477. <script type="text/javascript">↔
                             $('.btt-link').click(function(e) {

        478.
        479.
                                      window.scrollTo(0,0)↔
        480.
                             })←
        481. ←
                             ('#new-image').change(function() {} \\cup var file = $('#new-image')[0].files[0]; \\cup \\cup var file = $('#new-image')[0].files[0]; \\cup var files[0]; 
        482.
        483.
                             $('#filename').text(`Image will be set to: ${file.name}`);
        484.
        485.
                   });↩
        486. </script>↔
```

```
487. ←
488. ←
489. ←
490.
491. ←
492.
          <footer class="container-fluid fixed-bottom text-center mt-5">←
493.
494.
                   <a target="_blank"</pre>
     href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
     social-footer-links"><i class="fab fa-instagram"></i></a>↔
<a target="_blank" href="https://twitter.com/" class= "mx-2 social-
495.
     footer-links"><i class="fab fa-twitter"></i>
496.
                   <a target="_blank" href="https://facebook.com/" class= "mx-2</pre>
     social-footer-links"><i class="fab fa-facebook-f"></i></a>↔
497.
498.
          </footer>↩
499.
          \leftarrow
500.
        </body>←
501. </html>
```

Used the HTML parser.

Total execution time 21 milliseconds.

About this checker • Report an issue • Version: 21.8.4