

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

▼

☐ CSS

<div class="">

<input type="url" name="image_url" maxlength="1024"

class="site-forms urlinput form-control" id="id_image_url">

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Warning

The type attribute is unnecessary for JavaScript resources.

[From line 392, column 5; to line 392, column 35](#)

↵↵

<script type="text/javascript">

↵↵
2.

Warning

The type attribute is unnecessary for JavaScript resources.

[From line 398, column 1; to line 398, column 31](#)

↵

↵<script type="text/javascript">

↵

\$
- Document checking completed.
- ### Source
1.

↵

2.

↵

3.

↵

4.

<!doctype html>
- https://validator.w3.org/nu/#textarea

1/8

```

5. <html lang="en">↵
6.   <head>↵
7.   ↵
8.     ↵
9.       <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
10.      <meta charset="utf-8">↵
11.      <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">↵
12.    ↵
13.  ↵
14.    ↵
15.    ↵
16.  ↵
17.    ↵
18.      <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGs03+Hhvx8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">↵
19.      <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"
/>↵
20.      <link rel="preconnect" href="https://fonts.gstatic.com">↵
21.      <link rel="stylesheet" href="/static/css/base.css">↵
22.      <link rel="preconnect" href="https://fonts.gstatic.com">↵
23.      <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
rel="stylesheet">↵
24.    ↵
25.  ↵
26.    ↵
27.    ↵
28.  ↵
29.    ↵
30.      <script src="https://kit.fontawesome.com/a2015cea33.js"
crossorigin="anonymous"></script>↵
31.      <script src="https://code.jquery.com/jquery-3.6.0.min.js"
integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
crossorigin="anonymous"></script>↵
32.      <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>↵
33.      <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1liqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>↵
34.      <!-- Stripe -->↵
35.      <script src="https://js.stripe.com/v3/"></script>↵
36.    ↵
37.    ↵
38.    ↵
39.    ↵
40.    ↵
41.  ↵
42.    <title>From Field to Frame </title>↵
43.  </head>↵
44.  <body>↵
45.    ↵
46.    <header class="container-fluid fixed-top">↵
47.      <div class="row">↵
48.        ↵
49.      ↵
50.        <div class="col-3 my-1 d-flex flex-row">↵
51.          <nav class="navbar navbar-expand-lg navbar-light">↵
52.            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarNavDropdown">↵
53.              aria-controls="navbarNavDropdown" aria-expanded="false"
aria-label="Toggle navigation">↵
54.            <span class="navbar-toggler-icon"></span>↵

```

```

55.         </button><br>
56.         <div class="collapse navbar-collapse"
id="navbarNavDropdown"><br>
57.             <div class="container-fluid "><br>
58.                 <div><br>
59.                     <ul class="navbar-nav"><br>
60.                         <li><a href="/art/" class="mr-3">Art</a>
</li><br>
61.                         <li><a href="/furniture/" class="mr-
3">Furniture</a></li><br>
62.                         <li><a href="/blog/" class="mr-3">Blog</a>
</li><br>
63.                         <li><a href="/contact/" class="mr-
3">Contact</a></li><br>
64.                         <li><a href="/profile/" class="mr-3 d-block
d-lg-none">Profile</a></li><br>
65.                     </ul><br>
66.                 </div><br>
67.             </div><br>
68.         </div><br>
69.     </nav><br>
70. </div><br>
71. <br>
72.     <div class="col-6 my-1 py-1 py-lg-0"><br>
73.         <a href="/" class="nav-link text-center title-text"><br>
74.             <h2 class="logo-font my-0">From Field to Frame</h2><br>
75.         </a><br>
76.     </div><br>
77. <br>
78. <br>
79.     <!-- From Code Institute Boutique Ado walkthrough project --><br>
80.     <div class="col-3 my-1 py-1 py-lg-0"><br>
81.         <ul class="list-inline list-unstyled text-right my-0"><br>
82.             <li class="list-inline-item dropdown"><br>
83.                 <a class="text-black nav-link d-none d-lg-block"
href="#" id="user-options" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false"><br>
84.                     <div class="text-center"><br>
85.                         <div><i class="fas fa-user fa-lg"></i></div><br>
86.                         <p class="my-0">My Account</p><br>
87.                     </div><br>
88.                 </a><br>
89.                 <div class="dropdown-menu profile-dropdown border-0"
aria-labelledby="user-options"><br>
90.                     <br>
91.                     <br>
92.                     <a href="/profile/" class="dropdown-item">My
Profile</a><br>
93.                     <a href="/accounts/logout/" class="dropdown-
item">Logout</a><br>
94.                     <br>
95.                 </div><br>
96.             </li><br>
97.             <br>
98.             <li class="list-inline-item"><br>
99.                 <a class="text-black nav-link" href="/basket/"><br>
100.                     <div class="text-center"><br>
101.                         <div><i class="fas fa-shopping-bag fa-lg">
</i></div><br>
102.                         <p class="my-0">
<br>
103.                             <br>
104.                             £0.00<br>
105.                         <br>
106.                     </p><br>
107.                     </div><br>
108.                 </a><br>
109.             </li><br>
110.         </ul><br>
111.     </div><br>
112. </div><br>
113. </div><br>

```

```
114.      ↵
115.    </header> ↵
116.    ↵
117.  ↵
118.    ↵
119.  ↵
120.    ↵
121.  ↵
122.    ↵
123.    <div class="container header-container">↵
124.      <div class="row">↵
125.        <div class="col"></div>↵
126.      </div>↵
127.    </div>↵
128.  ↵
129.  ↵
130.    ↵
131.  ↵
132.  <div class="container-fluid">↵
133.    <div class="row">↵
134.      <div class="col text-center mt-3">↵
135.        <h2 class="title-text page-title">Add Blog</h2>↵
136.        <hr class="w-50 mb-1 title-hr">↵
137.      </div>↵
138.    </div>↵
139.  </div>↵
140.  ↵
141.  <div class="row">↵
142.    <div class="col-10 offset-1 col-md-6 offset-md-3">↵
143.      <form method = "POST" action="/blog/add/" class="form mb-2" enctype =
144.      "multipart/form-data">↵
145.        <input type="hidden" name="csrfmiddlewaretoken"
146.        value="YfbzCg5KXMcKHlqCEdehI3rdnKMFFtUVInQBRV32igJulQqtB8wS4bjaXpcqxELj">↵
147.        ↵
148.        ↵
149.      ↵
150.    ↵
151.    <div id="div_id_title" class="form-group">↵
152.      ↵
153.      <label for="id_title" class=" requiredField">↵
154.        Title<span class="asteriskField">*</span>↵
155.      </label>↵
156.    ↵
157.  ↵
158.    ↵
159.  ↵
160.    ↵
161.  ↵
162.    ↵
163.      ↵
164.      <div class="">↵
165.        ↵
166.        <input type="text" name="title" maxlength="250"
167.        class="site-forms textinput textInput form-control" required id="id_title">↵
168.      ↵
169.    ↵
170.  ↵
171.    ↵
172.  ↵
173.  ↵
174.  ↵
175.  ↵
176.    ↵
177.  ↵
178.  ↵
179.  ↵
180.    </div>↵
181.  ↵
```

```
182.      ↵
183.    </div>↵
184.    ↵
185.  ↵
186.  ↵
187.      ↵
188.      ↵
189.      ↵
190.      ↵
191.  ↵
192.  ↵
193.    ↵
194.    <div id="div_id_description" class="form-group">↵
195.      ↵
196.      <label for="id_description" class=" requiredField">↵
197.        Description<span class="asteriskField">*</span>↵
198.      </label>↵
199.      ↵
200.    ↵
201.      ↵
202.    ↵
203.      ↵
204.    ↵
205.      ↵
206.      ↵
207.      <div class="">↵
208.        ↵
209.        <textarea name="description" cols="40" rows="10"
class="site-forms textarea form-control" required id="id_description">↵
210.      </textarea>↵
211.        ↵
212.        ↵
213.    ↵
214.    ↵
215.      ↵
216.    ↵
217.    ↵
218.    ↵
219.    ↵
220.      ↵
221.    ↵
222.    ↵
223.    ↵
224.      </div>↵
225.      ↵
226.    ↵
227.  </div>↵
228.  ↵
229.  ↵
230.  ↵
231.      ↵
232.      ↵
233.      ↵
234.      ↵
235.    ↵
236.    ↵
237.    ↵
238.    <div id="div_id_content" class="form-group">↵
239.      ↵
240.      <label for="id_content" class=" requiredField">↵
241.        Content<span class="asteriskField">*</span>↵
242.      </label>↵
243.      ↵
244.    ↵
245.      ↵
246.    ↵
247.      ↵
248.    ↵
249.      ↵
250.      ↵
251.      <div class="">↵
```

```
252.                                     ↵
253.                                     <textarea name="content" cols="40" rows="10"
class="site-forms textarea form-control" required id="id_content">↵
254. </textarea>↵
255.                                     ↵
256.                                     ↵
257. ↵
258. ↵
259. ↵
260. ↵
261. ↵
262. ↵
263. ↵
264. ↵
265. ↵
266. ↵
267. ↵
268.                                     </div>↵
269. ↵
270. ↵
271. </div>↵
272. ↵
273. ↵
274. ↵
275. ↵
276. ↵
277. ↵
278. ↵
279. ↵
280. ↵
281. ↵
282. <div id="div_id_date" class="form-group">↵
283. ↵
284.     <label for="id_date" class="">↵
285.         Date↵
286.     </label>↵
287. ↵
288. ↵
289. ↵
290. ↵
291. ↵
292. ↵
293. ↵
294. ↵
295.     <div class="">↵
296. ↵
297.         <input type="text" name="date" class="site-forms
dateinput form-control" id="id_date">↵
298. ↵
299. ↵
300. ↵
301. ↵
302. ↵
303. ↵
304. ↵
305. ↵
306. ↵
307. ↵
308. ↵
309. ↵
310. ↵
311.                                     </div>↵
312. ↵
313. ↵
314. </div>↵
315. ↵
316. ↵
317. ↵
318. ↵
319. ↵
320. ↵
```

```

321.          ↵
322. ↵
323. ↵
324. ↵
325. <div id="div_id_image_url" class="form-group">↵
326. ↵
327.     <label for="id_image_url" class="">↵
328.         Image url↵
329.     </label>↵
330. ↵
331. ↵
332. ↵
333. ↵
334. ↵
335. ↵
336. ↵
337. ↵
338.     <div class="">↵
339. ↵
340.         <input type="url" name="image_url" maxlength="1024"
class="site-forms urlinput form-control" id="id_image_url">↵
341. ↵
342. ↵
343. ↵
344. ↵
345. ↵
346. ↵
347. ↵
348. ↵
349. ↵
350. ↵
351. ↵
352. ↵
353. ↵
354.     </div>↵
355. ↵
356. ↵
357. </div>↵
358. ↵
359. ↵
360. ↵
361. ↵
362. ↵
363. ↵
364.         <span class="btn btn-widget btn-file">↵
365. Select Image <input type="file" name="image" accept="image/*" class="site-
forms" id="id_image">↵
366. </span>↵
367. <p class="text-danger" id="filename"></p>↵
368. ↵
369. ↵
370.     <div class="text-center mt-2">↵
371.         <a class = "btn account-home-btn" href="/blog/">Cancel</a>↵
372.         <button class = "btn account-action-btn" type="submit">Add
Blog</button>↵
373.     </div>↵
374. </form>↵
375. </div>↵
376. </div>↵
377. ↵
378. <!--based on code from Code Institute's Boutique Ado Project -->↵
379. ↵
380. <div class="btt-button shadow-sm rounded-0 border">↵
381.     <a class="btt-link d-flex h-100">↵
382.         <i class="fas fa-arrow-up mx-auto my-auto"></i>↵
383.     </a>↵
384. </div>↵
385. ↵
386. ↵
387. ↵
388. ↵

```

```

389.  ↵
390.  ↵
391.  ↵
392.  <script type="text/javascript">↵
393.      $(''.toast').toast('show');↵
394.  </script>↵
395.  ↵
396.  ↵
397.  ↵
398.  <script type="text/javascript">↵
399.      $(''.btt-link').click(function(e) {↵
400.          window.scrollTo(0,0)↵
401.      });↵
402.  ↵
403.      $('#new-image').change(function() {↵
404.          var file = $('#new-image')[0].files[0];↵
405.          $('#filename').text(`Image will be set to: ${file.name}`);↵
406.      });↵
407.  </script>↵
408.  ↵
409.  ↵
410.  ↵
411.  ↵
412.  ↵
413.  <footer class="container-fluid fixed-bottom text-center mt-5">↵
414.  ↵
415.      <a target="_blank"
href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
social-footer-links"><i class="fab fa-instagram"></i></a>↵
416.      <a target="_blank" href="https://twitter.com/" class= "mx-2 social-
footer-links"><i class="fab fa-twitter"></i></a>↵
417.      <a target="_blank" href="https://facebook.com/" class= "mx-2
social-footer-links"><i class="fab fa-facebook-f"></i></a>↵
418.  ↵
419.  </footer>↵
420.  ↵
421.  </body>↵
422. </html>

```

Used the HTML parser.

Total execution time 20 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.8.4