

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ▼ ☐ CSS

```
<!doctype html>
<html lang="en">
  <head>

    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 389, column 5; to line 389, column 96](#)

```
jpg">↵    ↵</a>↵
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 427, column 5; to line 427, column 35](#)

```
↵↵    <script type="text/javascript">↵
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 433, column 1; to line 433, column 31](#)

```
↵    ↵<script type="text/javascript">↵    $
```

Document checking completed.

Source

```

1.  ↵
2.  ↵
3.  ↵
4.  <!doctype html>↵
5.  <html lang="en">↵
6.    <head>↵
7.    ↵
8.      ↵
9.        <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
10.       <meta charset="utf-8">↵
11.       <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">↵
12.     ↵
13.    ↵
14.     ↵
15.     ↵
16.    ↵
17.     ↵
18.       <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGs03+Hhvx8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">↵
19.       <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"
/>↵
20.       <link rel="preconnect" href="https://fonts.gstatic.com">↵
21.       <link rel="stylesheet" href="/static/css/base.css">↵
22.       <link rel="preconnect" href="https://fonts.gstatic.com">↵
23.       <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
rel="stylesheet">↵
24.     ↵
25.    ↵
26.     ↵
27.     ↵
28.    ↵
29.     ↵
30.       <script src="https://kit.fontawesome.com/a2015cea33.js"
crossorigin="anonymous"></script>↵
31.       <script src="https://code.jquery.com/jquery-3.6.0.min.js"
integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
crossorigin="anonymous"></script>↵
32.       <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>↵
33.       <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>↵
34.       <!-- Stripe -->↵
35.       <script src="https://js.stripe.com/v3/"></script>↵
36.     ↵
37.     ↵
38.    ↵
39.     ↵
40.     ↵
41.    ↵
42.    <title>From Field to Frame </title>↵
43.  </head>↵
44.  <body>↵
45.    ↵

```

```

46.     <header class="container-fluid fixed-top">↵
47.         <div class="row">↵
48.             ↵
49. ↵
50.             <div class="col-3 my-1 d-flex flex-row">↵
51.                 <nav class="navbar navbar-expand-lg navbar-light">↵
52.                     <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarNavDropdown"↵
53.                         aria-controls="navbarNavDropdown" aria-expanded="false"
aria-label="Toggle navigation">↵
54.                         <span class="navbar-toggler-icon"></span>↵
55.                     </button>↵
56.                     <div class="collapse navbar-collapse"
id="navbarNavDropdown">↵
57.                         <div class="container-fluid ">↵
58.                             <div>↵
59.                                 <ul class="navbar-nav">↵
60.                                     <li><a href="/art/" class="mr-3">Art</a>
↵
61.                                     <li><a href="/furniture/" class="mr-
3">Furniture</a></li>↵
62.                                     <li><a href="/blog/" class="mr-3">Blog</a>
↵
63.                                     <li><a href="/contact/" class="mr-
3">Contact</a></li>↵
64.                                     <li><a href="/profile/" class="mr-3 d-block
d-lg-none">Profile</a></li>↵
65.                                 </ul>↵
66.                             </div>↵
67.                         </div>↵
68.                     </div>↵
69.                 </nav>↵
70.             </div>↵
71. ↵
72.             <div class="col-6 my-1 py-1 py-lg-0">↵
73.                 <a href="/" class="nav-link text-center title-text">↵
74.                     <h2 class="logo-font my-0">From Field to Frame</h2>↵
75.                 </a>↵
76.             </div>↵
77. ↵
78. ↵
79.             <!-- From Code Institute Boutique Ado walkthrough project -->↵
80.             <div class="col-3 my-1 py-1 py-lg-0">↵
81.                 <ul class="list-inline list-unstyled text-right my-0">↵
82.                     <li class="list-inline-item dropdown">↵
83.                         <a class="text-black nav-link d-none d-lg-block"
href="#" id="user-options" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
84.                             <div class="text-center">↵
85.                                 <div><i class="fas fa-user fa-lg"></i></div>↵
86.                                 <p class="my-0">My Account</p>↵
87.                             </div>↵
88.                         </a>↵
89.                         <div class="dropdown-menu profile-dropdown border-0"
aria-labelledby="user-options">↵
90.                             ↵
91.                             ↵
92.                             <a href="/profile/" class="dropdown-item">My
Profile</a>↵
93.                             <a href="/accounts/logout/" class="dropdown-
item">Logout</a>↵
94.                             ↵
95.                         </div>↵
96.                     </li>↵
97.                     ↵
98.                     <li class="list-inline-item">↵
99.                         <a class="text-black nav-link" href="/basket/">↵
100.                             <div class="text-center">↵
101.                                 <div><i class="fas fa-shopping-bag fa-lg">
</i></div>↵
102.                                 <p class="my-0">

```

```

103.                                     ↵
104.                                     £0.00↵
105.                                     ↵
106.                                     </p>↵
107.                                   </div>↵
108.                                   </a>↵
109.                                 </li>↵
110.                               ↵
111.                             </ul>↵
112.                           </div>↵
113.                         </div>↵
114.                       ↵
115.                     </header> ↵
116.                   ↵
117. ↵
118. ↵
119. ↵
120. ↵
121.     <div class="message-container">↵
122.         ↵
123.         ↵
124.         ↵
125.         <!-- Toast HTML based on code taken from Code Institute
Boutique Ado project-->↵
126.     ↵
127.     <div class="toast custom-toast rounded-0 border-top-0" data-autohide="false">↵
128.         <div class="arrow-up arrow-info"></div>↵
129.         <div class="w-100 toast-capper bg-info"></div>↵
130.         <div class="toast-header bg-white text-dark">↵
131.             <strong class="mr-auto">Alert!</strong>↵
132.             <button type="button" class="ml-2 mb-1 close text-dark" data-
dismiss="toast" aria-label="Close">↵
133.                 <span aria-hidden="true">&times;</span>↵
134.             </button>↵
135.         </div>↵
136.         <div class="toast-body bg-white">↵
137.             You are editing Distressed Sideboard ↵
138.         </div>↵
139.     </div>↵
140.         ↵
141.         ↵
142.         ↵
143.     </div>↵
144. ↵
145. ↵
146. ↵
147.     <div class="container header-container">↵
148.         <div class="row">↵
149.             <div class="col"></div>↵
150.         </div>↵
151.     </div>↵
152. ↵
153. ↵
154. ↵
155. ↵
156. <div class="container-fluid">↵
157.     <div class="row">↵
158.         <div class="col text-center mt-3">↵
159.             <h2 class="title-text page-title">Edit Furniture Example</h2>↵
160.             <hr class="w-50 mb-1 title-hr">↵
161.         </div>↵
162.     </div>↵
163. </div>↵
164. ↵
165. <div class="row">↵
166.     <div class="col-10 offset-1 col-md-6 offset-md-3">↵
167.         <form method = "POST" action="/furniture/edit/3/" class="form mb-2"
enctype = "multipart/form-data">↵
168.             <input type="hidden" name="csrfmiddlewaretoken"
value="IoNKcgDUxqcP8HsTcf0jLDxb0vJLkT1sswsMrVBcSUJzMcsK9aiU7Lp8Aa9wc4SQ">↵
169.         ↵

```

```
170.         ↵
171.         ↵
172. ↵
173. ↵
174.     ↵
175.     <div id="div_id_title" class="form-group">↵
176.         ↵
177.         <label for="id_title" class="">↵
178.             Title↵
179.         </label>↵
180.         ↵
181. ↵
182.         ↵
183. ↵
184.         ↵
185. ↵
186.         ↵
187.         ↵
188.         <div class="">↵
189.             ↵
190.             <input type="text" name="title" value="Distressed
Sideboard" maxlength="250" class="site-forms textinput textInput form-control"
id="id_title">↵
191.             ↵
192.             ↵
193. ↵
194. ↵
195.         ↵
196. ↵
197. ↵
198. ↵
199. ↵
200.         ↵
201. ↵
202. ↵
203. ↵
204.         </div>↵
205.         ↵
206.         ↵
207.     </div>↵
208.     ↵
209. ↵
210. ↵
211.         ↵
212.         ↵
213.         ↵
214.         ↵
215. ↵
216. ↵
217.     ↵
218.     <div id="div_id_product" class="form-group">↵
219.         ↵
220.         <label for="id_product" class=" requiredField">↵
221.             Product<span class="asteriskField">*</span>↵
222.         </label>↵
223.         ↵
224. ↵
225.         ↵
226. ↵
227.         ↵
228. ↵
229.         ↵
230.         ↵
231.         <div class="">↵
232.             ↵
233.             <input type="text" name="product" value="Sideboard"
maxlength="250" class="site-forms textinput textInput form-control" required
id="id_product">↵
234.             ↵
235.             ↵
236. ↵
```

```
237. ↵
238. ↵
239. ↵
240. ↵
241. ↵
242. ↵
243. ↵
244. ↵
245. ↵
246. ↵
247. ↵      </div>↵
248. ↵      ↵
249. ↵      ↵
250. ↵      </div>↵
251. ↵      ↵
252. ↵
253. ↵
254. ↵      ↵
255. ↵      ↵
256. ↵      ↵
257. ↵      ↵
258. ↵
259. ↵
260. ↵
261. ↵      <div id="div_id_medium" class="form-group">↵
262. ↵      ↵
263. ↵      <label for="id_medium" class="">↵
264. ↵      Medium↵
265. ↵      </label>↵
266. ↵      ↵
267. ↵
268. ↵      ↵
269. ↵      ↵
270. ↵      ↵
271. ↵
272. ↵      ↵
273. ↵      ↵
274. ↵      <div class="">↵
275. ↵      ↵
276. ↵      <input type="text" name="medium" value="Wax"
maxlength="100" class="site-forms textinput textInput form-control"
id="id_medium">↵
277. ↵      ↵
278. ↵      ↵
279. ↵
280. ↵
281. ↵
282. ↵
283. ↵
284. ↵
285. ↵
286. ↵
287. ↵
288. ↵
289. ↵
290. ↵      </div>↵
291. ↵      ↵
292. ↵      ↵
293. ↵      </div>↵
294. ↵      ↵
295. ↵
296. ↵
297. ↵      ↵
298. ↵      ↵
299. ↵      ↵
300. ↵      ↵
301. ↵
302. ↵
303. ↵
304. ↵      <div id="div_id_description" class="form-group">↵
305. ↵      ↵
```

```

306.         <label for="id_description" class=" requiredField">↵
307.             Description<span class="asteriskField">*</span>↵
308.         </label>↵
309.     ↵
310. ↵
311.     ↵
312. ↵
313.     ↵
314. ↵
315.     ↵
316.         ↵
317.         <div class="">↵
318.             ↵
319.                 <textarea name="description" cols="40" rows="10"
320. class="site-forms textarea form-control" required id="id_description">↵
321. A beatifully distressed sideboard</textarea>↵
322.             ↵
323.             ↵
324. ↵
325.     ↵
326. ↵
327. ↵
328. ↵
329. ↵
330.     ↵
331. ↵
332. ↵
333. ↵
334.         </div>↵
335.     ↵
336.     ↵
337. </div>↵
338. ↵
339. ↵
340. ↵
341.     ↵
342.     ↵
343.     ↵
344.         ↵
345. ↵
346. ↵
347.     ↵
348. <div id="div_id_image_url" class="form-group">↵
349.     ↵
350.         <label for="id_image_url" class="">↵
351.             Image url↵
352.         </label>↵
353.     ↵
354. ↵
355.     ↵
356. ↵
357.     ↵
358. ↵
359.     ↵
360.         ↵
361.         <div class="">↵
362.             ↵
363.                 <input type="url" name="image_url" maxlength="1024"
364. class="site-forms urlinput form-control" id="id_image_url">↵
365.             ↵
366.             ↵
367. ↵
368.     ↵
369. ↵
370. ↵
371. ↵
372. ↵
373.     ↵
374. ↵

```

```

375. ↵
376. ↵
377.         </div>↵
378.     ↵
379. ↵
380. </div>↵
381. ↵
382. ↵
383. ↵
384.         ↵
385.     ↵
386.         ↵
387.         <p>Current Image:</p>↵
388. <a href="/media/bureau-after_hhzj3Zi.jpg">↵
389.     ↵
390. </a>↵
391. ↵
392.     <div class="custom-control custom-checkbox mt-2">↵
393.         <input class="custom-control-input" type="checkbox" name="image-clear"
id="image-clear_id">↵
394.         <label class="custom-control-label text-danger" for="image-
clear_id">Remove</label>↵
395.     </div>↵
396. <br>↵
397. ↵
398. ↵
399. <span class="btn btn-widget btn-file">↵
400. Select Image <input type="file" name="image" accept="image/*" class="site-
forms" id="id_image">↵
401. </span>↵
402. <p class="text-danger" id="filename"></p>↵
403.     ↵
404.         ↵
405.         <div class="text-right">↵
406.             <a class = "btn account-home-btn"
href="/furniture/">Cancel</a>↵
407.             <button class = "btn account-action-btn" type="submit">Update
Furniture</button>↵
408.         </div>↵
409.     </form>↵
410. </div>↵
411. </div>↵
412. ↵
413. <!--based on code from Code Institute's Boutique Ado Project -->↵
414. ↵
415. <div class="btt-button shadow-sm rounded-0 border">↵
416.     <a class="btt-link d-flex h-100">↵
417.         <i class="fas fa-arrow-up mx-auto my-auto"></i>↵
418.     </a>↵
419. </div>↵
420. ↵
421. ↵
422. ↵
423.     ↵
424.     ↵
425.     ↵
426. ↵
427.     <script type="text/javascript">↵
428.         $(''.toast').toast('show');↵
429.     </script>↵
430. ↵
431.     ↵
432.     ↵
433. <script type="text/javascript">↵
434.     $(''.btt-link').click(function(e) {↵
435.         window.scrollTo(0,0)↵
436.     })↵
437. ↵
438.     $(''#new-image').change(function() {↵
439.         var file = $(''#new-image')[0].files[0];↵

```



```
440.     $('#filename').text(`Image will be set to: ${file.name}`);↵
441. });↵
442. </script>↵
443. ↵
444. ↵
445. ↵
446. ↵
447. ↵
448.     ↵
449. ↵
450.     <footer class="container-fluid fixed-bottom text-center mt-5">↵
451.         ↵
452.             <a target="_blank"
href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
social-footer-links"><i class="fab fa-instagram"></i></a>↵
453.             <a target="_blank" href="https://twitter.com/" class= "mx-2 social-
footer-links"><i class="fab fa-twitter"></i></a>↵
454.             <a target="_blank" href="https://facebook.com/" class= "mx-2
social-footer-links"><i class="fab fa-facebook-f"></i></a>↵
455.         ↵
456.     </footer>↵
457.     ↵
458. </body>↵
459. </html>
```

Used the HTML parser.

Total execution time 20 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.8.4