

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ css

```
<!doctype html>
<html lang="en">
  <head>

    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 286, column 5; to line 286, column 35](#)

```
↵↵↵↵↵ <script type="text/javascript">↵↵↵↵↵
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 292, column 1; to line 292, column 31](#)

```
↵↵↵↵↵ ↵↵↵↵↵<script type="text/javascript">↵↵↵↵↵ $
```

Document checking completed.

Source

1. ↵
2. ↵
3. ↵
4. <!doctype html>↵

```

5. <html lang="en">↵
6.   <head>↵
7.   ↵
8.     ↵
9.       <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
10.      <meta charset="utf-8">↵
11.      <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">↵
12.    ↵
13.  ↵
14.    ↵
15.    ↵
16.  ↵
17.    ↵
18.      <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGs03+Hhvx8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">↵
19.      <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"
/>↵
20.      <link rel="preconnect" href="https://fonts.gstatic.com">↵
21.      <link rel="stylesheet" href="/static/css/base.css">↵
22.      <link rel="preconnect" href="https://fonts.gstatic.com">↵
23.      <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
rel="stylesheet">↵
24.    ↵
25.  ↵
26.    ↵
27.    ↵
28.  ↵
29.    ↵
30.      <script src="https://kit.fontawesome.com/a2015cea33.js"
crossorigin="anonymous"></script>↵
31.      <script src="https://code.jquery.com/jquery-3.6.0.min.js"
integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
crossorigin="anonymous"></script>↵
32.      <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>↵
33.      <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1liqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>↵
34.      <!-- Stripe -->↵
35.      <script src="https://js.stripe.com/v3/"></script>↵
36.    ↵
37.    ↵
38.    ↵
39.    ↵
40.    ↵
41.  ↵
42.    <title>From Field to Frame </title>↵
43.  </head>↵
44.  <body>↵
45.    ↵
46.    <header class="container-fluid fixed-top">↵
47.      <div class="row">↵
48.        ↵
49.      ↵
50.        <div class="col-3 my-1 d-flex flex-row">↵
51.          <nav class="navbar navbar-expand-lg navbar-light">↵
52.            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarNavDropdown">↵
53.              aria-controls="navbarNavDropdown" aria-expanded="false"
aria-label="Toggle navigation">↵
54.            <span class="navbar-toggler-icon"></span>↵

```

```

55.         </button><br>
56.         <div class="collapse navbar-collapse"
id="navbarNavDropdown"><br>
57.             <div class="container-fluid "><br>
58.                 <div><br>
59.                     <ul class="navbar-nav"><br>
60.                         <li><a href="/art/" class="mr-3">Art</a>
</li><br>
61.                         <li><a href="/furniture/" class="mr-
3">Furniture</a></li><br>
62.                         <li><a href="/blog/" class="mr-3">Blog</a>
</li><br>
63.                         <li><a href="/contact/" class="mr-
3">Contact</a></li><br>
64.                         <li><a href="/profile/" class="mr-3 d-block
d-lg-none">Profile</a></li><br>
65.                     </ul><br>
66.                 </div><br>
67.             </div><br>
68.         </div><br>
69.     </nav><br>
70. </div><br>
71. <br>
72.     <div class="col-6 my-1 py-1 py-lg-0"><br>
73.         <a href="/" class="nav-link text-center title-text"><br>
74.             <h2 class="logo-font my-0">From Field to Frame</h2><br>
75.         </a><br>
76.     </div><br>
77. <br>
78. <br>
79.     <!-- From Code Institute Boutique Ado walkthrough project --><br>
80.     <div class="col-3 my-1 py-1 py-lg-0"><br>
81.         <ul class="list-inline list-unstyled text-right my-0"><br>
82.             <li class="list-inline-item dropdown"><br>
83.                 <a class="text-black nav-link d-none d-lg-block"
href="#" id="user-options" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false"><br>
84.                     <div class="text-center"><br>
85.                         <div><i class="fas fa-user fa-lg"></i></div><br>
86.                         <p class="my-0">My Account</p><br>
87.                     </div><br>
88.                 </a><br>
89.                 <div class="dropdown-menu profile-dropdown border-0"
aria-labelledby="user-options"><br>
90.                     <br>
91.                     <br>
92.                     <a href="/profile/" class="dropdown-item">My
Profile</a><br>
93.                     <a href="/accounts/logout/" class="dropdown-
item">Logout</a><br>
94.                     <br>
95.                 </div><br>
96.             </li><br>
97.             <br>
98.             <li class="list-inline-item"><br>
99.                 <a class="text-black nav-link" href="/basket/"><br>
100.                     <div class="text-center"><br>
101.                         <div><i class="fas fa-shopping-bag fa-lg">
</i></div><br>
102.                         <p class="my-0">
<br>
103.                             <br>
104.                             £0.00<br>
105.                         <br>
106.                     </p><br>
107.                     </div><br>
108.                 </a><br>
109.             </li><br>
110.         </ul><br>
111.     </div><br>
112. </div><br>
113. </div><br>

```

```

114.      ↵
115.    </header> ↵
116.    ↵
117.  ↵
118.    ↵
119.  ↵
120.    ↵
121.  ↵
122.    ↵
123.  <div class="container header-container">↵
124.    <div class="row">↵
125.      <div class="col"></div>↵
126.    </div>↵
127.  </div>↵
128.  ↵
129.  ↵
130.    ↵
131.  ↵
132.  <div class="container-fluid">↵
133.    <div class="row">↵
134.      <div class="col text-center mt-3">↵
135.        <h2 class="title-text page-title">Furniture by Holly</h2>↵
136.        <hr class="w-50 mb-1 title-hr">↵
137.      </div>↵
138.    </div>↵
139.  ↵
140.    <p class="text-center furniture-home-page-text">As well as my painting,
another passion of mine is upcycling↵
141.    furniture. Here are some of my favourite past projects, I loved seeing
how they could change from old and drab↵
142.    to a beautiful item that look fab in any room.</p>↵
143.    <p class="text-center furniture-home-page-text">If you have any old
furniture that you would like to be given a new↵
144.    lease of life, then please get in touch and we can discuss what you're
looking for.</p>↵
145.    <p class="text-center furniture-home-page-signature"> Holly x</p>↵
146.  ↵
147.    ↵
148.    ↵
149.    <div class="text-center mt-3">↵
150.      <a href="/furniture/add/" class="account-action-btn">Add Example
Furniture Project</a>↵
151.    </div>↵
152.    ↵
153.    ↵
154.  <div class="row">↵
155.    <div class="col-10 offset-1">↵
156.      <div class="row mt-1 mb-2"></div>↵
157.      <div class="row">↵
158.        ↵
159.        <div class="col-xs-12 col-md-6 col-lg-4">↵
160.          <div class="card art-card h-90">↵
161.            ↵
162.            <a href="/furniture/2/">↵
163.              ↵
164.            </a>↵
165.            ↵
166.            ↵
167.            <div class="pb-0 furniture-title text-center">↵
168.              <a href="/furniture/2/" class="mb-5 card-text text-
center">↵
169.                <h4 class="art-title">Ombre Chest of Drawers</h4>↵
170.              </a>↵
171.              ↵
172.            </div>↵
173.          ↵
174.          <div class="card-footer bg-white pt-0 border-0">↵
175.            <div class="text-center mt-2">↵
176.              ↵

```

```

177.         <a href="/furniture/2/" class="info-
button">More Info</a>↵
178.         ↵
179.         ↵
180.     </div>↵
181.     ↵
182. </div>↵
183. ↵
184.     <div class="text-center">↵
185.         <a href="/furniture/edit/2/" class="edit-delete-
link">Edit</a>↵
186.         <a class="delete-modal-trigger edit-delete-link delete-
link" data-toggle="modal" data-target="#furnitureDeleteModal_2">Delete</a>↵
187.     </div>↵
188.     ↵
189.     ↵
190. </div>↵
191. </div>↵
192. <!-- Furniture Delete Modal -->↵
193. <div class="modal fade" id="furnitureDeleteModal_2" tabindex="-1"
aria-labelledby="furnitureDeleteModalLabel-1" aria-hidden="true">↵
194.     <div class="modal-dialog modal-dialog-centered">↵
195.         <div class="modal-content custom-modal">↵
196.             <div class="modal-header">↵
197.                 <h5 class="modal-title"
id="furnitureDeleteModalLabel-1">Confirm deletion</h5>↵
198.                 <button type="button" class="close" data-
dismiss="modal" aria-label="Close">↵
199.                     <span aria-hidden="true">&times;</span>↵
200.                 </button>↵
201.             </div>↵
202.             <div class="modal-body">↵
203.                 Are you sure you want to delete Ombre Chest of Drawers?
↵
204.             </div>↵
205.             <div class="modal-footer">↵
206.                 <button type="button" class="btn btn-outline-dark"
data-dismiss="modal">Close</button>↵
207.                 <a class="btn btn-danger"
href="/furniture/delete/2/">Delete</a>↵
208.             </div>↵
209.         </div>↵
210.     </div>↵
211. </div>↵
212. ↵
213. <div class="col-xs-12 col-md-6 col-lg-4">↵
214.     <div class="card art-card h-90">↵
215.         ↵
216.         <a href="/furniture/3/">↵
217.             ↵
218.         </a>↵
219.         ↵
220.         ↵
221.         <div class="pb-0 furniture-title text-center">↵
222.             <a href="/furniture/3/" class="mb-5 card-text text-
center">↵
223.                 <h4 class="art-title">Distressed Sideboard</h4>↵
224.             </a>↵
225.             ↵
226.         </div>↵
227.         ↵
228.         <div class="card-footer bg-white pt-0 border-0">↵
229.             <div class="text-center mt-2">↵
230.                 ↵
231.                 <a href="/furniture/3/" class="info-
button">More Info</a>↵
232.                 ↵
233.                 ↵
234.             </div>↵
235.             ↵

```

```

236.         </div><↵
237.         ↵
238.         <div class="text-center"><↵
239.             <a href="/furniture/edit/3/" class="edit-delete-
link">Edit</a><↵
240.             <a class="delete-modal-trigger edit-delete-link delete-
link" data-toggle="modal" data-target="#furnitureDeleteModal_3">Delete</a><↵
241.         </div><↵
242.         ↵
243.         ↵
244.     </div><↵
245. </div><↵
246. <!-- Furniture Delete Modal --><↵
247. <div class="modal fade" id="furnitureDeleteModal_3" tabindex="-1"
aria-labelledby="furnitureDeleteModalLabel-2" aria-hidden="true"><↵
248.     <div class="modal-dialog modal-dialog-centered"><↵
249.         <div class="modal-content custom-modal"><↵
250.             <div class="modal-header"><↵
251.                 <h5 class="modal-title"
id="furnitureDeleteModalLabel-2">Confirm deletion</h5><↵
252.                 <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><↵
253.                     <span aria-hidden="true">&times;</span><↵
254.                 </button><↵
255.             </div><↵
256.             <div class="modal-body"><↵
257.                 Are you sure you want to delete Distressed Sideboard?<↵
258.             </div><↵
259.             <div class="modal-footer"><↵
260.                 <button type="button" class="btn btn-outline-dark"
data-dismiss="modal">Close</button><↵
261.                 <a class="btn btn-danger"
href="/furniture/delete/3/">Delete</a><↵
262.             </div><↵
263.         </div><↵
264.     </div><↵
265. </div><↵
266.     ↵
267. </div><↵
268. </div><↵
269. </div><↵
270. </div><↵
271. ↵
272. <!--based on code from Code Institute's Boutique Ado Project --><↵
273. ↵
274. <div class="btt-button shadow-sm rounded-0 border"><↵
275.     <a class="btt-link d-flex h-100"><↵
276.         <i class="fas fa-arrow-up mx-auto my-auto"></i><↵
277.     </a><↵
278. </div><↵
279. ↵
280. ↵
281. ↵
282.     ↵
283.     ↵
284.     ↵
285.     ↵
286.     <script type="text/javascript"><↵
287.         $(''.toast').toast('show');<↵
288.     </script><↵
289.     ↵
290.     ↵
291.     ↵
292.     <script type="text/javascript"><↵
293.         $(''.btt-link').click(function (e) {<↵
294.             window.scrollTo(0, 0)<↵
295.         })<↵
296.         $('#furnitureDeleteModal').on('shown.bs.modal', function () {<↵
297.             $('#furnitureDeleteModal').trigger('focus');<↵
298.     </script><↵
299.     ↵

```

```
300. ↵
301. ↵
302. ↵
303. ↵
304.     <footer class="container-fluid fixed-bottom text-center mt-5">↵
305.         ↵
306.         <a target="_blank"
href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
social-footer-links"><i class="fab fa-instagram"></i></a>↵
307.         <a target="_blank" href="https://twitter.com/" class= "mx-2 social-
footer-links"><i class="fab fa-twitter"></i></a>↵
308.         <a target="_blank" href="https://facebook.com/" class= "mx-2
social-footer-links"><i class="fab fa-facebook-f"></i></a>↵
309.         ↵
310.     </footer>↵
311.     ↵
312. </body>↵
313. </html>
```

Used the HTML parser.

Total execution time 21 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.8.5