
## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed.

## Source

- 1. ←
- 2. ←
- 3. ←
- 4. <!doctype html>↔

```
5
    <html lang="en">↔
      <head>←
 6.
 7.
 8.
 9.
             <meta http-equiv="X-UA-Compatible" content="ie=edge">←
10.
             <meta charset="utf-8">↔
             <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
11.
    shrink-to-fit=no">↔
12.
        \downarrow
13.
14.
15.
        \leftarrow
16.
17.
18.
             <link rel="stylesheet"</pre>
    href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
    integrity="sha384-
    Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
    crossorigin="anonymous">↔
19.
             <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"</pre>
    />←
20.
             <link rel="preconnect" href="https://fonts.gstatic.com">←
             <link rel="stylesheet" href="/static/css/base.css">←
21.
             <link rel="preconnect" href="https://fonts.gstatic.com">←
22.
23.
             <link href="https://fonts.googleapis.com/css2?</pre>
    family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
    rel="stylesheet">↩
24.
25.
26.
        <u>ب</u>
27.
        <u>ب</u>
28. ←
29.
             <script src="https://kit.fontawesome.com/a2015cea33.js"</pre>
30.
    crossorigin="anonymous"></script>↔
31.
             <script src="https://code.jquery.com/jquery-3.6.0.min.js"</pre>
    integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
    crossorigin="anonymous"></script>↔
32.
             <script
    src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
    integrity="sha384-
    Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous"></script>↔
33.
             <script
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
    integrity="sha384-
    wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6"
    crossorigin="anonymous"></script>↔
34.
             <!-- Stripe -->↔
35.
             <script src="https://js.stripe.com/v3/"></script>←
36. ←
37.
        \leftarrow
38. ←
39.
40.
41. ←
42.
        <title>From Field to Frame </title>←
43.
      </head>←
44.
      <body>←
45.
46.
        <header class="container-fluid fixed-top">←
             <div class="row">↔
47.
48.
49.
50.
                 <div class="col-3 my-1 d-flex flex-row">←
51.
                     <nav class="navbar navbar-expand-lg navbar-light">←
                          <button class="navbar-toggler" type="button" data-</pre>
52.
    {\tt toggle="collapse"} \  \, {\tt data-target="\#navbarNavDropdown"} \, {\leftarrow} \,
                              aria-controls="navbarNavDropdown" aria-expanded="false"
53.
    aria-label="Toggle navigation">↔
54.
                              <span class="navbar-toggler-icon"></span>↔
```

←

</div>←

</div>←

110. 111.

112.

113.

```
06/08/2021
                                     Showing results for contents of text-input area - Nu Html Checker
    114.
    115.
              </header> ←
    116.
    117.
    118.
              \downarrow
    119.
              \leftarrow
    120.
    121.
        \leftarrow
    122.
              پ
    123.
              \rightarrow
    124. ←
    125.
    126. ←
    127. <div class="row">↔
    128.
              <div class="col text-center mt-3">←
    129.
                  <h2 class="title-text page-title">Distressed Sideboard</h2>↔
    130.
                  <hr class="w-50 mb-1 title-hr">↔
    131.
              </div>←
    132. </div>←
    133. ←
    134. ←
    135. ←
    136. <div class="text-center mt-3">↔
              <a href="/furniture/add/" class="account-action-btn">Add Example Furniture
    137.
         Project</a>↔
    138.
        </div>↩
    139. ←
    140. ←
    141. ←
    142. ←
    143.
    144.
                      <div class="row">↔
    145.
                           <div class="col-xs-10 offset-xs-1 col-md-6 offset-md-3 col-lg-8</pre>
         offset-lg-2 text-center">\leftrightarrow
    146.
    147.
                               <img class="text-center furniture-img" src="/media/bureau-</pre>
         after_hhzj3Zi.jpg"↔
    148.
                                    alt="Distressed Sideboard">↔
                                    <a class="image-link" href="/media/bureau-</pre>
    149.
         after_hhzj3Zi.jpg" target="_blank">View larger image</a>↔
    150.
    151.
                           </div>←
    152.
                           <div class="col-xs-10 offset-xs-1 col-md-6 offset-md-3 col-lg-8</pre>
         offset-lg-2">↩
    153.
                               <div class="furniture-detail-card">←
    154.
                                    <h3 class="text-center">Sideboard</h3>↔
    155.
    156.
                                    A beatifully distressed
         sideboard↔
    157.
                                    <br>→
    158.
    159.
                                        <div class="text-center mt-2">←
                                             <a href="/furniture/edit/3/" class="edit-</pre>
    160.
         delete-link">Edit</a>↔
    161.
                                            <a class="delete-modal-trigger edit-delete-link">

         delete-link" data-toggle="modal" data-
         target="#furnitureDeleteModal 3">Delete</a>↔
    162.
                                        </div>←
    163.
    164.
                                    <div class="text-center my-3"> ←
    165.
                                    <a href="/contact/" class="contact-us-btn">Contact
         Us</a>↩
    166.
                                    </div>←
    167.
    168.
                                        <div class="text-center mt-2">←
    169.
                                             <a href="/furniture/" class="account-action-</pre>
         btn"><i class="fas fa-arrow-left"></i> Back to all furniture</a>↔
    170.
                                        </div>←
                               </div>←
    171.
                       </div>↔
    172.
    173. ←
```

```
174. ←
175. ←
         </div>←
176.
177. ←
178. ←
179. <br>→
180. <!-- Furniture Delete Modal -->↔
     <div class="modal fade" id="furnitureDeleteModal_3" tabindex="-1" aria-</pre>
181.
     labelledby="furnitureDeleteModalLabel-" aria-hidden="true">←
182.
         <div class="modal-dialog modal-dialog-centered">←
183.
             <div class="modal-content custom-modal">←
184.
                  <div class="modal-header">↔
185.
                      <h5 class="modal-title" id="furnitureDeleteModalLabel-">Confirm
     deletion</h5>↔
186.
                      <button type="button" class="close" data-dismiss="modal" aria-</pre>
     label="Close">↔
187.
                          <span aria-hidden="true">&times;</span>↔
188.
                      </button>←
189.
                  </div>←
190.
                  <div class="modal-body">↔
191.
                  Are you sure you want to delete Distressed Sideboard? ←
192.
                  </div>←
193.
                  <div class="modal-footer">←
194.
                      <button type="button" class="btn btn-outline-dark" data-</pre>
     dismiss="modal">Close</button>↔
                      <a class="btn btn-danger"</pre>
195.
     href="/furniture/delete/3/">Delete</a>→
196.
                  </div>↩
197.
             </div>←
198.
         </div>←
199. </div>↔
200. ←
201. <!--based on code from Code Institute's Boutique Ado Project -->↔
202. ←
203. <div class="btt-button shadow-sm rounded-0 border">↔
204.
         <a class="btt-link d-flex h-100">↔
205.
             <i class="fas fa-arrow-up mx-auto my-auto"></i></i>
206.
         </a>←
207. </div>↔
208. ←
209. ←
210. ←
211.
         \leftarrow
212. ←
213.
         \leftarrow
214. ←
         <script type="text/javascript">←
215.
216.
             $('.toast').toast('show'); ↔
217.
         </script>↩
218. ←
219.
220.
221. <script type="text/javascript">↔
222.
         $('.btt-link').click(function (e) {
223.
             window.scrollTo(0, 0)↔
224.
         })←
225.
         $('#artDeleteModal').on('shown.bs.modal', function () {↔
         $('#artDeleteModal').trigger('focus');↔
226.
227. </script>↔
228. ←
229. ←
230. ←
231.
232. ←
233.
         <footer class="container-fluid fixed-bottom text-center mt-5">↔
234.
235.
                  <a target="_blank"</pre>
     href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
     social-footer-links"><i class="fab fa-instagram"></i></a>↔
                  <a target="_blank" href="https://twitter.com/" class= "mx-2 social-</pre>
236.
     footer-links"><i class="fab fa-twitter"></i></a>↔
```

```
237. <a target="_blank" href="https://facebook.com/" class= "mx-2 social-footer-links"><i class="fab fa-facebook-f"></i></a> ← 238. ← 239. </footer> ← 240. ← 241. </body> ← 242. </html>
```

Used the HTML parser.

Total execution time 20 milliseconds.

About this checker • Report an issue • Version: 21.8.5