# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

Options…

Check by [text input ▾] ☐ css

```
<!doctype html>
<html lang="en">
  <head>

        <meta http-equiv="X-UA-Compatible" content="ie=edge">
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

    From line 432, column 5; to line 432, column 86

    ```
    jpg">↵    <img width="96" height="96" class="rounded shadow-sm"
    src="/media/Cloudtower.jpg">↵</a>↵
    ```

2. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

    From line 470, column 5; to line 470, column 35

    ```
        ↵↵    <script type="text/javascript">↵
    ```

3. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

    From line 477, column 1; to line 477, column 31

    ```
    ↵    ↵↵<script type="text/javascript">↵    $
    ```

Document checking completed.

Source

1. ↵
2. ↵
3. ↵
4. `<!doctype html>`↵
5. `<html lang="en">`↵
6.   `<head>`↵
7. ↵
8.   ↵
9.   `<meta http-equiv="X-UA-Compatible" content="ie=edge">`↵
10.   `<meta charset="utf-8">`↵
11.   `<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">`↵
12.   ↵
13. ↵
14.   ↵
15.   ↵
16. ↵
17.   ↵
18.   `<link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css" integrity="sha384-Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="anonymous">`↵
19.   `<link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg" />`↵
20.   `<link rel="preconnect" href="https://fonts.gstatic.com">`↵
21.   `<link rel="stylesheet" href="/static/css/base.css">`↵
22.   `<link rel="preconnect" href="https://fonts.gstatic.com">`↵
23.   `<link href="https://fonts.googleapis.com/css2?family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap" rel="stylesheet">`↵
24.   ↵
25. ↵
26.   ↵
27.   ↵
28. ↵
29.   ↵
30.   `<script src="https://kit.fontawesome.com/a2015cea33.js" crossorigin="anonymous"></script>`↵
31.   `<script src="https://code.jquery.com/jquery-3.6.0.min.js" integrity="sha256-/xUj+3OJU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4=" crossorigin="anonymous"></script>`↵
32.   `<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js" integrity="sha384-Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" crossorigin="anonymous"></script>`↵
33.   `<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js" integrity="sha384-wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6" crossorigin="anonymous"></script>`↵
34.   `<!-- Stripe -->`↵
35.   `<script src="https://js.stripe.com/v3/"></script>`↵
36. ↵
37.   ↵
38. ↵
39.   ↵
40.   ↵
41. ↵
42.   `<title>From Field to Frame </title>`↵
43.   `</head>`↵
44.   `<body>`↵
45.   ↵

```
46.        <header class="container-fluid fixed-top">↵
47.            <div class="row">↵
48.                ↵
49. ↵
50.                <div class="col-3 my-1 d-flex flex-row">↵
51.                    <nav class="navbar navbar-expand-lg navbar-light">↵
52.                        <button class="navbar-toggler" type="button" data-
    toggle="collapse" data-target="#navbarNavDropdown"↵
53.                            aria-controls="navbarNavDropdown" aria-expanded="false"
    aria-label="Toggle navigation">↵
54.                            <span class="navbar-toggler-icon"></span>↵
55.                        </button>↵
56.                        <div class="collapse navbar-collapse"
    id="navbarNavDropdown">↵
57.                            <div class="container-fluid ">↵
58.                                <div>↵
59.                                    <ul class="navbar-nav">↵
60.                                        <li><a href="/art/" class="mr-3">Art</a>
    </li>↵
61.                                        <li><a href="/furniture/" class="mr-
    3">Furniture</a></li>↵
62.                                        <li><a href="/blog/" class="mr-3">Blog</a>
    </li>↵
63.                                        <li><a href="/contact/" class="mr-
    3">Contact</a></li>↵
64.                                        <li><a href="/profile/" class="mr-3 d-block
    d-lg-none">Profile</a></li>↵
65.                                    </ul>↵
66.                                </div>↵
67.                            </div>↵
68.                        </div>↵
69.                    </nav>↵
70.                </div>↵
71.                ↵
72.                <div class="col-6 my-1 py-1 py-lg-0">↵
73.                    <a href="/" class="nav-link text-center title-text">↵
74.                        <h2 class="logo-font my-0">From Field to Frame</h2>↵
75.                    </a>↵
76.                </div>↵
77.                ↵
78. ↵
79.                <!-- From Code Institute Boutique Ado walkthrough project -->↵
80.                <div class="col-3 my-1 py-1 py-lg-0">↵
81.                    <ul class="list-inline list-unstyled text-right my-0">↵
82.                        <li class="list-inline-item dropdown">↵
83.                            <a class="text-black nav-link d-none d-lg-block"
    href="#" id="user-options" data-toggle="dropdown" aria-haspopup="true" aria-
    expanded="false">↵
84.                                <div class="text-center">↵
85.                                    <div><i class="fas fa-user fa-lg"></i></div>↵
86.                                    <p class="my-0">My Account</p>↵
87.                                </div>↵
88.                            </a>↵
89.                            <div class="dropdown-menu profile-dropdown border-0"
    aria-labelledby="user-options">↵
90.                                ↵
91.                                ↵
92.                                <a href="/profile/" class="dropdown-item">My
    Profile</a>↵
93.                                <a href="/accounts/logout/" class="dropdown-
    item">Logout</a>↵
94.                                ↵
95.                            </div>↵
96.                        </li>↵
97.                        ↵
98.                        <li class="list-inline-item">↵
99.                            <a class="text-black nav-link" href="/basket/">↵
100.                                <div class="text-center">↵
101.                                    <div><i class="fas fa-shopping-bag fa-lg">
    </i></div>↵
102.                                    <p class="my-0">↵
```

```
103.                                              ↵
104.                                        £0.00↵
105.                                              ↵
106.                                      </p>↵
107.                                   </div>↵
108.                                </a>↵
109.                             </li>↵
110.                          ↵
111.                       </ul>↵
112.                    </div>↵
113.                 </div>↵
114.              ↵
115.           </header> ↵
116.           ↵
117.  ↵
118.        ↵
119.  ↵
120.        ↵
121.           <div class="message-container">↵
122.              ↵
123.                 ↵
124.                    ↵
125.                       <!-- Toast HTML based on code taken from Code Institute
      Boutique Ado project-->↵
126.  ↵
127.  <div class="toast custom-toast rounded-0 border-top-0" data-autohide="false">↵
128.       <div class="arrow-up arrow-info"></div>↵
129.       <div class="w-100 toast-capper bg-info"></div>↵
130.       <div class="toast-header bg-white text-dark">↵
131.          <strong class="mr-auto">Alert!</strong>↵
132.          <button type="button" class="ml-2 mb-1 close text-dark" data-
      dismiss="toast" aria-label="Close">↵
133.             <span aria-hidden="true">&times;</span>↵
134.          </button>↵
135.       </div>↵
136.       <div class="toast-body bg-white">↵
137.          You are editing Cloud Tower          ↵
138.       </div>↵
139.  </div>↵
140.                    ↵
141.                 ↵
142.              ↵
143.           </div>↵
144.        ↵
145.  ↵
146.        ↵
147.       <div class="container header-container">↵
148.          <div class="row">↵
149.             <div class="col"></div>↵
150.          </div>↵
151.       </div>↵
152.  ↵
153.  ↵
154.        ↵
155.  ↵
156.  <div class="container-fluid">↵
157.       <div class="row">↵
158.          <div class="col text-center mt-3">↵
159.             <h2 class="title-text page-title">Edit Product</h2>↵
160.             <hr class="w-50 mb-1 title-hr">↵
161.          </div>↵
162.       </div>↵
163.  </div>↵
164.  ↵
165.  <div class="row">↵
166.       <div class="col-10 offset-1 col-md-6 offset-md-3">↵
167.          <form method = "POST" action="/art/edit/3/" class="form mb-2" enctype =
      "multipart/form-data">↵
168.             <input type="hidden" name="csrfmiddlewaretoken"
      value="HWZuDnFRnHBxKO4QY6zherdu69M9MM7kr4EwS2D9Ib8hoj4HV1RSAz5rGOcUEXYI">↵
169.             ↵
```

```
170.                              ↵
171.                                ↵
172.    ↵
173.    ↵
174.        ↵
175.    <div id="div_id_title" class="form-group">↵
176.          ↵
177.                <label for="id_title" class=" requiredField">↵
178.                    Title<span class="asteriskField">*</span>↵
179.                </label>↵
180.          ↵
181.   ↵
182.            ↵
183.   ↵
184.            ↵
185.   ↵
186.            ↵
187.              ↵
188.                <div class="">↵
189.                      ↵
190.                        <input type="text" name="title" value="Cloud Tower"
       maxlength="250" class="site-forms textinput textInput form-control" required
       id="id_title">↵
191.                          ↵
192.                          ↵
193.   ↵
194.   ↵
195.        ↵
196.   ↵
197.   ↵
198.   ↵
199.   ↵
200.        ↵
201.   ↵
202.   ↵
203.   ↵
204.                </div>↵
205.            ↵
206.          ↵
207.    </div>↵
208.        ↵
209.   ↵
210.   ↵
211.                  ↵
212.              ↵
213.                ↵
214.                  ↵
215.   ↵
216.   ↵
217.        ↵
218.    <div id="div_id_description" class="form-group">↵
219.          ↵
220.                <label for="id_description" class=" requiredField">↵
221.                    Description<span class="asteriskField">*</span>↵
222.                </label>↵
223.          ↵
224.   ↵
225.            ↵
226.   ↵
227.            ↵
228.   ↵
229.            ↵
230.              ↵
231.                <div class="">↵
232.                      ↵
233.                        <textarea name="description" cols="40" rows="10"
       class="site-forms textarea form-control" required id="id_description">↵
234.   Cloud TowerCloud TowerCloud TowerCloud TowerCloud TowerCloud TowerCloud
       TowerCloud TowerCloud Tower</textarea>↵
235.                      ↵
236.                      ↵
```

237. ↵
238. ↵
239.   ↵
240. ↵
241. ↵
242. ↵
243. ↵
244.   ↵
245. ↵
246. ↵
247. ↵
248.   </div>↵
249.   ↵
250.   ↵
251.   </div>↵
252.   ↵
253. ↵
254. ↵
255.   ↵
256.   ↵
257.   ↵
258.   ↵
259. ↵
260. ↵
261.   ↵
262.   <div id="div_id_medium" class="form-group">↵
263.   ↵
264.   <label for="id_medium" class="">↵
265.   Medium↵
266.   </label>↵
267.   ↵
268. ↵
269.   ↵
270. ↵
271.   ↵
272. ↵
273.   ↵
274.   ↵
275.   <div class="">↵
276.   ↵
277.   <input type="text" name="medium" value="Watercolour"
      maxlength="100" class="site-forms textinput textInput form-control"
      id="id_medium">↵
278.   ↵
279.   ↵
280. ↵
281. ↵
282.   ↵
283. ↵
284. ↵
285. ↵
286. ↵
287.   ↵
288. ↵
289. ↵
290. ↵
291.   </div>↵
292.   ↵
293.   ↵
294.   </div>↵
295.   ↵
296. ↵
297. ↵
298.   ↵
299.   ↵
300.   ↵
301.   ↵
302. ↵
303. ↵
304.   ↵
305.   <div id="div_id_product_type" class="form-group">↵

```
306.              ↵
307.                <label for="id_product_type" class="">↵
308.                    Product type↵
309.                </label>↵
310.              ↵
311.  ↵
312.              ↵
313.  ↵
314.              ↵
315.  ↵
316.              ↵
317.            ↵
318.                <div class="">↵
319.                  ↵
320.                        <input type="text" name="product_type" value="Picture"
      maxlength="100" class="site-forms textinput textInput form-control"
      id="id_product_type">↵
321.                  ↵
322.                  ↵
323.  ↵
324.  ↵
325.      ↵
326.  ↵
327.  ↵
328.  ↵
329.  ↵
330.      ↵
331.  ↵
332.  ↵
333.  ↵
334.                </div>↵
335.            ↵
336.          ↵
337.    </div>↵
338.      ↵
339.  ↵
340.  ↵
341.              ↵
342.            ↵
343.              ↵
344.                ↵
345.  ↵
346.  ↵
347.      ↵
348.    <div id="div_id_price" class="form-group">↵
349.        ↵
350.                <label for="id_price" class=" requiredField">↵
351.                    Price<span class="asteriskField">*</span>↵
352.                </label>↵
353.        ↵
354.  ↵
355.        ↵
356.  ↵
357.        ↵
358.  ↵
359.        ↵
360.            ↵
361.                <div class="">↵
362.                  ↵
363.                        <input type="number" name="price" value="19.99"
      step="0.01" class="site-forms numberinput form-control" required
      id="id_price">↵
364.                  ↵
365.                  ↵
366.  ↵
367.  ↵
368.      ↵
369.  ↵
370.  ↵
371.  ↵
372.  ↵
```

```
373.          ↵
374.    ↵
375.    ↵
376.    ↵
377.                    </div>↵
378.              ↵
379.          ↵
380.      </div>↵
381.        ↵
382.  ↵
383.  ↵
384.                 ↵
385.              ↵
386.              ↵
387.                ↵
388.  ↵
389.  ↵
390.      ↵
391.      <div id="div_id_image_url" class="form-group">↵
392.          ↵
393.              <label for="id_image_url" class="">↵
394.                Image url↵
395.              </label>↵
396.          ↵
397.  ↵
398.          ↵
399.  ↵
400.          ↵
401.  ↵
402.          ↵
403.            ↵
404.                 <div class="">↵
405.                   ↵
406.                        <input type="url" name="image_url" maxlength="1024"
      class="site-forms urlinput form-control" id="id_image_url">↵
407.                   ↵
408.                   ↵
409.  ↵
410.  ↵
411.      ↵
412.  ↵
413.  ↵
414.  ↵
415.  ↵
416.      ↵
417.  ↵
418.  ↵
419.  ↵
420.                 </div>↵
421.            ↵
422.          ↵
423.      </div>↵
424.        ↵
425.  ↵
426.  ↵
427.              ↵
428.             ↵
429.              ↵
430.                    <p>Current Image:</p>↵
431.  <a href="/media/Cloudtower.jpg">↵
432.      <img width="96" height="96" class="rounded shadow-sm"
      src="/media/Cloudtower.jpg">↵
433.  </a>↵
434.  ↵
435.      <div class="custom-control custom-checkbox mt-2">↵
436.          <input class="custom-control-input" type="checkbox" name="image-clear"
      id="image-clear_id">↵
437.          <label class="custom-control-label text-danger" for="image-
      clear_id">Remove</label>↵
438.      </div>↵
439.  <br>↵
```

```
440.  ↵
441.  ↵
442.  <span class="btn btn-widget btn-file">↵
443.  Select Image <input type="file" name="image" accept="image/*" class="site-
      forms" id="id_image">↵
444.  </span>↵
445.  <p class="text-danger" id="filename"></p>↵
446.                    ↵
447.                  ↵
448.              <div class="text-right">↵
449.                  <a class = "btn account-home-btn" href="/art/">Cancel</a>↵
450.                  <button class = "btn account-action-btn" type="submit">Update
      Product</button>↵
451.              </div>↵
452.          </form>↵
453.      </div>↵
454.  </div>↵
455.  ↵
456.      <!--based on code from Code Institute's Boutique Ado Project -->↵
457.  ↵
458.      <div class="btt-button shadow-sm rounded-0 border">↵
459.       <a class="btt-link d-flex h-100">↵
460.          <i class="fas fa-arrow-up mx-auto my-auto"></i>↵
461.      </a>          ↵
462.  </div>↵
463.  ↵
464.  ↵
465.  ↵
466.      ↵
467.  ↵
468.      ↵
469.  ↵
470.      <script type="text/javascript">↵
471.          $('.toast').toast('show');↵
472.      </script>↵
473.  ↵
474.        ↵
475.      ↵
476.  ↵
477.  <script type="text/javascript">↵
478.      $('.btt-link').click(function(e) {↵
479.          window.scrollTo(0,0)↵
480.      })↵
481.  ↵
482.      $('#new-image').change(function() {↵
483.      var file = $('#new-image')[0].files[0];↵
484.      $('#filename').text(`Image will be set to: ${file.name}`);↵
485.  });↵
486.  </script>↵
487.  ↵
488.  ↵
489.  ↵
490.      ↵
491.  ↵
492.      <footer class="container-fluid fixed-bottom text-center mt-5">↵
493.          ↵
494.              <a target="_blank"
      href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
      social-footer-links"><i class="fab fa-instagram"></i></a>↵
495.              <a target="_blank" href="https://twitter.com/" class= "mx-2 social-
      footer-links"><i class="fab fa-twitter"></i></a>↵
496.              <a target="_blank" href="https://facebook.com/" class= "mx-2
      social-footer-links"><i class="fab fa-facebook-f"></i></a>↵
497.          ↵
498.      </footer>↵
499.      ↵
500.    </body>↵
501.  </html>
```

Used the HTML parser.

Total execution time 24 milliseconds.