

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by  ☐ CSS

```

        </div>
      </form>
    </div>
  </div>

  <!--based on code from Code Institute's Boutique Ado Project -->

  <div class="btt-button shadow-sm rounded-0 border">
    <a class="btt-link d-flex h-100">
      <i class="fas fa-arrow-up mx-auto my-auto"></i>
    </a>
  </div>

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Duplicate attribute `id`.  
[At line 407, column 99](#)  

```
"site-forms" id="id_image"></pre>

```
- Error** Element `p` not allowed as child of element `strong` in this context.  
 (Suppressing further errors from this subtree.)  
[From line 409, column 9; to line 409, column 45](#)  

```
><strong><p class="text-danger" id="filename"></p></pre>


Contexts in which element p may be used:



Where flow content is expected.



Content model for element strong:



Phrasing content.


```
- Warning** The `type` attribute is unnecessary for JavaScript resources.  
[From line 434, column 5; to line 434, column 35](#)

```
<script type="text/javascript">
```

4. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 441, column 1; to line 441, column 31](#)

```
<script type="text/javascript"> $
```

Document checking completed.

## Source

```
1. <
2. <
3. <
4. <!doctype html>
5. <html lang="en">
6.   <head>
7.     <
8.       <
9.         <meta http-equiv="X-UA-Compatible" content="ie=edge">
10.        <meta charset="utf-8">
11.        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
12.      <
13.    <
14.    <
15.    <
16.  <
17.    <
18.      <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGs03+HhXv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
19.      <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"
/>
20.      <link rel="preconnect" href="https://fonts.gstatic.com">
21.      <link rel="stylesheet" href="/static/css/base.css">
22.      <link rel="preconnect" href="https://fonts.gstatic.com">
23.      <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
rel="stylesheet">
24.    <
25.  <
26.    <
27.    <
28.  <
29.    <
30.      <script src="https://kit.fontawesome.com/a2015cea33.js"
crossorigin="anonymous"></script>
31.      <script src="https://code.jquery.com/jquery-3.6.0.min.js"
integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
crossorigin="anonymous"></script>
32.      <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
33.      <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6"
crossorigin="anonymous"></script>
34.    <!-- Stripe -->
```

```

35.     <script src="https://js.stripe.com/v3/"></script>↵
36. ↵
37.     ↵
38. ↵
39.     ↵
40.     ↵
41. ↵
42.     <title>From Field to Frame </title>↵
43. </head>↵
44. <body>↵
45.     ↵
46.     <header class="container-fluid fixed-top">↵
47.         <div class="row">↵
48.             ↵
49. ↵
50.             <div class="col-3 my-1 d-flex flex-row">↵
51.                 <nav class="navbar navbar-expand-lg navbar-light">↵
52.                     <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarNavDropdown"↵
53.                         aria-controls="navbarNavDropdown" aria-expanded="false"
aria-label="Toggle navigation">↵
54.                         <span class="navbar-toggler-icon"></span>↵
55.                     </button>↵
56.                     <div class="collapse navbar-collapse"
id="navbarNavDropdown">↵
57.                         <div class="container-fluid ">↵
58.                             <div>↵
59.                                 <ul class="navbar-nav">↵
60.                                     <li><a href="/art/" class="mr-3">Art</a>
</li>↵
61.                                     <li><a href="/furniture/" class="mr-
3">Furniture</a></li>↵
62.                                     <li><a href="/blog/" class="mr-3">Blog</a>
</li>↵
63.                                     <li><a href="/contact/" class="mr-
3">Contact</a></li>↵
64.                                     <li><a href="/profile/" class="mr-3 d-block
d-lg-none">Profile</a></li>↵
65.                                 </ul>↵
66.                             </div>↵
67.                         </div>↵
68.                     </div>↵
69.                 </nav>↵
70.             </div>↵
71.             ↵
72.             <div class="col-6 my-1 py-1 py-lg-0">↵
73.                 <a href="/" class="nav-link text-center title-text">↵
74.                     <h2 class="logo-font my-0">From Field to Frame</h2>↵
75.                 </a>↵
76.             </div>↵
77.             ↵
78. ↵
79.             <!-- From Code Institute Boutique Ado walkthrough project -->↵
80.             <div class="col-3 my-1 py-1 py-lg-0">↵
81.                 <ul class="list-inline list-unstyled text-right my-0">↵
82.                     <li class="list-inline-item dropdown">↵
83.                         <a class="text-black nav-link d-none d-lg-block"
href="#" id="user-options" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
84.                             <div class="text-center">↵
85.                                 <div><i class="fas fa-user fa-lg"></i></div>↵
86.                                 <p class="my-0">My Account</p>↵
87.                             </div>↵
88.                         </a>↵
89.                         <div class="dropdown-menu profile-dropdown border-0"
aria-labelledby="user-options">↵
90.                             ↵
91.                             ↵
92.                             <a href="/profile/" class="dropdown-item">My
Profile</a>↵

```

```

93.         <a href="/accounts/logout/" class="dropdown-
item">Logout</a>↵
94.         ↵
95.     </div>↵
96. </li>↵
97. ↵
98.     <li class="list-inline-item">↵
99.         <a class="text-black nav-link" href="/basket/">↵
100.         <div class="text-center">↵
101.             <div><i class="fas fa-shopping-bag fa-lg">
</i></div>↵
102.             <p class="my-0">↵
103.                 ↵
104.                 £0.00↵
105.                 ↵
106.             </p>↵
107.         </div>↵
108.         </a>↵
109.     </li>↵
110. ↵
111. </ul>↵
112. </div>↵
113. </div>↵
114. ↵
115. </header> ↵
116. ↵
117. ↵
118. ↵
119. ↵
120. ↵
121. ↵
122. ↵
123. <div class="container header-container">↵
124.     <div class="row">↵
125.         <div class="col"></div>↵
126.     </div>↵
127. </div>↵
128. ↵
129. ↵
130. ↵
131. ↵
132. <div class="container-fluid">↵
133.     <div class="row">↵
134.         <div class="col text-center mt-3">↵
135.             <h2 class="title-text page-title">Add Product</h2>↵
136.             <hr class="w-50 mb-1 title-hr">↵
137.         </div>↵
138.     </div>↵
139. </div>↵
140. ↵
141. <div class="row">↵
142.     <div class="col-10 offset-1 col-md-6 offset-md-3">↵
143.         <form method = "POST" action="/art/add/" class="form mb-2" enctype =
"multipart/form-data">↵
144.             <input type="hidden" name="csrfmiddlewaretoken"
value="Y0gnzgpu9QaFJYNatReT90I7tHaL0sEmwjeH0mEDdBICKyEt0iAfiktNwEhxlkwC">↵
145.             ↵
146.             ↵
147.             ↵
148. ↵
149. ↵
150. ↵
151.     <div id="div_id_title" class="form-group">↵
152.         ↵
153.         <label for="id_title" class=" requiredField">↵
154.             Title<span class="asteriskField">*</span>↵
155.         </label>↵
156.         ↵
157. ↵
158. ↵
159. ↵

```

```
160.         ↵
161.     ↵
162.         ↵
163.     ↵
164.         <div class="">↵
165.             ↵
166.                 <input type="text" name="title" maxlength="250"
class="site-forms textinput textInput form-control" required id="id_title">↵
167.             ↵
168.             ↵
169.     ↵
170.     ↵
171.     ↵
172.     ↵
173.     ↵
174.     ↵
175.     ↵
176.     ↵
177.     ↵
178.     ↵
179.     ↵
180.         </div>↵
181.     ↵
182.     ↵
183. </div>↵
184. ↵
185. ↵
186. ↵
187.         ↵
188.     ↵
189.     ↵
190.         ↵
191.     ↵
192.     ↵
193.     ↵
194.     <div id="div_id_description" class="form-group">↵
195.         ↵
196.             <label for="id_description" class=" requiredField">↵
197.                 Description<span class="asteriskField">*</span>↵
198.             </label>↵
199.     ↵
200.     ↵
201.     ↵
202.     ↵
203.     ↵
204.     ↵
205.     ↵
206.     ↵
207.         <div class="">↵
208.             ↵
209.                 <textarea name="description" cols="40" rows="10"
class="site-forms textarea form-control" required id="id_description">↵
210.             </textarea>↵
211.             ↵
212.             ↵
213.     ↵
214.     ↵
215.     ↵
216.     ↵
217.     ↵
218.     ↵
219.     ↵
220.     ↵
221.     ↵
222.     ↵
223.     ↵
224.         </div>↵
225.     ↵
226.     ↵
227. </div>↵
228.     ↵
```

```
229. ↵
230. ↵
231.     ↵
232.     ↵
233.     ↵
234.     ↵
235. ↵
236. ↵
237. ↵
238. <div id="div_id_medium" class="form-group">↵
239.     ↵
240.     <label for="id_medium" class="">↵
241.         Medium↵
242.     </label>↵
243.     ↵
244. ↵
245.     ↵
246. ↵
247.     ↵
248. ↵
249.     ↵
250.     ↵
251.     <div class="">↵
252.         ↵
253.         <input type="text" name="medium" maxlength="100"
class="site-forms textinput textInput form-control" id="id_medium">↵
254.         ↵
255.         ↵
256. ↵
257. ↵
258.     ↵
259. ↵
260. ↵
261. ↵
262. ↵
263.     ↵
264. ↵
265. ↵
266. ↵
267.     </div>↵
268.     ↵
269.     ↵
270. </div>↵
271. ↵
272. ↵
273. ↵
274.     ↵
275.     ↵
276.     ↵
277.     ↵
278. ↵
279. ↵
280. ↵
281. <div id="div_id_product_type" class="form-group">↵
282.     ↵
283.     <label for="id_product_type" class="">↵
284.         Product type↵
285.     </label>↵
286.     ↵
287. ↵
288.     ↵
289. ↵
290.     ↵
291. ↵
292.     ↵
293.     ↵
294.     <div class="">↵
295.         ↵
296.         <input type="text" name="product_type" maxlength="100"
class="site-forms textinput textInput form-control" id="id_product_type">↵
297.         ↵
```

```
298.                                     ↵
299. ↵
300. ↵
301. ↵
302. ↵
303. ↵
304. ↵
305. ↵
306. ↵
307. ↵
308. ↵
309. ↵
310.                                     </div>↵
311.                                     ↵
312. ↵
313. </div>↵
314. ↵
315. ↵
316. ↵
317.                                     ↵
318. ↵
319. ↵
320. ↵
321. ↵
322. ↵
323. ↵
324. <div id="div_id_price" class="form-group">↵
325. ↵
326.     <label for="id_price" class=" requiredField">↵
327.         Price<span class="asteriskField">*</span>↵
328.     </label>↵
329. ↵
330. ↵
331. ↵
332. ↵
333. ↵
334. ↵
335. ↵
336. ↵
337.     <div class="">↵
338. ↵
339.         <input type="number" name="price" step="0.01"
class="site-forms numberinput form-control" required id="id_price">↵
340. ↵
341. ↵
342. ↵
343. ↵
344. ↵
345. ↵
346. ↵
347. ↵
348. ↵
349. ↵
350. ↵
351. ↵
352. ↵
353.                                     </div>↵
354. ↵
355. ↵
356. </div>↵
357. ↵
358. ↵
359. ↵
360. ↵
361. ↵
362. ↵
363. ↵
364. ↵
365. ↵
366. ↵
367. <div id="div_id_image_url" class="form-group">↵
```

```

368.         ↵
369.         <label for="id_image_url" class="">↵
370.             Image url↵
371.         </label>↵
372.         ↵
373.     ↵
374.         ↵
375.     ↵
376.         ↵
377.     ↵
378.         ↵
379.         ↵
380.         <div class="">↵
381.             ↵
382.                 <input type="url" name="image_url" maxlength="1024"
class="site-forms urlinput form-control" id="id_image_url">↵
383.             ↵
384.             ↵
385.     ↵
386.     ↵
387.         ↵
388.     ↵
389.     ↵
390.     ↵
391.     ↵
392.         ↵
393.     ↵
394.     ↵
395.     ↵
396.         </div>↵
397.         ↵
398.         ↵
399.     </div>↵
400.     ↵
401.     ↵
402.     ↵
403.         ↵
404.         ↵
405.         ↵
406.         <span class="btn btn-widget btn-file">↵
407.             Select Image <input id="new-image" type="file" name="image" accept="image/*"
class="site-forms" id="id_image">↵
408.         </span>↵
409.         <strong><p class="text-danger" id="filename"></p></strong>↵
410.         ↵
411.         ↵
412.         <div class="text-center">↵
413.             <a class = "btn account-home-btn" href="/art/">Cancel</a>↵
414.             <button class = "btn account-action-btn" type="submit">Add
Product</button>↵
415.         </div>↵
416.     </form>↵
417. </div>↵
418. </div>↵
419. ↵
420. <!--based on code from Code Institute's Boutique Ado Project -->↵
421. ↵
422. <div class="btt-button shadow-sm rounded-0 border">↵
423.     <a class="btt-link d-flex h-100">↵
424.         <i class="fas fa-arrow-up mx-auto my-auto"></i>↵
425.     </a>↵
426. </div>↵
427. ↵
428. ↵
429. ↵
430.     ↵
431.     ↵
432.     ↵
433.     ↵
434.     <script type="text/javascript">↵
435.         $(''.toast').toast('show');↵

```



```
436.     </script><↵
437. ↵
438.     ↵
439.     ↵
440. ↵
441. <script type="text/javascript">↵
442.     $(''.btt-link').click(function(e) {↵
443.         window.scrollTo(0,0)↵
444.     })↵
445. ↵
446.     $('#new-image').change(function() {↵
447.         var file = $('#new-image')[0].files[0];↵
448.         $('#filename').text(`Image will be set to: ${file.name}`);↵
449.     });↵
450. </script><↵
451. ↵
452. ↵
453. ↵
454.     ↵
455. ↵
456.     <footer class="container-fluid fixed-bottom text-center mt-5">↵
457.         ↵
458.             <a target="_blank"
href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
social-footer-links"><i class="fab fa-instagram"></i></a>↵
459.             <a target="_blank" href="https://twitter.com/" class= "mx-2 social-
footer-links"><i class="fab fa-twitter"></i></a>↵
460.             <a target="_blank" href="https://facebook.com/" class= "mx-2
social-footer-links"><i class="fab fa-facebook-f"></i></a>↵
461.         ↵
462.     </footer><↵
463.     ↵
464. </body><↵
465. </html>
```

Used the HTML parser.

Total execution time 27 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 21.8.4