# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

┌─ Checker Input ───┐

Show [☑] source   [ ] outline   [ ] image report

[Options…]

Check by [text input ▾] [ ] css

```
<!doctype html>
<html lang="en">
  <head>

        <meta http-equiv="X-UA-Compatible" content="ie=edge">
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">
```

[Check]

└──┘

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. [**Warning**] The `type` attribute is unnecessary for JavaScript resources.

    [From line 434, column 5; to line 434, column 35](#)

    ```
    ↩↩      <script type="text/javascript">↩
    ```

2. [**Warning**] The `type` attribute is unnecessary for JavaScript resources.

    [From line 441, column 1; to line 441, column 31](#)

    ```
    ↩      ↩↩<script type="text/javascript">↩     $
    ```

Document checking completed.

Source

1. ↩
2. ↩
3. ↩
4. <!doctype html>↩

```
5.  <html lang="en">↵
6.    <head>↵
7.  ↵
8.        ↵
9.          <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
10.         <meta charset="utf-8">↵
11.         <meta name="viewport" content="width=device-width, initial-scale=1,
    shrink-to-fit=no">↵
12.       ↵
13.  ↵
14.         ↵
15.         ↵
16.  ↵
17.         ↵
18.         <link rel="stylesheet"
    href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
    integrity="sha384-
    Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
    crossorigin="anonymous">↵
19.         <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"
    />↵
20.         <link rel="preconnect" href="https://fonts.gstatic.com">↵
21.         <link rel="stylesheet" href="/static/css/base.css">↵
22.         <link rel="preconnect" href="https://fonts.gstatic.com">↵
23.         <link href="https://fonts.googleapis.com/css2?
    family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
    rel="stylesheet">↵
24.       ↵
25.  ↵
26.         ↵
27.         ↵
28.  ↵
29.         ↵
30.         <script src="https://kit.fontawesome.com/a2015cea33.js"
    crossorigin="anonymous"></script>↵
31.         <script src="https://code.jquery.com/jquery-3.6.0.min.js"
    integrity="sha256-/xUj+3OJU5yEx1q6GSYGSHk7tPXikynS7ogEvDej/m4="
    crossorigin="anonymous"></script>↵
32.         <script
    src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
    integrity="sha384-
    Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous"></script>↵
33.         <script
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
    integrity="sha384-
    wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
    crossorigin="anonymous"></script>↵
34.         <!-- Stripe -->↵
35.         <script src="https://js.stripe.com/v3/"></script>↵
36.  ↵
37.       ↵
38.  ↵
39.         ↵
40.         ↵
41.  ↵
42.     <title>From Field to Frame </title>↵
43.   </head>↵
44.   <body>↵
45.        ↵
46.     <header class="container-fluid fixed-top">↵
47.         <div class="row">↵
48.             ↵
49.  ↵
50.             <div class="col-3 my-1 d-flex flex-row">↵
51.                 <nav class="navbar navbar-expand-lg navbar-light">↵
52.                     <button class="navbar-toggler" type="button" data-
    toggle="collapse" data-target="#navbarNavDropdown"↵
53.                         aria-controls="navbarNavDropdown" aria-expanded="false"
    aria-label="Toggle navigation">↵
54.                         <span class="navbar-toggler-icon"></span>↵
```

```
 55.                    </button>↵
 56.                    <div class="collapse navbar-collapse"
       id="navbarNavDropdown">↵
 57.                        <div class="container-fluid ">↵
 58.                            <div>↵
 59.                                <ul class="navbar-nav">↵
 60.                                    <li><a href="/art/" class="mr-3">Art</a>
       </li>↵
 61.                                    <li><a href="/furniture/" class="mr-
       3">Furniture</a></li>↵
 62.                                    <li><a href="/blog/" class="mr-3">Blog</a>
       </li>↵
 63.                                    <li><a href="/contact/" class="mr-
       3">Contact</a></li>↵
 64.                                    <li><a href="/profile/" class="mr-3 d-block
       d-lg-none">Profile</a></li>↵
 65.                                </ul>↵
 66.                            </div>↵
 67.                        </div>↵
 68.                    </div>↵
 69.                </nav>↵
 70.            </div>↵
 71.            ↵
 72.            <div class="col-6 my-1 py-1 py-lg-0">↵
 73.                <a href="/" class="nav-link text-center title-text">↵
 74.                    <h2 class="logo-font my-0">From Field to Frame</h2>↵
 75.                </a>↵
 76.            </div>↵
 77.            ↵
 78. ↵
 79.            <!-- From Code Institute Boutique Ado walkthrough project -->↵
 80.            <div class="col-3 my-1 py-1 py-lg-0">↵
 81.                <ul class="list-inline list-unstyled text-right my-0">↵
 82.                    <li class="list-inline-item dropdown">↵
 83.                        <a class="text-black nav-link d-none d-lg-block"
       href="#" id="user-options" data-toggle="dropdown" aria-haspopup="true" aria-
       expanded="false">↵
 84.                            <div class="text-center">↵
 85.                                <div><i class="fas fa-user fa-lg"></i></div>↵
 86.                                <p class="my-0">My Account</p>↵
 87.                            </div>↵
 88.                        </a>↵
 89.                        <div class="dropdown-menu profile-dropdown border-0"
       aria-labelledby="user-options">↵
 90.                            ↵
 91.                                ↵
 92.                                <a href="/profile/" class="dropdown-item">My
       Profile</a>↵
 93.                                <a href="/accounts/logout/" class="dropdown-
       item">Logout</a>↵
 94.                            ↵
 95.                        </div>↵
 96.                    </li>↵
 97.                    ↵
 98.                    <li class="list-inline-item">↵
 99.                        <a class="text-black nav-link" href="/basket/">↵
100.                            <div class="text-center">↵
101.                                <div><i class="fas fa-shopping-bag fa-lg">
       </i></div>↵
102.                                <p class="my-0">↵
103.                                    ↵
104.                                        £0.00↵
105.                                    ↵
106.                                </p>↵
107.                            </div>↵
108.                        </a>↵
109.                    </li>↵
110.                    ↵
111.                </ul>↵
112.            </div>↵
113.        </div>↵
```

```
114.              ↵
115.     </header> ↵
116.        ↵
117.  ↵
118.        ↵
119.  ↵
120.        ↵
121.  ↵
122.        ↵
123.     <div class="container header-container">↵
124.         <div class="row">↵
125.             <div class="col"></div>↵
126.         </div>↵
127.     </div>↵
128.  ↵
129.  ↵
130.        ↵
131.  ↵
132.  <div class="container-fluid">↵
133.     <div class="row">↵
134.         <div class="col text-center mt-3">↵
135.             <h2 class="title-text page-title">Add Product</h2>↵
136.             <hr class="w-50 mb-1 title-hr">↵
137.         </div>↵
138.     </div>↵
139.  </div>↵
140.  ↵
141.  <div class="row">↵
142.     <div class="col-10 offset-1 col-md-6 offset-md-3">↵
143.         <form method = "POST" action="/art/add/" class="form mb-2" enctype =
     "multipart/form-data">↵
144.             <input type="hidden" name="csrfmiddlewaretoken"
     value="cjHJWlSoWMsRtNsCPYVFVbSJkbZkSNugWrmLb0QGhgZB7istMTdghjKGUQp5KYlE">↵
145.                 ↵
146.                    ↵
147.                       ↵
148.  ↵
149.  ↵
150.        ↵
151.     <div id="div_id_title" class="form-group">↵
152.        ↵
153.             <label for="id_title" class=" requiredField">↵
154.                 Title<span class="asteriskField">*</span>↵
155.             </label>↵
156.        ↵
157.  ↵
158.        ↵
159.  ↵
160.        ↵
161.  ↵
162.        ↵
163.           ↵
164.                 <div class="">↵
165.                    ↵
166.                         <input type="text" name="title" maxlength="250"
     class="site-forms textinput textInput form-control" required id="id_title">↵
167.                    ↵
168.                    ↵
169.  ↵
170.  ↵
171.        ↵
172.  ↵
173.  ↵
174.  ↵
175.  ↵
176.        ↵
177.  ↵
178.  ↵
179.  ↵
180.                 </div>↵
181.           ↵
```

```
182.            ↵
183.     </div>↵
184.     ↵
185.  ↵
186.  ↵
187.                ↵
188.            ↵
189.                ↵
190.                ↵
191.  ↵
192.  ↵
193.        ↵
194.     <div id="div_id_description" class="form-group">↵
195.         ↵
196.             <label for="id_description" class=" requiredField">↵
197.                 Description<span class="asteriskField">*</span>↵
198.             </label>↵
199.         ↵
200.  ↵
201.             ↵
202.  ↵
203.             ↵
204.  ↵
205.         ↵
206.            ↵
207.                 <div class="">↵
208.                    ↵
209.                     <textarea name="description" cols="40" rows="10"
     class="site-forms textarea form-control" required id="id_description">↵
210.  </textarea>↵
211.                    ↵
212.                    ↵
213.  ↵
214.  ↵
215.      ↵
216.  ↵
217.  ↵
218.  ↵
219.  ↵
220.      ↵
221.  ↵
222.  ↵
223.  ↵
224.                 </div>↵
225.            ↵
226.        ↵
227.     </div>↵
228.     ↵
229.  ↵
230.  ↵
231.                ↵
232.            ↵
233.                ↵
234.                ↵
235.  ↵
236.  ↵
237.        ↵
238.     <div id="div_id_medium" class="form-group">↵
239.         ↵
240.             <label for="id_medium" class="">↵
241.                 Medium↵
242.             </label>↵
243.         ↵
244.  ↵
245.             ↵
246.  ↵
247.             ↵
248.  ↵
249.         ↵
250.            ↵
251.                 <div class="">↵
```

```
252.                              ↵
253.                              <input type="text" name="medium" maxlength="100"
      class="site-forms textinput textInput form-control" id="id_medium">↵
254.                              ↵
255.                              ↵
256.    ↵
257.    ↵
258.        ↵
259.    ↵
260.    ↵
261.    ↵
262.    ↵
263.        ↵
264.    ↵
265.    ↵
266.    ↵
267.                    </div>↵
268.                ↵
269.            ↵
270.    </div>↵
271.        ↵
272.    ↵
273.    ↵
274.                        ↵
275.                    ↵
276.                        ↵
277.                        ↵
278.    ↵
279.    ↵
280.        ↵
281.    <div id="div_id_product_type" class="form-group">↵
282.            ↵
283.              <label for="id_product_type" class="">↵
284.                Product type↵
285.              </label>↵
286.            ↵
287.    ↵
288.                ↵
289.    ↵
290.                ↵
291.    ↵
292.                ↵
293.                ↵
294.                    <div class="">↵
295.                        ↵
296.                              <input type="text" name="product_type" maxlength="100"
      class="site-forms textinput textInput form-control" id="id_product_type">↵
297.                        ↵
298.                        ↵
299.    ↵
300.    ↵
301.        ↵
302.    ↵
303.    ↵
304.    ↵
305.    ↵
306.        ↵
307.    ↵
308.    ↵
309.    ↵
310.                    </div>↵
311.                ↵
312.            ↵
313.    </div>↵
314.        ↵
315.    ↵
316.    ↵
317.                        ↵
318.                    ↵
319.                        ↵
320.                        ↵
```

```
321.    ↵
322.    ↵
323.        ↵
324.    <div id="div_id_price" class="form-group">↵
325.          ↵
326.              <label for="id_price" class=" requiredField">↵
327.                  Price<span class="asteriskField">*</span>↵
328.              </label>↵
329.          ↵
330.    ↵
331.            ↵
332.    ↵
333.            ↵
334.    ↵
335.            ↵
336.              ↵
337.                  <div class="">↵
338.                      ↵
339.                          <input type="number" name="price" step="0.01"
        class="site-forms numberinput form-control" required id="id_price">↵
340.                      ↵
341.                      ↵
342.    ↵
343.    ↵
344.        ↵
345.    ↵
346.    ↵
347.    ↵
348.    ↵
349.        ↵
350.    ↵
351.    ↵
352.    ↵
353.                  </div>↵
354.              ↵
355.          ↵
356.    </div>↵
357.        ↵
358.    ↵
359.    ↵
360.                ↵
361.            ↵
362.              ↵
363.                ↵
364.    ↵
365.    ↵
366.        ↵
367.    <div id="div_id_image_url" class="form-group">↵
368.          ↵
369.              <label for="id_image_url" class="">↵
370.                  Image url↵
371.              </label>↵
372.          ↵
373.    ↵
374.            ↵
375.    ↵
376.            ↵
377.    ↵
378.            ↵
379.              ↵
380.                  <div class="">↵
381.                      ↵
382.                          <input type="url" name="image_url" maxlength="1024"
        class="site-forms urlinput form-control" id="id_image_url">↵
383.                      ↵
384.                      ↵
385.    ↵
386.    ↵
387.        ↵
388.    ↵
389.    ↵
```

```
390.  ↵
391.  ↵
392.    ↵
393.  ↵
394.  ↵
395.  ↵
396.                  </div>↵
397.             ↵
398.          ↵
399.    </div>↵
400.      ↵
401.  ↵
402.  ↵
403.                ↵
404.              ↵
405.                ↵
406.                  <span class="btn btn-widget btn-file">↵
407.  Select Image <input type="file" name="image" accept="image/*" class="site-
      forms" id="id_image">↵
408.  </span>↵
409.  <p class="text-danger" id="filename"></p>↵
410.                ↵
411.            ↵
412.            <div class="text-center">↵
413.              <a class = "btn account-home-btn" href="/art/">Cancel</a>↵
414.              <button class = "btn account-action-btn" type="submit">Add
      Artwork</button>↵
415.            </div>↵
416.        </form>↵
417.    </div>↵
418.  </div>↵
419.  ↵
420.    <!--based on code from Code Institute's Boutique Ado Project -->↵
421.  ↵
422.    <div class="btt-button shadow-sm rounded-0 border">↵
423.     <a class="btt-link d-flex h-100">↵
424.        <i class="fas fa-arrow-up mx-auto my-auto"></i>↵
425.     </a>        ↵
426.  </div>↵
427.  ↵
428.  ↵
429.  ↵
430.      ↵
431.  ↵
432.      ↵
433.  ↵
434.    <script type="text/javascript">↵
435.        $('.toast').toast('show');↵
436.    </script>↵
437.  ↵
438.        ↵
439.      ↵
440.  ↵
441.  <script type="text/javascript">↵
442.    $('.btt-link').click(function(e) {↵
443.        window.scrollTo(0,0)↵
444.    })↵
445.  ↵
446.    $('#new-image').change(function() {↵
447.          var file = $('#new-image')[0].files[0];↵
448.          $('#filename').text(`Image will be set to: ${file.name}`);↵
449.      });↵
450.  </script>↵
451.  ↵
452.  ↵
453.  ↵
454.      ↵
455.  ↵
456.    <footer class="container-fluid fixed-bottom text-center mt-5">↵
457.      ↵
```

458.   <a target="_blank"
    href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
    social-footer-links"><i class="fab fa-instagram"></i>↵
459.   <a target="_blank" href="https://twitter.com/" class= "mx-2 social-
    footer-links"><i class="fab fa-twitter"></i>↵
460.   <a target="_blank" href="https://facebook.com/" class= "mx-2
    social-footer-links"><i class="fab fa-facebook-f"></i>↵
461.   ↵
462.   </footer>↵
463.   ↵
464.   </body>↵
465. </html>

Used the HTML parser.

Total execution time 20 milliseconds.

About this checker • Report an issue • Version: 21.8.4