

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ css

```

                </div>
            </div>

        </div>
    </div>
</div>

<!--based on code from Code Institute's Boutique Ado Project -->

<div class="btt-button shadow-sm rounded-0 border">
    <a class="btt-link d-flex h-100">
        <i class="fas fa-arrow-up mx-auto my-auto"></i>
    </a>
</div>

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 249, column 5; to line 249, column 35](#)

```

<script type="text/javascript">

```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 256, column 1; to line 256, column 31](#)

```

<script type="text/javascript">

```

Document checking completed.

Source

1. <
2. <
3. <
4. <!doctype html><

```

5. <html lang="en">↵
6.   <head>↵
7.   ↵
8.     ↵
9.       <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
10.      <meta charset="utf-8">↵
11.      <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">↵
12.    ↵
13.  ↵
14.    ↵
15.    ↵
16.  ↵
17.    ↵
18.      <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGs03+Hhvx8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">↵
19.      <link rel="icon" type="image/jpg" href="/static/media/F2F-favicon.jpg"
/>↵
20.      <link rel="preconnect" href="https://fonts.gstatic.com">↵
21.      <link rel="stylesheet" href="/static/css/base.css">↵
22.      <link rel="preconnect" href="https://fonts.gstatic.com">↵
23.      <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,300;0,400;0,700;1,400&family=Niconne&display=swap"
rel="stylesheet">↵
24.    ↵
25.  ↵
26.    ↵
27.    ↵
28.  ↵
29.    ↵
30.      <script src="https://kit.fontawesome.com/a2015cea33.js"
crossorigin="anonymous"></script>↵
31.      <script src="https://code.jquery.com/jquery-3.6.0.min.js"
integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
crossorigin="anonymous"></script>↵
32.      <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>↵
33.      <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1liqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>↵
34.      <!-- Stripe -->↵
35.      <script src="https://js.stripe.com/v3/"></script>↵
36.    ↵
37.    ↵
38.    ↵
39.    ↵
40.    ↵
41.  ↵
42.    <title>From Field to Frame </title>↵
43.  </head>↵
44.  <body>↵
45.    ↵
46.    <header class="container-fluid fixed-top">↵
47.      <div class="row">↵
48.        ↵
49.      ↵
50.        <div class="col-3 my-1 d-flex flex-row">↵
51.          <nav class="navbar navbar-expand-lg navbar-light">↵
52.            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarNavDropdown">↵
53.              aria-controls="navbarNavDropdown" aria-expanded="false"
aria-label="Toggle navigation">↵
54.            <span class="navbar-toggler-icon"></span>↵

```

```

55.         </button><br>
56.         <div class="collapse navbar-collapse"
id="navbarNavDropdown"><br>
57.             <div class="container-fluid "><br>
58.                 <div><br>
59.                     <ul class="navbar-nav"><br>
60.                         <li><a href="/art/" class="mr-3">Art</a>
</li><br>
61.                         <li><a href="/furniture/" class="mr-
3">Furniture</a></li><br>
62.                         <li><a href="/blog/" class="mr-3">Blog</a>
</li><br>
63.                         <li><a href="/contact/" class="mr-
3">Contact</a></li><br>
64.                         <li><a href="/profile/" class="mr-3 d-block
d-lg-none">Profile</a></li><br>
65.                     </ul><br>
66.                 </div><br>
67.             </div><br>
68.         </div><br>
69.     </nav><br>
70. </div><br>
71. <br>
72.     <div class="col-6 my-1 py-1 py-lg-0"><br>
73.         <a href="/" class="nav-link text-center title-text"><br>
74.             <h2 class="logo-font my-0">From Field to Frame</h2><br>
75.         </a><br>
76.     </div><br>
77. <br>
78. <br>
79.     <!-- From Code Institute Boutique Ado walkthrough project --><br>
80.     <div class="col-3 my-1 py-1 py-lg-0"><br>
81.         <ul class="list-inline list-unstyled text-right my-0"><br>
82.             <li class="list-inline-item dropdown"><br>
83.                 <a class="text-black nav-link d-none d-lg-block"
href="#" id="user-options" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false"><br>
84.                     <div class="text-center"><br>
85.                         <div><i class="fas fa-user fa-lg"></i></div><br>
86.                         <p class="my-0">My Account</p><br>
87.                     </div><br>
88.                 </a><br>
89.                 <div class="dropdown-menu profile-dropdown border-0"
aria-labelledby="user-options"><br>
90.                     <br>
91.                     <br>
92.                     <a href="/profile/" class="dropdown-item">My
Profile</a><br>
93.                     <a href="/accounts/logout/" class="dropdown-
item">Logout</a><br>
94.                     <br>
95.                 </div><br>
96.             </li><br>
97.             <br>
98.             <li class="list-inline-item"><br>
99.                 <a class="text-black nav-link" href="/basket/"><br>
100.                     <div class="text-center"><br>
101.                         <div><i class="fas fa-shopping-bag fa-lg">
</i></div><br>
102.                         <p class="my-0">
<br>
103.                             <br>
104.                             £0.00<br>
105.                         </p><br>
106.                     </div><br>
107.                 </a><br>
108.             </li><br>
109.         </ul><br>
110.     </div><br>
111. </div><br>
112. </div><br>
113. </div><br>

```

```
114.         ↵
115.     </header> ↵
116.     ↵
117. ↵
118.     ↵
119. ↵
120.     ↵
121. ↵
122.     ↵
123. <div class="container header-container">↵
124.     <div class="row">↵
125.         <div class="col"></div>↵
126.     </div>↵
127. </div>↵
128. ↵
129. ↵
130.     ↵
131. ↵
132. ↵
133. ↵
134. <div class="container-fluid">↵
135.     <div class="row">↵
136.         <div class="col text-center mt-3">↵
137.             <h2 class="title-text page-title">Art by Holly</h2>↵
138.             <hr class="w-50 mb-1 title-hr">↵
139.         </div>↵
140.     </div>↵
141. </div>↵
142. ↵
143. <div class="row text-center" id="delivery-banner">↵
144.     <div class="col">↵
145.         <h3 class="my-1">Free delivery on art orders over £40</h3>↵
146.     </div>↵
147. </div>↵
148. ↵
149. ↵
150. <div class="text-center mt-3">↵
151.     <a href="/art/add/" class="account-action-btn">Add Item of Art to
Site</a>↵
152. </div>↵
153. ↵
154. ↵
155. <div class="row">↵
156.     <div class="col-sm-6 offset-sm-3 col-md-4 offset-md-4 text-center sort-
box">↵
157.         <a href="#" id="all-art-sort" class="sort-link" data-toggle="dropdown"
aria-haspopup="true"↵
158.             aria-expanded="false">↵
159.             Sort by Price <i class="fas fa-angle-down"></i>↵
160.         </a>↵
161.         <div class="dropdown-menu sort-dropdown-box text-center border-0" aria-
labelledby="all-art-sort">↵
162.             <a href="/art/?sort=price&direction=asc" class="dropdown-item sort-
text sort-link">Lowest to↵
163.                 Highest</a>↵
164.             <a href="/art/?sort=price&direction=desc" class="dropdown-item
sort-text sort-link">Highest to↵
165.                 Lowest</a>↵
166.         </div>↵
167.     </div>↵
168. </div>↵
169. ↵
170. ↵
171. ↵
172. <div class="row">↵
173.     <div class="col-10 offset-1">↵
174.         <div class="row mt-1 mb-2">↵
175.             ↵
176.             ↵
177.             <div class="col-xs-12 col-sm-6 col-lg-4">↵
178.                 <div class="card art-card h-90">↵
```

```

179. ↵
180.         ↵
181.         <a href="/art/3/">↵
182.             ↵
183.         </a>↵
184.         ↵
185.         <div class="art-img pb-0">↵
186.     ↵
187.         <a href="/art/3/" class="mb-5 card-text text-center">↵
188.             <h4 class="art-title">Cloud Tower</h4>↵
189.         </a>↵
190.     </div>↵
191.     <div class="card-footer bg-white pt-0 border-0">↵
192.         ↵
193.         <div class="col">↵
194.             <p class="lead mb-0 text-center font-weight-
bold">£19.99</p>↵
195.         </div>↵
196.     </div>↵
197.     <div class="text-center ">↵
198.         <a href="/art/3/" class="art-detail-button">More Info</a>↵
199.     </div>↵
200.         ↵
201.     <div class="text-center mt-2">↵
202.         <a href="/art/edit/3/" class="edit-delete-
link">Edit</a>↵
203.         <a class="delete-modal-trigger edit-delete-link delete-
link" data-toggle="modal" data-target="#artDeleteModal_3">Delete</a>↵
204.     </div>↵
205.     ↵
206. </div>↵
207. ↵
208. </div>↵
209.     <!-- Art Delete Modal -->↵
210.     <div class="modal fade" id="artDeleteModal_3" tabindex="-1"
aria-labelledby="artDeleteModalLabel-1" aria-hidden="true">↵
211.         <div class="modal-dialog modal-dialog-centered">↵
212.             <div class="modal-content custom-modal">↵
213.                 <div class="modal-header">↵
214.                     <h5 class="modal-title"
id="artDeleteModalLabel-1">Confirm deletion</h5>↵
215.                     <button type="button" class="close" data-
dismiss="modal" aria-label="Close">↵
216.                         <span aria-hidden="true">&times;
</span>↵
217.                     </button>↵
218.                 </div>↵
219.                 <div class="modal-body">↵
220.                     Are you sure you want to delete Cloud Tower?↵
221.                 </div>↵
222.                 <div class="modal-footer">↵
223.                     <button type="button" class="btn btn-
outline-dark" data-dismiss="modal">Close</button>↵
224.                     <a class="btn btn-danger"
href="/art/delete/3/">Delete</a>↵
225.                 </div>↵
226.             </div>↵
227.         </div>↵
228.     </div>↵
229.     ↵
230. </div>↵
231. </div>↵
232. </div>↵
233. ↵
234. ↵
235. <!--based on code from Code Institute's Boutique Ado Project -->↵
236. ↵
237. <div class="btt-button shadow-sm rounded-0 border">↵
238.     <a class="btt-link d-flex h-100">↵
239.         <i class="fas fa-arrow-up mx-auto my-auto"></i>↵

```

```

240.     </a><↵
241. </div><↵
242. ↵
243. ↵
244. ↵
245.     ↵
246. ↵
247.     ↵
248. ↵
249.     <script type="text/javascript">↵
250.         $(''.toast').toast('show');↵
251.     </script><↵
252. ↵
253.         ↵
254.     ↵
255. ↵
256. <script type="text/javascript">↵
257.     $(''.btt-link').click(function (e) {↵
258.         window.scrollTo(0, 0)↵
259.     })↵
260. ↵
261.     $('#artDeleteModal').on('shown.bs.modal', function () {↵
262.         $('#artDeleteModal').trigger('focus');↵
263.     });↵
264. </script><↵
265. ↵
266. ↵
267. ↵
268.     ↵
269. ↵
270.     <footer class="container-fluid fixed-bottom text-center mt-5">↵
271.         ↵
272.             <a target="_blank"
href="https://www.instagram.com/fromfieldtoframe/?hl=en-gb" class= "mx-2
social-footer-links"><i class="fab fa-instagram"></i></a>↵
273.             <a target="_blank" href="https://twitter.com/" class= "mx-2 social-
footer-links"><i class="fab fa-twitter"></i></a>↵
274.             <a target="_blank" href="https://facebook.com/" class= "mx-2
social-footer-links"><i class="fab fa-facebook-f"></i></a>↵
275.         ↵
276.     </footer><↵
277.     ↵
278. </body><↵
279. </html>

```

Used the HTML parser.

Total execution time 19 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.8.4