RedDragon
CSC 2510 002 User Manual
User Account Automation V1.1
Contributors: Rachel Robertson, Mallory Flesher, Zach Seitner
4–11-26

Getting Started

This section will describe 2 methods by which you can use this product.

GitHub

The first option is to access your product via GitHub.

1. Select a folder on your Ubuntu machine that you would like to keep the product in.
2. Open a terminal, navigate to the folder you selected and **run 'sudo -s'**
3. Now **run ssh-keygen -t ed25519 -C "your_email@example.com"** using the email attached to your GitHub account. You will be prompted for a file location, **press enter** to skip it. Press **enter again** to skip making a passphrase.
4. Use **cat /root/.ssh/id_ed25519.pub** to show your SSH key.
    - **Copy the key** that starts with ssh-ed25519
5. Sign into your GitHub account online and navigate to 'Settings', and then 'SSH and GPG kays'
6. There should be a green button there that says **'New SSH Key',** Select it and enter the key you got from step **4.**



Image of GitHub Settings
for adding an SSH key

7. Go to the remote **repository** using the GitHub link **provided to you via email**.
8. Click on the green **code button** and select the **SSH key** option.



9. **Copy the SSH key** (highlighted in red) and run the following command; **git clone theSSHKeyFromGitHub**
10. You should now have access to the repository through your Ubuntu machine.

Source Code

If you prefer to download the source code submitted via iLearn or GitHub then simply;

- **Download** the file
- **Extract** the files
- Open a **terminal** where in the directory that contains main

Running the Program

You should now have access to your product and can proceed to run the application.

1. To begin please enter the command **sudo -s** and enter your account password. This is **essential** because the program will require the creation of multiple files.

2. To run the program use the command **./main.sh** in the directory that holds your scripts.

   Note: If you are unsure whether you are in the correct directory try running **ls**, your directory should appear as seen below.



Steps 1, 2

3. The program will **prompt** you for the **16-digit pin** that you have been sent. **Enter the pin** to continue.

4. You should see a menu with the following options:
   1. Auto Account Creation from Link
   2. Add a User Manually
   3. List All Users
   4. Delete a User Manually
   5. Exit



Steps 3, 4

5. If you select **option 1**, the application will **automatically create an account** for each staff member listed on the website. Corresponding output will be provided to confirm **that each staff member account was added**.



6. **Option 2** allows you to enter a **new user manually**.
    a. You will be prompted for a **first name** and **last name**. The account will then be created.



Step 6, adding John Doe

7. **Option 3** lets you see **all the users** currently on your system.



Step 7, showing root user and john.doe

8. **Option 4** deletes a user manually. It will show you the current users.
    a. Security features:
        i. Cannot delete a user that is logged on
        ii. Cannot delete a user if there is only one user account on the machine
    b. You **input the number** corresponding to the user you want to delete.
    c. When you have finished deleting users input **0 to exit.**



    d. **Troubleshooting:** If you see a warning that the **user is logged on** but they are not, try exiting the program and running the script again with ./main.sh.

9. **Option 5** ends the program.

This concludes the user manual. If there are any further questions regarding the functionality of the product, please contact Rachel Robertson at rcrobertso42@tntech.edu.