

MOBILE DEVELOPMENT

DATA PERSISTENCE WITH CORE DATA

Rudd Taylor
Founder, SALT

DATA PERSISTENCE WITH CORE DATA

LEARNING OBJECTIVES

- › Breakdown the Core Data stack at a high level.
- › Create, read, update, delete (CRUD) data with Core Data.
- › Discuss when to/not to use Core Data over plists/flat files/user defaults.

DATA PERSISTENCE WITH CORE DATA

BUILDING A TODO APP

DATA PERSISTENCE WITH CORE DATA

EXPENSE APP – "EXPENSETRACKER"

- View Controller should have a table view and navigation bar.
- The UITableView should have a single prototype cell with type "Right detail."
- Data model should have an Expense class and ExpenseManager singleton.
- Expense class should have a title (String) field and an amount (Double) field.
- The View Controller should also have a "+" button in the upper right, and should show an alert dialog asking for a title and amount of a new Expense.
- The ExpenseManager class should have "create" and "delete" methods. "create" accepts a title and amount to create a new Expense and add it to the list of Expenses. "delete" should accept an Integer index and remove it from the list.
- The navigation bar's title should be the sum of the amounts of all Expenses.

DATA PERSISTENCE WITH CORE DATA

CORE DATA

DATA PERSISTENCE WITH CORE DATA

CORE DATA

Core Data is an object persistence framework provided by iOS.

Instead of a file system, Core Data utilizes a database to enable us to write persistent code like writing a data model of classes.

- Very powerful, very complicated.
- Lots of "boilerplate" code required.
- Provides a lot of additional services like change (undo/redo) management, schema migration, lazy object loading, relationship maintenance, etc.
- <https://developer.apple.com/library/ios/documentation/Cocoa/Conceptual/CoreData/index.html>

DATA PERSISTENCE WITH CORE DATA

CORE DATA

- Managed object model (MOM): a file that represents the data model, essentially the database schema.
- Entity: essentially a class definition in Core Data.
- Attribute: a property of an entity (a member variable).
- Relationship: link between two entities. This is where entity (table) relationships are defined.
- Managed object: an entity that we want to store in Core Data. Its instances are placed in managed object context.
- Managed object context: this is the virtual representation of our data. This instance of data can be manipulated and saved when ready.

DATA PERSISTENCE WITH CORE DATA

CORE DATA

- We always work on the Managed Object Context.
- A series of operations are performed on the MOC (insert, fetch & update, delete), then saved when we want them to persist.

DATA PERSISTENCE WITH CORE DATA

CORE DATA RETROFIT

DATA PERSISTENCE WITH CORE DATA

ADDING CORE DATA

- Use Core Data to store note information instead of "ephemeral" properties.
- Edit the Core Data data model to add an Expense entity.
- Create properties in your ExpenseManager for the AppDelegate, Managed Object Context, and Expense entity.
- Make Expense a subclass of NSObject.
- In the initializer, fetch all the Expenses.
- In the "create" method, initialize your new Expense using the NSObject initializer.
- In the delete method, add a Core Data method to remove it from the store.
- Write a save() method and use it liberally throughout the app.