1. OVERVIEW BY STUDY CHARACTERISTICS (n = 36)

A MOVEMENT TYPE

Total Studies (n = 36)



Gait-related Analysis	**18 (50.0%)**
Stereotyped Motor Movements (SMMs)	**7 (19.4%)**
Fine Motor Movements	**4 (11.1%)**
Hand/Wrist Movements	**3 (8.3%)**
Gesture Patterns	**3 (8.3%)**
Other / Whole-body	**1 (2.8%)**

B METHODOLOGICAL APPROACH

Total Studies (n = 36)



Traditional / Classical ML	**20 (55.6%)**
Deep Learning	**12 (33.3%)**
Hybrid (ML + DL / Transformers, etc.)	**2 (5.6%)**
Statistical / Validation	**2 (5.6%)**

C LEARNING TYPE

Total Studies (n = 36)



Supervised Learning	**34 (94.4%)**
Statistical / Validation	**2 (5.6%)**

Gait analysis is the most frequently investigated movement type, covering nearly half of the included studies (50.0%).

Traditional machine learning approaches remain the most commonly used (55.6%), followed by deep learning methods (33.3%).

Supervised learning is dominant in the literature (94.4%).

2. PERFORMANCE SUMMARY

AVERAGE PERFORMANCE (ACCURACY OR EQUIVALENT)

88.5%

(Based on 33 studies reporting quantitative results)

PERFORMANCE DISTRIBUTION (BY ACCURACY)



ACCURACY RANGE SUMMARY (n = 33)

Accuracy Range	Number of Studies	Percentage
< 80%	4	12.1%
80–89%	9	27.3%
90–94%	6	18.2%
≥ 95%	14	42.4%

Nearly half of the studies (42.4%) report high performance (≥95% accuracy), highlighting the potential of AI methods for movement-based ASD analysis.