

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

ecom_sales

- Tables
- Views
- Stored Procedures
- Functions

sys

Query 1

Limit to 1000 rows

-- Q1. Write a query to display all columns and rows from the customer's table.
SELECT * FROM customers;

Result Grid

	customer_id	first_name	last_name	email	city	state	join_date	is_premium
▶	101	Aarav	Sharma	aarav.s@email.com	Mumbai	Maharashtra	2024-01-15	1
	102	Priya	Patel	priya.p@email.com	Ahmedabad	Gujarat	2024-02-20	0
	103	Rohan	Gupta	rohan.g@email.com	Delhi	Delhi	2024-03-10	1
	104	Sneha	Reddy	sneha.r@email.com	Hyderabad	Telangana	2024-04-05	0
	105	Vikram	Singh	vikram.s@email.com	Jaipur	Rajasthan	2024-05-12	1
	106	Ananya	Iyer	ananya.i@email.com	Chennai	Tamil Nadu	2024-06-18	0
	107	Karan	Mehta	karan.m@email.com	Pune	Maharashtra	2024-07-22	1
	108	Divya	Nair	divya.n@email.com	Kochi	Kerala	2024-08-30	0
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

customers 12

ApplyRevertContext HelpSnippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 29	08:57:30	SELECT COUNT(*) FROM customers LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
✓ 30	08:57:30	SELECT COUNT(*) FROM products LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 31	08:57:30	SELECT COUNT(*) FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 32	08:57:30	SELECT COUNT(*) FROM order_items LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 33	08:58:16	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
✓ 34	08:59:28	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Thunderstorm w...
In effect

Search

8:59 AM
5/31/2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

ecom_sales

- Tables
- Views
- Stored Procedures
- Functions

sys

Query 1

Limit to 1000 rows

-- Q2. Retrieve only the first_name, last_name, and city of all customers.

SELECT first_name,
last_name,
city

FROM customers;

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	first_name	last_name	city
▶	Aarav	Sharma	Mumbai
	Priya	Patel	Ahmedabad
	Rohan	Gupta	Delhi
	Sneha	Reddy	Hyderabad
	Vikram	Singh	Jaipur
	Ananya	Iyer	Chennai
	Karan	Mehta	Pune
	Divya	Nair	Kochi

Administration

Schemas

Information

customers 13

Read Only

Context Help

Snippets

No object selected

Object Info

Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 30	08:57:30	SELECT COUNT(*) FROM products LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 31	08:57:30	SELECT COUNT(*) FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 32	08:57:30	SELECT COUNT(*) FROM order_items LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 33	08:58:16	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
✓ 34	08:59:28	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
✓ 35	09:00:41	SELECT first_name, last_name, city FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec

Thunderstorm w...
In effect

Search

ENG
IN

9:00 AM
5/31/2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

ecom_sales

Tables

Views

Stored Procedures

Functions

sys

Administration

Schemas

Information

No object selected

Object Info

Session

Query 1

Limit to 1000 rows

124

-- Q4. Identify the Primary Key of each table in the schema. Explain why a Primary Key must be unique and NOT NULL.

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

/* Table - Primary keys

customers - customer_id

products - products_id

ords - order_id

order_items - item_id

The primary key must be unique as it identifies each row uniquely and cant be NULL thus its the only way to identify it correctly*/

-- Q5. What constraints are applied to the email column in the customers table? What would happen if you tried to insert a duplicate email?

/* the constraint in email column of customer table is unique element and it should not be null .

If we try to insert a duplicate email it'll return an error for example*/

INSERT INTO customers

VALUES

(

109,

'Test',

'User',

'aarav.s@email.com',

'Jaipur',

'Rajasthan',

'2024-09-01',

TRUE

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
34	08:59:28	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
35	09:00:41	SELECT first_name, last_name, city FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
36	09:01:26	SELECT DISTINCT category FROM products LIMIT 0, 1000	3 row(s) returned	0.015 sec / 0.000 sec
37	09:08:52	INSERT INTO customers VALUES (109, 'Test', 'User', 'aarav.s@email.com', 'Jaipur', 'Rajasthan', '2024-09-01', ...	Error Code: 1062. Duplicate entry 'aarav.s@email.com' for key 'customers.email'	0.015 sec

28°C

Sunny

Search

ENG

IN

9:09 AM

5/31/2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

Filter objects

ecom_sales

Tables

Views

Stored Procedures

Functions

sys

Query 1

Limit to 1000 rows

150

-- Q6. Try inserting a product with unit_price = -50. What happens and which constraint prevents it? Write both the INSERT statement and explain the error.

151

152

/*if we try to insert a product with unit_price = -50 an error will be returned as the constraint CHECK (unit_price > 0) gets violated. */

153

INSERT INTO products

154

VALUES

155

(

156

209,

157

'Test Product',

158

'Electronics',

159

'TestBrand',

160

-50,

161

100

162

);

163

164

/*This constraint ensures that product prices must be positive and prevents invalid data from being stored in the table.*/

165

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
28	08:56:59	INSERT INTO orders VALUES (1001, 101, '2024-08-01', 'Delivered', 4498.00), (1002, 102, '2024-08-03', 'Del...	Error Code: 1062. Duplicate entry '1001' for key 'orders.PRIMARY'	0.000 sec
29	08:57:30	SELECT COUNT(*) FROM customers LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
30	08:57:30	SELECT COUNT(*) FROM products LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
31	08:57:30	SELECT COUNT(*) FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
32	08:57:30	SELECT COUNT(*) FROM order_items LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
33	08:58:16	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
34	08:59:28	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
35	09:00:41	SELECT first_name, last_name, city FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
36	09:01:26	SELECT DISTINCT category FROM products LIMIT 0, 1000	3 row(s) returned	0.015 sec / 0.000 sec
37	09:08:52	INSERT INTO customers VALUES (109, 'Test', 'User', 'aarav.s@email.com', 'Jaipur', 'Rajasthan', '2024-09-01',....	Error Code: 1062. Duplicate entry 'aarav.s@email.com' for key 'customers.email'	0.015 sec
38	09:13:24	INSERT INTO products VALUES (209, 'Test Product', 'Electronics', 'TestBrand', -50, 100)	Error Code: 3819. Check constraint 'products_chk_1' is violated.	0.000 sec

Administration

Schemas

Information

No object selected

Object Info

Session

28°C

Sunny

Search

ENG

IN

9:16 AM

5/31/2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

ecom_sales

- Tables
- Views
- Stored Procedures
- Functions

sys

Query 1

Limit to 1000 rows

166 -- Section B - Filtering & Optimization (WHERE, Indexes)

167 -----

168

169 -- Q7. Retrieve all orders with status = 'Delivered'.

170

171 SELECT *

172 FROM orders

173 WHERE status = 'Delivered';

174

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	order_id	customer_id	order_date	status	total_amount
▶	1001	101	2024-08-01	Delivered	4498.00
	1002	102	2024-08-03	Delivered	799.00
	1004	101	2024-08-10	Delivered	3499.00
	1006	105	2024-08-15	Delivered	5898.00
	1008	103	2024-08-20	Delivered	899.00
	1010	108	2024-08-28	Delivered	1598.00
*	NULL	NULL	NULL	NULL	NULL

Result GridForm EditorField TypesQuery Stats

AdministrationSchemas

Information

No object selected

orders 15

ApplyRevertContext HelpSnippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✖ 37	09:08:52	INSERT INTO customers VALUES (109, 'Test', 'User', 'aarav.s@email.com', 'Jaipur', 'Rajasthan', '2024-09-01' ,...	Error Code: 1062. Duplicate entry 'aarav.s@email.com' for key 'customers.email'	0.015 sec
✖ 38	09:13:24	INSERT INTO products VALUES (209, 'Test Product', 'Electronics', 'TestBrand', -50, 100)	Error Code: 3819. Check constraint 'products_chk_1' is violated.	0.000 sec
✔ 39	09:18:41	SELECT * FROM orders WHERE status = 'Delivered' LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

Object InfoSession

28°C Sunny

Search

amazon music

9:18 AM 5/31/2026

	order_id	customer_id	order_date	status	total_amount
▶	1004	101	2024-08-10	Delivered	3499.00
	1006	105	2024-08-15	Delivered	5898.00
	1007	106	2024-08-18	Pending	1299.00
	1008	103	2024-08-20	Delivered	899.00
	1009	107	2024-08-25	Shipped	6098.00
✱	NULL	NULL	NULL	NULL	NULL

#	Time	Action	Message	Duration / Fetch
✓	34 08:59:28	SELECT * FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
✓	35 09:00:41	SELECT first_name, last_name, city FROM customers LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
✓	36 09:01:26	SELECT DISTINCT category FROM products LIMIT 0, 1000	3 row(s) returned	0.015 sec / 0.000 sec
✗	37 09:08:52	INSERT INTO customers VALUES (109, 'Test', 'User', 'aarav.s@email.com', 'Jaipur', 'Rajasthan', '2024-09-01',...	Error Code: 1062. Duplicate entry 'aarav.s@email.com' for key 'customers.email'	0.015 sec
✗	38 09:13:24	INSERT INTO products VALUES (209, 'Test Product', 'Electronics', 'TestBrand', -50, 100)	Error Code: 3819. Check constraint 'products_chk_1' is violated.	0.000 sec
✓	39 09:18:41	SELECT * FROM orders WHERE status = 'Delivered' LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
✓	40 09:20:09	SELECT * FROM products WHERE category = 'Electronics' AND unit_price > 2000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓	41 09:21:08	SELECT * FROM products WHERE category = 'Electronics' AND unit_price > 2000 LIMIT 0, 1000	2 row(s) returned	0.016 sec / 0.000 sec
✓	42 09:21:17	SELECT * FROM customers WHERE state = 'Maharashtra' AND join_date BETWEEN '2024-01-01' AND '202...	2 row(s) returned	0.000 sec / 0.000 sec
✓	43 09:22:12	SELECT * FROM orders WHERE order_date BETWEEN '2024-08-10' AND '2024-08-25' AND status != 'Cancel...	5 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

ecom_sales

Tables

Views

Stored Procedures

Functions

sys

Query 1

Limit to 1000 rows

200

-- Q12. If you run: SELECT * FROM customers WHERE YEAR(join_date) = 2024; - would the index on join_date be used? Explain why or why not, and rewrite the query to be

202

/*No the index on join_date will nnot be used as the year function is only applicable for a certain scope of index

204

Below is the friendly query*/

205

SELECT *

206

FROM customers

207

WHERE join_date BETWEEN '2024-01-01' AND '2024-12-31';

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	customer_id	first_name	last_name	email	city	state	join_date	is_premium
▶	101	Aarav	Sharma	aarav.s@email.com	Mumbai	Maharashtra	2024-01-15	1
	102	Priya	Patel	priya.p@email.com	Ahmedabad	Gujarat	2024-02-20	0
	103	Rohan	Gupta	rohan.g@email.com	Delhi	Delhi	2024-03-10	1
	104	Sneha	Reddy	sneha.r@email.com	Hyderabad	Telangana	2024-04-05	0
	105	Vikram	Singh	vikram.s@email.com	Jaipur	Rajasthan	2024-05-12	1
	106	Ananya	Iyer	ananya.i@email.com	Chennai	Tamil Nadu	2024-06-18	0
	107	Karan	Mehta	karan.m@email.com	Pune	Maharashtra	2024-07-22	1
	108	Divya	Nair	divya.n@email.com	Kochi	Kerala	2024-08-30	0
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Administration

Schemas

Information

No object selected

Object Info

Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

customers 21

Apply

Revert

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 39	09:18:41	SELECT * FROM orders WHERE status = 'Delivered' LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
✓ 40	09:20:09	SELECT * FROM products WHERE category = 'Electronics' AND unit_price > 2000 LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 41	09:21:08	SELECT * FROM products WHERE category = 'Electronics' AND unit_price > 2000 LIMIT 0, 1000	2 row(s) returned	0.016 sec / 0.000 sec
✓ 42	09:21:17	SELECT * FROM customers WHERE state = 'Maharashtra' AND join_date BETWEEN '2024-01-01' AND '202...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 43	09:22:12	SELECT * FROM orders WHERE order_date BETWEEN '2024-08-10' AND '2024-08-25' AND status != 'Cance...	5 row(s) returned	0.000 sec / 0.000 sec

Thunderstorm w...
In effect

Search

9:28 AM
5/31/2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

Filter objects

ecom_sales

Tables

Views

Stored Procedures

Functions

sys

Administration

Schemas

Information

No object selected

Object InfoSession

Query 1

Limit to 1000 rows

209

210

211

212

213

214

215

216

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

total_orders

10

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 42	09:21:17	SELECT * FROM customers WHERE state = 'Maharashtra' AND join_date BETWEEN '2024-01-01' AND '202...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 43	09:22:12	SELECT * FROM orders WHERE order_date BETWEEN '2024-08-10' AND '2024-08-25' AND status != 'Cance...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 44	09:24:21	SELECT * FROM orders WHERE order_date = '2024-08-15' LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
✓ 45	09:28:10	SELECT * FROM customers WHERE join_date BETWEEN '2024-01-01' AND '2024-12-31' LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec
✓ 46	09:30:09	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Light rain

In the afternoon

Search

9:30 AM

5/31/2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

ecom_sales

Tables

Views

Stored Procedures

Functions

sys

Administration

Schemas

Information

No object selected

Query 1

Limit to 1000 rows

256

257

258

259

260

261

262

263

264

265

266

-- Q19 Write an INNER JOIN query to display each order along with the customer's first_name and last_name. Show: order_id, order_date, first_name, last_name, total_a

SELECT o.order_id,

o.order_date,

c.first_name,

c.last_name,

o.total_amount

FROM orders o

INNER JOIN customers c

ON o.customer_id = c.customer_id;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

order_id

order_date

first_name

last_name

total_amount

1001

2024-08-01

Aarav

Sharma

4498.00

1004

2024-08-10

Aarav

Sharma

3499.00

1002

2024-08-03

Priya

Patel

799.00

1003

2024-08-05

Rohan

Gupta

7498.00

1008

2024-08-20

Rohan

Gupta

899.00

1005

2024-08-12

Sneha

Reddy

2999.00

1006

2024-08-15

Vikram

Singh

5898.00

1007

2024-08-18

Ananya

Iyer

1299.00

1009

2024-08-25

Karan

Mehta

6098.00

1010

2024-08-28

Divya

Nair

1598.00

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Query Stats

Execution Plan

Read Only

Context Help

Snippets

Object Info

Session

Output

28°C Sunny

Search

amazon music

9:36 AM 5/31/2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

ecom_sales

Tables

Views

Stored Procedures

Functions

sys

Administration

Schemas

Information

No object selected

Query 1

Limit to 1000 rows

-- Q21. Write a query using JOINS across three tables (orders → order_items → products) to show: order_id, product_name, quantity, unit_price, and discount_pct for each order item.

SELECT o.order_id,
p.product_name,
oi.quantity,
oi.unit_price,
oi.discount_pct
FROM orders o
JOIN order_items oi
ON o.order_id = oi.order_id
JOIN products p
ON oi.product_id = p.product_id;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	order_id	product_name	quantity	unit_price	discount_pct
▶	1001	Wireless Earbuds	2	1499.00	0.00
	1006	Wireless Earbuds	1	1499.00	10.00
	1002	Cotton T-Shirt	1	799.00	0.00
	1003	Smart Watch	1	2999.00	0.00
	1005	Smart Watch	1	2999.00	0.00
	1003	Running Shoes	1	4599.00	5.00
	1006	Running Shoes	1	4599.00	5.00
	1004	Bluetooth Speaker	1	3499.00	0.00
	1009	Bluetooth Speaker	1	3499.00	0.00
	1007	Bedsheet Set	1	1299.00	0.00
	1010	Bedsheet Set	1	1299.00	0.00
	1001	Laptop Stand	1	899.00	10.00
	1008	Laptop Stand	1	899.00	0.00
	1009	Cushion Covers (...)	2	599.00	15.00
	1010	Cushion Covers (...)	1	599.00	0.00

Result 30

Read Only

Context Help

Snippets

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Object Info

Session

Output

28°C Sunny

Search

amazon music

9:38 AM 5/31/2026

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

ecom_sales

Tables

Views

Stored Procedures

Functions

sys

Query 1

Limit to 1000 rows

311

/* Q24. Write a query using CASE to classify products into price tiers:

312

• 'Budget' -> unit_price < 1000

313

• 'Mid-Range' -> unit_price BETWEEN 1000 AND 3000

314

• 'Premium' -> unit_price > 3000

315

Display: product_name, unit_price, price_tier. */

316

317

SELECT product_name,

318

unit_price,

319

CASE

320

WHEN unit_price < 1000 THEN 'Budget'

321

WHEN unit_price BETWEEN 1000 AND 3000 THEN 'Mid-Range'

322

ELSE 'Premium'

323

END AS price_tier

324

FROM products;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

product_name	unit_price	price_tier
Wireless Earbuds	1499.00	Mid-Range
Cotton T-Shirt	799.00	Budget
Smart Watch	2999.00	Mid-Range
Running Shoes	4599.00	Premium
Bluetooth Speaker	3499.00	Premium
Bedsheet Set	1299.00	Mid-Range
Laptop Stand	899.00	Budget
Cushion Covers (Set)	599.00	Budget

Administration

Schemas

Information

No object selected

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Query Stats

Execution Plan

Object Info

Session

Output

Read Only

Context Help

Snippets

28°C Sunny

Search

ENG IN

9:48 AM 5/31/2026

Query 1 ×

```
325
326 -- Q25. Using a CASE statement inside an aggregate function, count how many orders are 'Delivered' vs 'Not Delivered' (all other statuses). D
327
328 • SELECT
329 COUNT(CASE WHEN status = 'Delivered' THEN 1 END) AS Delivered_Orders,
330 COUNT(CASE WHEN status <> 'Delivered' THEN 1 END) AS Not_Delivered_Orders
331 FROM orders;
```

☐

Result Grid

Field Types

Result 33 ✕

Read Only Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
✓	54 09:38:12	SELECT o.order_id, p.product_name, oi.quantity, oi.unit_price, oi.discount_pct FROM orders ...	15 row(s) returned	0.016 sec / 0.000 sec
✓	55 09:41:33	SELECT * FROM customers c LEFT JOIN orders o ON c.customer_id = o.customer_id LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
✗	56 09:42:27	CREATE DATABASE ecom_sales	Error Code: 1007. Can't create database 'ecom_sales'; database exists	0.016 sec
✓	57 09:47:43	SELECT product_name, unit_price, CASE WHEN unit_price < 1000 THEN 'Budget' W...	8 row(s) returned	0.000 sec / 0.000 sec
✓	58 09:48:51	SELECT COUNT(CASE WHEN status = 'Delivered' THEN 1 END) AS Delivered_Orders, COUNT(CASE WHE...	1 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

ecom_sales

Tables

Views

Stored Procedures

Functions

sys

Administration

Schemas

Information

No object selected

Query 1

Limit to 1000 rows

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

-- Q27. Write a SQL transaction that does the following atomically: Write the complete BEGIN...COMMIT/ROLLBACK block.

START TRANSACTION;

INSERT INTO orders

VALUES

(1011, 102, CURDATE(), 'Pending', 1598.00);

INSERT INTO order_items

VALUES

(5016, 1011, 206, 1, 1299.00, 0);

INSERT INTO order_items

VALUES

(5017, 1011, 208, 1, 299.00, 0);

UPDATE products

SET stock_qty = stock_qty - 1

WHERE product_id = 206;

UPDATE products

SET stock_qty = stock_qty - 1

WHERE product_id = 208;

COMMIT;

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
65	09:52:39	UPDATE products SET stock_qty = stock_qty - 1 WHERE product_id = 208	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
66	09:52:39	COMMIT	0 row(s) affected	0.000 sec

Object Info

Session

29°C Sunny

Search

Taskbar icons: File Explorer, Microsoft Edge, Outlook, OneDrive, Teams, Amazon Music, Discord, Spotify, Chrome, MySQL Workbench

System tray: ENG IN, Network, Audio, Battery, 9:54 AM 5/31/2026

```
292 -- Q22. Explain the difference between LEFT JOIN and RIGHT JOIN with an example from this schema. When would you use a FULL OUTER JOIN?
293 /*LEFT JOIN returns all records from the left table and matching records from the right table.
294 RIGHT JOIN returns all records from the right table and matching records from the left table.
295 we use FULL OUTER JOIN when we want to display all records from both sides whether they match or not
296 */
297
298 -- Q23. Identify all Foreign Key relationships in the schema. Explain what would happen if you tried to insert an order with customer_id = 999
299
300 /*There are 3 foreign keys in this schema
301 orders.customer_id → customers.customer_id
302 order_items.order_id → orders.order_id
303 order_items.product_id → products.product_id
304
305 if we tried to insert an order with customer_id = 999 (which doesn't exist in customers) it will give an error named Foreign Key Constraint Error
306 */
307
308
```

Administration Schemas

Information

No object selected


Object Info

Session

Output

Context Help

Snippets



28°C
Sunny



Search



ENG
IN



9:45 AM
5/31/2026

```

333  -- Q26. Explain each letter of ACID: Give a real-world example (e.g., bank transfer) showing why each property is important.
334
335  /* A - Atomicity:
336     A transaction is completed fully or not at all. If one step fails, the entire transaction is rolled back.
337     C - Consistency:
338     The database remains accurate and valid before and after a transaction.
339     I - Isolation:
340     Multiple transactions can run at the same time without affecting each other.
341     D - Durability:
342     Once a transaction is committed, the data is permanently saved, even if the system crashes.
343     For Example :- When ₹1000 is transferred from Account A to Account B, the money should be deducted and added successfully (Atomicity),
344     balances should remain correct (Consistency), other transactions should not interfere (Isolation),
345     and the transfer should remain saved after completion (Durability).*/

```

[Context Help](#) [Snippets](#)

Output

 Action Output

#	Time	Action	Message	Duration / Fetch
✓ 65	09:52:39	UPDATE products SET stock_qty = stock_qty - 1 WHERE product_id = 208	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
✓ 66	09:52:39	COMMIT	0 row(s) affected	0.000 sec

Administration Schemas

Information

No object selected

Object Info Session

1 28°C
Sunny



Search



ENG
IN



9:53 AM
5/31/2026