



•Be

72

S.





```
* To change this license header, choose License Headers in Project
     Properties.
* To change this template file, choose Tools | Templates
* and open the template in the editor.
package examen;
import java.util.Iterator;
import material.tree.Position;
import material.tree.Tree;
import material.tree.iterator.TreeIteratorFactory;
/**
*
* @author jesussanchezoro
public class InternalNodeIteratorFactory<E> implements TreeIteratorFactory<E>
    {
    @Override
    public Iterator<Position<E>> createIterator(Tree<E> tree) {
        return new InternalNodeIterator<>(tree);
    @Override
    public Iterator<Position<E>> createIterator(Tree<E> tree, Position<E> pos)
        return new InternalNodeIterator<>(tree, pos);
    }
}
```

InternalNodeIterator.java 27/05/16 16:35

```
/*
* To change this license header, choose License Headers in Project
     Properties.
* To change this template file, choose Tools | Templates
* and open the template in the editor.
package examen;
import java.util.ArrayDeque;
import java.util.Iterator;
import java.util.Queue;
import material.tree.Position;
import material.tree.Tree;
/**
*
* @author jesussanchezoro
public class InternalNodeIterator<E> implements Iterator<Position<E>> {
    private final Queue<Position<E>> nodeQueue;
    private final Tree<E> tree;
    public InternalNodeIterator(Tree<E> tree) {
        nodeQueue = new ArrayDegue<>();
        this.tree = tree;
        Position<E> root = tree.root();
        if (tree.isInternal(root)) {
            nodeQueue.add(root);
        }
    }
    public InternalNodeIterator(Tree<E> tree, Position<E> pos) {
        nodeQueue = new ArrayDeque<>();
        this.tree = tree;
        if (tree.isInternal(pos)) {
            nodeQueue.add(pos);
        }
    }
    @Override
    public boolean hasNext() {
        return !nodeQueue.isEmpty();
    }
    @Override
    public Position<E> next() {
        Position<E> next = nodeQueue.poll();
        for (Position<E> child : tree.children(next)) {
            if (tree.isInternal(child)) {
                nodeQueue.add(child);
        }
        return next;
    }
```

}

```
* To change this license header, choose License Headers in Project
     Properties.
* To change this template file, choose Tools | Templates
* and open the template in the editor.
package examen;
import java.util.Iterator;
import material.tree.Position;
import material.tree.binarytree.BinaryTree;
import material.tree.binarytree.LinkedBinaryTree;
/**
*
* @author jesussanchezoro
*/
public class Ejercicio2<E> {
    public boolean isPerfect(BinaryTree<E> t) {
        Iterator<Position<E>> it = t.iterator();
        while (it.hasNext()) {
            Position<E> p = it.next();
            if (t.isInternal(p) && (!t.hasLeft(p) || !t.hasRight(p))) {
                return false:
            }
        }
        return true;
    }
    public boolean isOdd(BinaryTree<E> t) {
        if (t.isEmpty() || (t.size() == 1)) {
            return true;
        }
        int descendants = isOddRec(t, t.root());
        return descendants >= 0;
    }
    private int isOddRec(BinaryTree<E> t, Position<E> pos) {
        int left = t.hasLeft(pos)?isOddRec(t, t.left(pos)):0;
        if (left < 0) {
            return -1;
        }
        int right = t.hasRight(pos)?isOddRec(t, t.right(pos)):0;
        if (right < 0) {
            return -1;
        }
        if ((left < 0) || (right < 0) || (left < ((left+right)/2)) ) {
            return -1;
        } else {
            return left+right+1;
        }
    }
    public static void main(String[] args) {
        Ejercicio2<Integer> ej2 = new Ejercicio2<>();
        BinaryTree<Integer> t = new LinkedBinaryTree<>();
        Position<Integer> pos1 = t.addRoot(1);
        Position<Integer> pos2 = t.insertLeft(pos1, 2);
        Position<Integer> pos3 = t.insertRight(pos1, 3);
```

```
Position<Integer> pos4 = t.insertLeft(pos2, 4);
Position<Integer> pos5 = t.insertRight(pos2, 5);

System.out.println(ej2.isPerfect(t));

BinaryTree<Integer> t2 = new LinkedBinaryTree<>();
Position<Integer> pos6 = t2.addRoot(6);
Position<Integer> pos7 = t2.insertLeft(pos6, 7);
Position<Integer> pos8 = t2.insertRight(pos6, 8);
Position<Integer> pos9 = t2.insertLeft(pos7, 9);
Position<Integer> pos10 = t2.insertLeft(pos9, 10);

System.out.println(ej2.isOdd(t2));
}
```

```
* To change this license header, choose License Headers in Project
     Properties.
* To change this template file, choose Tools | Templates
* and open the template in the editor.
package examen.ejercicio3;
/**
* @author jesussanchezoro
*/
public class Main {
    public static void main(String[] args) {
        URJCInvest invest = new URJCInvest();
        OrganizationChart urjc = new OrganizationChart("URJC");
        Employee fs = new Employee("URJC", "Fernando Su·rez"
                                                              "Dean", "");
        Employee ad = new Employee("URJC", "Abraham Duarte", "Full professor",
        Employee as = new Employee("URJC", "Antonio Sanz", "Full professor",
        Employee js = new Employee("URJC", "Jes's S.nchez-Oro", "Associate
            professor", "");
        Employee dc = new Employee("URJC", "David Concha", "Associate
            professor", "");
        urjc.addEmployee(null, fs);
        urjc.addEmployee("Fernando Su·rez", ad);
        urjc.addEmployee("Fernando Su·rez", as);
        urjc.addEmployee("Abraham Duarte", js);
        uric.addEmployee("Antonio Sanz", dc);
        invest.addCompany(urjc);
        System.out.println("JEFES DE JESUS");
        for (Employee emp : invest.getChiefs("URJC", "Jes's S.nchez-Oro")) {
            System.out.println(emp);
        System.out.println("JEFES DE ANTONIO");
        for (Employee emp : invest.getChiefs("URJC", "Antonio Sanz")) {
            System.out.println(emp);
        }
        System.out.println("JEFES DE FERNANDO");
        for (Employee emp : invest.getChiefs("URJC", "Fernando Su·rez")) {
            System.out.println(emp);
        }
        System.out.println("BECARIOS URJC");
        for (Employee emp : invest.getGrantHolders("URJC")) {
            System.out.println(emp);
        }
        System.out.println("FULL PROFESSORS");
        for (Employee emp : invest.getEmployees("Full professor")) {
            System.out.println(emp);
        }
        System.out.println("ASSOCIATE PROFESSORS");
        for (Employee emp : invest.getEmployees("Associate professor")) {
            System.out.println(emp);
        System.out.println("DEANS");
```

```
for (Employee emp : invest.getEmployees("Dean")) {
         System.out.println(emp);
     }
}
```

URJCInvest.java 27/05/16 16:33

```
/*
* To change this license header, choose License Headers in Project
     Properties.
* To change this template file, choose Tools | Templates
* and open the template in the editor.
package examen.ejercicio3;
import java.util.ArrayList;
import java.util.List;
import material.maps.HashTableMapLP;
import material.maps.Map;
/**
*
* @author jesussanchezoro
*/
public class URJCInvest {
    private Map<String, OrganizationChart> companies;
    public URJCInvest() {
        companies = new HashTableMapLP<>();
    public void addCompany(OrganizationChart company) {
        companies.put(company.getName(), company);
    }
    public OrganizationChart searchCompany(String name) throws
        IllegalStateException {
        OrganizationChart company = companies.get(name);
        if (company == null) {
            throw new IllegalStateException("The company does not belong to
                URJCInvest group");
        return company;
    }
    public Iterable<Employee> getGrantHolders(String companyName) throws
        IllegalStateException {
        OrganizationChart company = searchCompany(companyName);
        return company.getGrantHolders();
    }
    public Iterable<Employee> getChiefs(String companyName, String employee)
        throws IllegalStateException {
        OrganizationChart company = searchCompany(companyName);
        return company.getChiefs(employee);
    }
    public Iterable<Employee> getEmployees(String position) {
        List<Employee> empWithPos = new ArrayList<>();
        for (OrganizationChart chart : companies.values()) {
            empWithPos.addAll(chart.getEmployees(position));
        return empWithPos;
    }
}
```

Employee.java 27/05/16 16:33

```
* To change this license header, choose License Headers in Project
     Properties.
* To change this template file, choose Tools | Templates
* and open the template in the editor.
package examen.ejercicio3;
/**
* @author jesussanchezoro
*/
public class Employee {
    private String company;
    private String name;
    private String position;
    private String description;
    public Employee(String company, String name, String position, String
        description) {
        this.company = company;
        this name = name;
        this position = position;
        this.description = description;
    }
    public String getCompany() {
        return company;
    }
    public String getDescription() {
        return description;
    public String getName() {
        return name;
    public String getPosition() {
        return position;
    @Override
    public String toString() {
        return name+" ("+position+" at "+company+")";
```

}

OrganizationChart.java 27/05/16 16:33

```
/*
* To change this license header, choose License Headers in Project
     Properties.
* To change this template file, choose Tools | Templates
* and open the template in the editor.
package examen.ejercicio3;
import java.util.ArrayList;
import java.util.List;
import material.tree.LinkedTree;
import material.tree.Position;
/**
*
* @author jesussanchezoro
*/
public class OrganizationChart {
    private LinkedTree<Employee> chart;
    private String name;
    public OrganizationChart(String name) {
        this name = name;
        chart = new LinkedTree<>();
    }
    public String getName() {
        return name;
    public void addEmployee(String parent, Employee e) {
        if (parent == null) {
            chart.addRoot(e);
        } else {
            chart.add(e, findEmployee(parent));
        }
    }
    public Iterable<Employee> getGrantHolders() {
        List<Employee> grantHolders = new ArrayList<>();
        for (Position<Employee> emp : chart) {
            if (chart.isLeaf(emp)) {
                grantHolders.add(emp.getElement());
        }
        return grantHolders;
    }
    private Position<Employee> findEmployee(String name) throws
        IllegalStateException {
        for (Position<Employee> emp : chart) {
            if (emp.getElement().getName().equalsIgnoreCase(name)) {
                return emp;
            }
        throw new IllegalStateException("The employee "+name+" does not belong
            to the company");
    }
```

OrganizationChart.java 27/05/16 16:33

```
public Iterable<Employee> getChiefs(String employee) throws
    IllegalStateException {
    List<Employee> chiefs = new ArrayList<>();
    Position<Employee> emp = findEmployee(employee);
    if (!chart.isRoot(emp)) {
        while (!chart.isRoot(emp)) {
            chiefs.add(chart.parent(emp).getElement());
            emp = chart.parent(emp);
        }
    }
    return chiefs;
}
public List<Employee> getEmployees(String position) {
    List<Employee> empWithPos = new ArrayList<>();
    getEmployeesRec(chart.root(), position, empWithPos);
    return empWithPos;
}
private void getEmployeesRec(Position<Employee> node, String position,
    List<Employee> empWithPos) {
    if (node.getElement().getPosition().equalsIgnoreCase(position)) {
        empWithPos.add(node.getElement());
    } else {
        for (Position<Employee> child : chart.children(node)) {
            getEmployeesRec(child, position, empWithPos);
        }
    }
}
```

}