

DPNR First-Time Onboarding

MVP Implementation Guide - Post WOW VIDEO

Product + UX + Claude Behavior Specification

CORE PRINCIPLE

Do not onboard the user into the product. Onboard the user into themselves, while the product reveals itself along the way.

1. Scope of This Document

This guide covers everything that can be implemented now after the WOW VIDEO. The WOW VIDEO is a separate creative deliverable, approximately one minute long, and will be developed and supplied separately by Lital for integration into the platform. This document does not define the video content, storyboard, voice-over, or production.

Flow position: First Login → WOW VIDEO → Interactive Onboarding → First Coordinates → Personalized DPNR Experience

The onboarding described below begins immediately after the WOW VIDEO ends.

MVP SCOPE: Keep the build intentionally simple. The goal is to collect a small amount of useful context, create immediate personalization, and move the user into DPNR quickly. The Living Map is a future concept. For MVP, use First Coordinates as a simple summary and store the data so the concept can evolve later.

2. Experience Goal

- The first-time experience should feel light, personal, visually alive, and immediately useful.
- The user should not feel that they are completing a form, assessment, or therapy intake.
- The user should understand DPNR primarily by experiencing it, not by reading feature explanations.
- The system should collect only enough information to create useful initial coordinates and personalize the first experience.
- The first session should end with the feeling: “DPNR already understands something about where I am right now.”

3. UX Principles

Experience first, explain second: Do not lead with a feature tour. Let the user make a few simple choices and see DPNR respond.

One thing at a time: Each screen or in-chat card should have one clear purpose and one primary action.

Low cognitive load: Prefer chips, cards, or bubbles over long text fields. Ask only one open-text question in the core flow.

Conversation always wins: If the user starts sharing naturally, stop forcing the scripted onboarding sequence and allow Main Chat to take over.

Progressive disclosure: Do not explain advanced rooms or concepts until they become relevant.

Agency: Every step can be skipped. The user can correct or reject the system's first reflection.

No diagnosis: Initial insights are tentative coordinates, not fixed truths or psychological labels.

4. High-Level Flow

Step	Screen / State	Purpose
01	WOW VIDEO	External deliverable. Ends with CTA: Enter DPNR.
02	LET'S MAKE DPNR YOURS	Short transition screen.
03	CURRENT STATE	One quick choice about how life feels right now.
04	LIFE IN FOCUS	Choose up to three active life domains.
05	MORE OF	Choose up to three desired states or needs.
06	HOW SHOULD I MEET YOU?	Choose preferred interaction style.
07	OPTIONAL FREE TEXT	One open question about what

the user wants help with.

08	FIRST COORDINATES	Show what DPNR learned so far and ask for confirmation.
09	PERSONALIZED ENTRY	Move into Main Chat or Dashboard with non-empty personalized content.

5. Screen-by-Screen Specification

5.1 Transition Screen — “Let’s make DPNR yours”

Copy

Now you know a little about DPNR.

Let’s give it a first glimpse of you.

Four quick choices. No deep dive. You can change anything later.

Start →

Design: Keep this transition visually simple and connected to Main Chat. Use subtle motion, gradient, or a lightweight abstract visual only if already easy to implement. Do not build a 3D system or Living Map for MVP.

5.2 Card 1 — Current State

Prompt: Where does life feel like it is right now?

- Growing
- Changing
- Figuring things out
- Pretty good
- Stuck somewhere
- A lot right now
- Something else...

Selection: Single choice. Save as CURRENT_STATE.

Micro-interaction: Use a simple selected-state animation such as a soft pulse, scale, or fade. No map behavior is required for MVP.

5.3 Card 2 — Life in Focus

Prompt: What's taking up the most space in your life lately?

- Me
- Love
- Family
- Friends
- Work
- Money
- Body
- Growth
- Purpose
- Fun

Selection: Choose up to 3. Save as ACTIVE_DOMAINS.

Response behavior: After selection, DPNR gives one short acknowledgement, not an analysis.

Example: "Got it. There's quite a bit happening between you, connection and what you're building."

5.4 Card 3 — More Of

Prompt: Right now, I could use more...

- Clarity
- Peace
- Energy
- Connection
- Confidence
- Freedom
- Direction
- Fun
- Courage
- Space

Selection: Choose up to 3. Save as DESIRED_STATES. Treat these as user-selected desires, not confirmed core needs.

5.5 Card 4 — How Should I Meet You?

Prompt: When you come to me with something, what usually helps most?

- Help me understand it
- Give me perspective
- Ask me the right question
- Help me make a move
- Just give me space to talk
- Depends on the moment

Selection: Single choice. Save as INTERACTION_PREFERENCE and use it immediately to influence Main Chat behavior.

5.6 One Optional Open Question

Prompt: Is there anything you’d really like me to help you understand, change or navigate right now?

Input: Free text. Include “Skip for now”. Save as CURRENT_INTENTION.

Important: If the user begins sharing meaningful context here, the scripted onboarding can dissolve into a real conversation. Conversation always wins over the script.

6. First Coordinates — The Payoff

After the quick choices, DPNR reveals a clean First Coordinates summary. For MVP, this is a simple personalized summary card - not a Living Map or dynamic visualization system.

Label	Example
RIGHT NOW	Figuring things out
LIFE IN FOCUS	Me • Love • Work
MORE OF	Clarity • Freedom • Connection
HOW YOU LIKE TO EXPLORE	Perspective + the right questions
WHAT YOU WANT FROM DPNR	“Understand what I really want.”

This isn’t who you are. It’s simply where we’re starting.

Does this feel like you?

Yes • Partly • Not quite

7. Claude Behavior Rules

Warm, concise, human: Keep replies short and natural during onboarding.

Reflect more than interrogate: Do not answer every user message with another question.

Use hypotheses, not labels: Say “I wonder if...” or “It may be...” rather than assigning attachment styles or patterns.

Teach lightly: If a useful concept becomes relevant, explain it in one or two sentences, then return to the user.

Respect interaction preference: Use the user's selected style immediately, but do not become rigid; context still matters.

Allow correction: If the user rejects a reflection, update the model rather than defending the interpretation.

No forced disclosure: Never require personal disclosure to complete onboarding.

Conversation takeover: If the user gives rich free text, stop the card sequence if continuing it would feel mechanical.

No overclaiming: Do not convert one-time selections into permanent truths about the user.

Non-clinical: No diagnosis, pathology labels, or therapeutic claims.

8. Data Model for the First Session

CURRENT_STATE

ACTIVE_DOMAINS[]

DESIRED_STATES[]

INTERACTION_PREFERENCE

CURRENT_INTENTION

FIRST_SNAPSHOT {

current_state

focus_domains[]

desired_states[]

interaction_style

current_intention

}

INSIGHT_STATUS = user_selected | observed | hypothesized | user_confirmed | repeated

CONFIDENCE = initial | emerging | stronger

9. First Dashboard / Main Chat Entry

Never send a new user into an empty experience. After First Coordinates, populate at least a minimal personalized state.

- Current Focus — based on selected state and active domains.
- Life in Focus — the selected domains.
- Something to Explore — one relevant Library topic.
- Reflection for Today — one relevant Pull-a-Card question.

- Continue our conversation — return to Main Chat with context preserved.

10. Design Direction

Visual language: Soft, premium, dimensional, organic, modern. Avoid clinical dashboards, cartoon wellness visuals, or generic chatbot aesthetics.

Future Living Map: The Living Map is a future platform concept, not an MVP feature. The onboarding data should be stored in a structured way so it can support a persistent Living Map later.

MVP implementation: Use normal UI components, cards, chips, soft transitions, and optional lightweight CSS motion. Do not build nodes, graph logic, particles, canvas visualization, or 3D infrastructure.

Motion: Slow, calm, purposeful and lightweight. Selection can use a soft pulse, fade, scale, or card transition.

Cards: Large tap targets, short copy, minimal borders, generous spacing, no dense forms.

Transitions: Cards should appear to open within or alongside Main Chat, then collapse naturally back into the conversation.

Gamification: Avoid points, badges, or “self-awareness scores.” The reward is seeing the personal map become clearer.

11. Interaction Logic

Event	Behavior
WOW_VIDEO_COMPLETE	Show transition screen.
TRANSITION_START	Open Card 1.
CURRENT_STATE_SELECTED	Confirm selection with a lightweight UI transition -> open Card 2.
DOMAINS_SELECTED	Acknowledge briefly → open Card 3.
DESIRED_STATES_SELECTED	Confirm selection with a lightweight UI transition -> open Card 4.
INTERACTION_STYLE_SELECTED	Open optional free-text prompt.

INTENTION_SUBMITTED_OR_SKIPPED

Generate First Coordinates.

SNAPSHOT_FEEDBACK

Store Yes / Partly / Not quite; revise if needed.

ENTER_DPNR

Route to personalized Main Chat / Dashboard.

12. Implementation Priorities — Can Build Now

1. Create the onboarding state machine and persistence flags.
2. Build the four in-chat interactive card components.
3. Build the optional free-text step and skip logic.
4. Store onboarding selections as tentative user context.
5. Generate and render First Coordinates.
6. Add Yes / Partly / Not quite feedback handling.
7. Use onboarding data to personalize Main Chat, Library recommendation, and Pull-a-Card.
8. Do not build the Living Map in MVP. Store the onboarding fields as structured data so a future Living Map can use them.
9. Prepare a video slot / player at the start of first login, but do not build the WOW VIDEO itself.
10. Ensure onboarding never appears again after completion unless explicitly reset for testing.

13. Acceptance Criteria

- Core onboarding can be completed in roughly 1–2 minutes after the WOW VIDEO.
- The user types no more than once unless they choose to continue the conversation.
- Every step can be skipped or corrected.
- The onboarding never feels like a questionnaire or assessment.
- The First Coordinates screen is populated from actual user selections.
- Claude does not diagnose or assign fixed patterns during onboarding.
- A user who starts a real conversation is not forced back into the scripted flow.
- The first post-onboarding experience is personalized and non-empty.
- The WOW VIDEO remains a separate asset and is only integrated as the first step.
- No 3D engine, graph visualization, node system, or Living Map is required for MVP.

14. North Star

The user should finish onboarding feeling that DPNR has begun to understand

them — without feeling that they had to explain their whole life.