


Sarcastic Point

<https://my-model-sel52.iri.todo.com/entities/SarcasticPoint>



Broad Room

<https://my-model-sel52.iri.todo.com/entities/BroadRoom>

Friendly Head

<https://my-model-sel52.iri.todo.com/entities/FriendlyHead>





Rough Area

<https://my-model-s42o9.iri.todo.com/entities/RoughArea>



Floppy House

<https://my-model-s42o9.iri.todo.com/entities/FloppyHouse>









er selection


Viewport




Extend

☒ Accept

 Cancel





Extend selection

or unknown name Save Save and leave

view:

+ -

lang: en

Extend current selection:



Extend

Accept

Cancel

Giddy Woman

<https://my-model-gxsbi.iri.todo.com/entities/GiddyWoman>

Teeny System

<https://my-model-gxsbi.iri.todo.com/entities/TeenySystem>

6ae3d5d6-d46c-4c48-84ab-7af7867fb0ab

Rough Thing

<https://my-model-gxsbi.iri.todo.com/entities/RoughThing>

Rough Thing
<https://my-model-gxsbi.iri.todo.com/entities/RoughThing>

6ae3d5d6-d46c-4c48-84ab-7af7867fb0ab

Teeny System
<https://my-model-gxsbi.iri.todo.com/entities/TeenySystem>

Giddy Woman
<https://my-model-gxsbi.iri.todo.com/entities/GiddyWoman>





Giddy Woman

<https://my-model-gxsbi.iri.todo.com/entities/GiddyWoman>

Filter selection

- ☒ Include non-profile classes in result
- ☒ Include class profiles in result
- ☒ Include normal relationships (associations)
- ☒ Include profiled relationships
- ☒ Include generalizations



Filter




Cancel


Rough Thing

<https://my-model-gxsbi.iri.todo.com/entities/RoughThing>

ies/TeenySystem














Autolayout preview ⚠ Work in progress ⚠

Main layouting algorithm:

Layered (Hierarchical) ▾

Algorithm settings

Preferred edge direction:



UP

Edge routing:

Orthogonal ▾

☐ Take existing layout into consideration

Distance between layers:



500

Distance within layer:




500


☐ Process generalization hierarchies separately ⚠ WIP ⚠

Layout

Close

Profilování selekce





- <https://github.com/mff-uk/dataspecer/blob/eb9b45b09cd1a6ae2409fd9ad3c0346557cde6a8/applications/manager/src/dialog/autolayout.tsx#L61>
- <https://github.com/mff-uk/dataspecer/blob/eb9b45b09cd1a6ae2409fd9ad3c0346557cde6a8/packages/core-v2/src/visual-model/entity-model/default-entity-model.ts#L193>

```
<key>: "1665ef24-9828-4fc1-abff-f0c1e4997a07-model-metadata-entity"
```

```
▼ <value>: Object { identifier: "1665ef24-9828-4fc1-abff-f0c1e4997a07-model-metadata-entity", type: (1) [...], label: {...} }
```

```
  identifier: "1665ef24-9828-4fc1-abff-f0c1e4997a07-model-metadata-entity"
```

```
  ▶ label: Object { en: "Anonymous model" }
```

```
  ▶ type: Array [ "entity-model-type" ]
```

```
  ▶ <prototype>: Object { _ }
```

```
▼ model: Object { identifier: "1665ef24-9828-4fc1-abff-f0c1e4997a07", type: "http://dataspecer.com/resources/Local/visual-model", entities: Map(12), _ }
  ▼ entities: Map(12) { jn7hbn6e3drmindoil4 → {...}, g9kgr30n0km1ugv822 → {...}, 8b7m5yz3ml5m1ugvhj5 → {...}, _ }
    size: 12
    ▼ <entries>
      ▶ 0: jn7hbn6e3drmindoil4 → Object { identifier: "jn7hbn6e3drmindoil4", representedEntity: "jn7hbn6e3drmindoil4", model: "8d8x1", _ }
      ▶ 1: g9kgr30n0km1ugv822 → Object { identifier: "g9kgr30n0km1ugv822", representedEntity: "g9kgr30n0km1ugv822", model: "8d8x1", _ }
      ▶ 2: 8b7m5yz3ml5m1ugvhj5 → Object { identifier: "8b7m5yz3ml5m1ugvhj5", representedRelationship: "8b7m5yz3ml5m1ugvhj5", model: "8d8x1", _ }
      ▶ 3: eald2f → Object { representedModel: "8d8x1", color: "#b8a3d3", identifier: "eald2f", _ }
      ▼ 4: "1665ef24-9828-4fc1-abff-f0c1e4997a07-model-metadata-entity" → Object { identifier: "1665ef24-9828-4fc1-abff-f0c1e4997a07-model-metadata-entity", type: (1) [...], label: {...}
        <key>: "1665ef24-9828-4fc1-abff-f0c1e4997a07-model-metadata-entity"
        ▼ <value>: Object { identifier: "1665ef24-9828-4fc1-abff-f0c1e4997a07-model-metadata-entity", type: (1) [...], label: {...}
          identifier: "1665ef24-9828-4fc1-abff-f0c1e4997a07-model-metadata-entity"
          ▶ label: Object { en: "Anonymous model" }
          ▶ type: Array [ "entity-model-type" ]
          ▶ <prototype>: Object { _ }
        ▶ 5: dslxq → Object { model: "8d8x1", representedEntity: "gjicauujarmindo8v7", identifier: "dslxq", _ }
```