

```

1  var stripePublicKey = $('#id_stripe_public_key').text().slice(1, -1);
2  var clientSecret = $('#id_client_secret').text().slice(1, -1);
3  var stripe = Stripe(stripePublicKey);
4  var elements = stripe.elements();
5  var style = {
6    base: {
7      color: '#000',
8      fontFamily: '"Helvetica Neue", Helvetica, sans-serif',
9      fontSmoothing: 'antialiased',
10     fontSize: '16px',
11     '::placeholder': {
12       color: '#aab7c4'
13     }
14   },
15   invalid: {
16     color: '#dc3545',
17     iconColor: '#dc3545'
18   }
19 };
20 var card = elements.create('card', {style: style});
21 card.mount('#card-element');
22
23 //Handle realtime validation errors on the card element
24 card.addEventListener('change', function (event) {
25   var errorDiv = document.getElementById('#card-errors');
26   if (event.error) {
27     var html = `
28     <span class="icon" role="alert">
29       <i class="fas fa-times"></i>
30     </span>
31     <span>${event.error.message}</span>
32     `;
33     $(errorDiv).html(html);
34   } else {
35     errorDiv.textContent = '';
36   }
37 });
38
39 //Handle form submit
40 var form = document.getElementById('payment-form');
41
42 form.addEventListener('submit', function(ev) {
43   ev.preventDefault();
44   card.update({ 'disabled': true });
45   $('#submit-button').attr('disabled', true);
46
47   var saveInfo = Boolean($('#id-save-info').attr('checked'));
48   // From using {% csrf_token %} in the form
49   var csrfToken = $('input[name="csrfmiddlewaretoken"]').val();
50   var postData = {
51     'csrfmiddlewaretoken': csrfToken,
52     'client_secret': clientSecret,
53     'save_info': saveInfo,
54   };
55   var url = '/checkout/cache_checkout_data/';
56
57   $.post(url, postData).done(function() {
58     stripe.confirmCardPayment(clientSecret, {
59       payment_method: {
60         card: card,
61         billing_details: {
62           name: $.trim(form.full_name.value),
63           phone: $.trim(form.phone_number.value),
64           email: $.trim(form.email.value),

```

Functions

There are 5 functions in this file.

Function with the largest signature take 1 arguments, while the median is 1.

Largest function has 8 statements in it, while the median is 5.

The most complex function has a cyclomatic complexity value of 3 while the median is 1.

Two undefined variables

```

1  $
2  $
33 $
45 $
47 $
49 $
57 $
62 $
63 $
64 $
66 $
67 $
68 $
69 $
70 $
75 $
76 $
78 $
79 $
80 $
81 $
82 $
83 $
94 $
96 $
3 Stripe

```



version 2.13.6

(<https://github.com/jshint/jshint/>)

[About \(/about\)](#)

[Documentation \(/docs\)](#)

[Install \(/install\)](#)

[Contribute \(/contribute\)](#)

[Blog \(/blog\)](#)

```

65         address:{
66             line1: $.trim(form.street_address1.value),
67             line2: $.trim(form.street_address2.value),
68             city: $.trim(form.town_or_city.value),
69             country: $.trim(form.country.value),
70             state: $.trim(form.county.value),
71         }
72     },
73     shipping: {
74         name: $.trim(form.full_name.value),
75         phone: $.trim(form.phone_number.value),
76         address: {
77             line1: $.trim(form.street_address1.value),
78             line2: $.trim(form.street_address2.value),
79             city: $.trim(form.town_or_city.value),
80             country: $.trim(form.country.value),
81             postal_code: $.trim(form.postcode.value),
82             state: $.trim(form.county.value),
83         }
84     },
85 },
86 }).then(function(result) {
87     if (result.error) {
88         var errorDiv = document.getElementById('#card-errors');
89         var html = `
90         <span class="icon" role="alert">
91             <i class="fas fa-times"></i>
92         </span>
93         <span>${result.error.message}</span>`;
94         $(errorDiv).html(html);
95         card.update({ 'disabled': false});
96         $('#submit-button').attr('disabled', false);
97     } else {
98         if (result.paymentIntent.status === 'succeeded') {
99             form.submit();
100         }
101     }
102 });
103 }).fail(function () {
104     //just relod the page to show the error message.
105     location.reload();
106 });
107 });

```

metrics

There are 5 functions in this file.

Function with the largest signature take 1 arguments, while the median is 1.

Largest function has 8 statements in it, while the median is 5.

The most complex function has a cyclomatic complexity value of 3 while the median is 1.

Two undefined variables

```

1  $
2  $
33 $
45 $
47 $
49 $
57 $
62 $
63 $
64 $
66 $
67 $
68 $
69 $
70 $
75 $
76 $
78 $
79 $
80 $
81 $
82 $
83 $
94 $
96 $
3  Stripe

```



version 2.13.6

(<https://github.com/jshint/jshint>).

[About \(/about\)](#)

[Documentation \(/docs\)](#)

[Install \(/install\)](#)

[Contribute \(/contribute\)](#)

[Blog \(/blog\)](#)

