

LINUX COMMANDS

```
mansi@MANSI:/mnt/d/INTENSHIP/DevOps/Day01$ pwd
/mnt/d/INTENSHIP/DevOps/Day01
mansi@MANSI:/mnt/d/INTENSHIP/DevOps/Day01$ ls
mansi@MANSI:/mnt/d/INTENSHIP/DevOps/Day01$ cd
mansi@MANSI:~$
```

```
mansi@MANSI:~$ whoami
mansi
mansi@MANSI:~$ id
uid=1000(mansi) gid=1000(mansi) groups=1000(mansi),4(adm),24(cdrom),27(sudo),30(dip),46(plugdev),100(users),1001(docker)
```

```
mansi@MANSI:~$ date
Fri Jun 12 14:57:53 UTC 2026
```

```
mansi@MANSI:~$ mkdir testfolder
mansi@MANSI:~$ cd testfolder
mansi@MANSI:~/testfolder$ touch file1.txt
mansi@MANSI:~/testfolder$ touch file2.txt
mansi@MANSI:~/testfolder$ ls
file1.txt  file2.txt
```

```
mansi@MANSI:~/testfolder$ echo "Hello DevOps" > file1.txt
mansi@MANSI:~/testfolder$ cat file1.txt
Hello DevOps
```

```
mansi@MANSI:~/testfolder$ cp file1.txt copyfile.txt
mansi@MANSI:~/testfolder$ mv file2.txt renamed.txt
mansi@MANSI:~/testfolder$ rm copyfile.txt
mansi@MANSI:~/testfolder$ find . -name "*.txt"
./file1.txt
./renamed.txt
```

```
mansi@MANSI:~/testfolder$ chmod 777 file1.txt
mansi@MANSI:~/testfolder$ history
 1  ssh
 2  ls docker.pem
 3  chmod 400 "docker.pem"
 4  sudo chmod 400 "docker.pem"
 5  ec2-3-93-182-62.compute-1.amazonaws.com
 6  ssh -i "docker.pem" ubuntu@ec2-3-93-182-62.compute-1.amazonaws.com
 7  chmod 400 "docker.pem"
 8  sudo chmod 400 "docker.pem"
 9  ssh -i "docker.pem" ubuntu@ec2-3-93-182-62.compute-1.amazonaws.com
10  ssh
11  ssh -i "docker.pem" ubuntu@ec2-3-93-182-62.compute-1.amazonaws.com
12  sudo chmod 400 "docker.pem"
13  ssh -i "docker.pem" ubuntu@ec2-3-93-182-62.compute-1.amazonaws.com
14  clear
15  ls docker.pem
16  chmod 400 "docker.pem"
17  ssh -i "docker.pem" ubuntu@ec2-3-93-182-62.compute-1.amazonaws.com
18  chmod 400 "docker.pem"
19  ls -l docker.pem
20  cp /mnt/d/Downloads/docker.pem ~/
21  chmod 400 ~/docker.pem
22  ssh -i ~/docker.pem ubuntu@ec2-3-93-182-62.compute-1.amazonaws.com
23  ssh
24  ssh -i ~/docker.pem ubuntu@ec2-3-93-182-62.compute-1.amazonaws.com
25  wsl
26  ssh -i ~/docker.pem ubuntu@ec2-3-93-182-62.compute-1.amazonaws.com
27  restart
28  restartd
29  sudo reboot
30  ssh
31  ssh -i ~/docker.pem ubuntu@ec2-3-93-182-62.compute-1.amazonaws.com
32  ssh
33  ssh -i "docker.pem" ubuntu@ec2-3-92-206-20.compute-1.amazonaws.com
34  cp /mnt/d/Downloads/docker.pem ~/
35  chmod 400 ~/docker.pem
```

```
625 ssh -i terra-key ubuntu@ec2-18-215-251-98.compute-1.amazonaws.com
626 cd ~
627 ssh -i terra-key ubuntu@ec2-18-215-251-98.compute-1.amazonaws.com
628 cd ~
629 ssh -i terra-key ubuntu@ec2-18-215-251-98.compute-1.amazonaws.com
630 ssh -i terra-key ubuntu@ec2-18-215-251-98.compute-1.amazonaws.comexiy
631 clear
632 exit
633 ssh -i terra-key ubuntu@ec2-18-215-251-98.compute-1.amazonaws.comexiy
634 ssh -i terra-key ubuntu@ec2-18-215-251-98.compute-1.amazonaws.com
635 clear
636 pws
637 clear
638 pwd
639 ls
640 cd
641 whoami
642 id
643 date
644 clear
645 mkdir testfolder
646 cd testfolder
647 touch file1.txt
648 touch file2.txt
649 ls
650 clear
651 echo "Hello DevOps" > file1.txt
652 cat file1.txt
653 clear
654 cp file1.txt copyfile.txt
655 mv file2.txt renamed.txt
656 rm copyfile.txt
657 find . -name "*.txt"
658 clear
659 chmod 777 file1.txt
660 history
```

```
mansi@MANSI:~/testfolder$ echo "Hello DevOps"
Hello DevOps
mansi@MANSI:~/testfolder$ echo "Linux is important" > notes.txt
echo "DevOps uses Linux" >> notes.txt
echo "Git is useful" >> notes.txt
mansi@MANSI:~/testfolder$ grep "Linux" notes.txt
Linux is important
DevOps uses Linux
mansi@MANSI:~/testfolder$ head notes.txt
Linux is important
DevOps uses Linux
Git is useful
mansi@MANSI:~/testfolder$ head -n 2 notes.txt
Linux is important
DevOps uses Linux
mansi@MANSI:~/testfolder$ tail notes.txt
Linux is important
DevOps uses Linux
Git is useful
mansi@MANSI:~/testfolder$ tail -n 2 notes.txt
DevOps uses Linux
Git is useful
```

GIT

```
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git --version
git version 2.43.0
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git config --global user.name "Radhika-08"
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git config --global user.email "mansiagrawal7078@gmail.com"
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git config --list
user.name=Radhika-08
user.email=mansiagrawal7078@gmail.com
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.ignorecase=true
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ |
```

```
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git init
Reinitialized existing Git repository in /mnt/d/INTERNSHIP/DevOps/.git/
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Day01/

nothing added to commit but untracked files present (use "git add" to track)
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git add .
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   Day01/Linux-commands.md
    new file:   Day01/Readme.md

mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git commit -m "Day 01 DevOps Task"
[master (root-commit) bed0846] Day 01 DevOps Task
2 files changed, 344 insertions(+)
create mode 100644 Day01/Linux-commands.md
create mode 100644 Day01/Readme.md
```

```
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git remote add origin https://github.com/Radhika-08/DevOps.git
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git branch -M main
```

```
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git push -u origin main
Username for 'https://github.com': Radhika-08
Password for 'https://Radhika-08@github.com':
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (7/7), 1.64 KiB | 98.00 KiB/s, done.
Total 7 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Radhika-08/DevOps.git
4ea8577..3e78ce8 main -> main
branch 'main' set up to track 'origin/main'.
```

```
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ git pull origin main
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 1), reused 1 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 963 bytes | 20.00 KiB/s, done.
From https://github.com/Radhika-08/DevOps
 * branch          main      -> FETCH_HEAD
  cc64741..0cb36c0 main      -> origin/main
Updating cc64741..0cb36c0
warning: unable to unlink 'Day01/Screenshots.docx': Permission denied
Fast-forward
 Day01/Screenshots.docx | Bin 727503 -> 0 bytes
 1 file changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 Day01/Screenshots.docx
mansi@MANSI:/mnt/d/INTERNSHIP/DevOps$ cd ..
mansi@MANSI:/mnt/d/INTERNSHIP$ mkdir Clone
mansi@MANSI:/mnt/d/INTERNSHIP$ cd Clone/
mansi@MANSI:/mnt/d/INTERNSHIP/Clone$ git clone https://github.com/Radhika-08/DevOps.git
Cloning into 'DevOps'...
remote: Enumerating objects: 15, done.
remote: Counting objects: 100% (15/15), done.
remote: Compressing objects: 100% (12/12), done.
remote: Total 15 (delta 1), reused 10 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (15/15), 616.71 KiB | 1.33 MiB/s, done.
Resolving deltas: 100% (1/1), done.
mansi@MANSI:/mnt/d/INTERNSHIP/Clone$ |
```