NAME - RADHIKA SAINI
SECTION - D
ROLLNUMBER - 31

Page :
Date: / /

Tutorial - 6

Sol (1)

→ Minimum Spanning Tree :- A minimum spanning tree (MST) or minimum weight spanning tree is a subset of the edge of a connected, edge-weighted undirected graph that connects all the vertices together, without any cycles and with the minimum possible total edge weight

→ Applications

(i) Consider and stations are to be linked using a communication network and lying of communication link between any two stations involves a cost.
The ideal solution would be to extract a subgraph termed as minimum cost spanning tree.

(ii) Suppose you want to construct highways or railroads spanning several cities then we can use the concept of minimum spanning tree.

(iii) Designing LAN

(iv) Laying pipelines connecting offshore drilling sites, refineries and consumer markets

(v) Suppose you want to apply a set of houses with
- Electric power
- Water
- Telephone lines
- Sewage lines

Page :
Date: / /

Sol (24) → Time Complexity of Prim's Algorithm :- $O(|E| \log |V|)$
Space Complexity of Prim's Algorithm :- $O(|V|$
→ Time Complexity of Kruskal's Algorithm :- $O(|E| \log(E))$
Space Complexity of Kruskal's Algorithm :- $O(|V|)$
→ Time Complexity of Dijkstra's Algorithm :- $O(V^2)$
→ Space Complexity of Dijkstra's Algorithm :- $O(V^2)$
→ Time Complexity of Bellman ford's Algorithm :- $O(VE)$
→ Space Complexity of Bellman ford Algorithm :- $O(E)$

Sol (25)



→ Kruskal's Algorithm

(source)	(dest.)	(weight)	
0	v	w	✓
6	7	1	✓
5	5	2	✓
2	8	2	✓
0	1	4	✓
2	5	4	✓
6	8	6	X
1	3	7	✓
7	8	7	X
0	7	8	✓
1	2	8	X

0	v	w	
4	3	9	✓
4	5	10	X
1	7	11	X
3	5	14	X

Page :
Date : / /

Sol (4) → (i) The shortest path may change. The reason is there may be different number of edge in different paths from 's' to 't'. For Example, let shortest path be of weight 15 and has edge 5 edges. Let there be another path with 2 edge and total weight 95. The weight of the shortest path is increased by 5*10 and becomes 15+50. Weight of the other path is increased by 2*10 and becomes 95+20. So the Shortest path changes to the other path with weight as 45.

(ii) If we multiply all edges weight by 10, the shorted path doesn't change. The reason is simple. weight of all path from 's' to 't' get multiplied by same amount. The number of edges on a path doesn't matter. It is like changing unit of weights

Sol (5) → Dijkstra Algorithm



node	Shortest dist. from Source node
u	8
v	9
y	7

→ Bellman ford Algorithm

1st →	0	∞	∞	∞	∞
2nd →	0	10	∞	5	∞
3rd →	0	8	14	5	7
4th →	0	8	9	5	7

Graph doesnot have -ive cycle



Page :
Date : / /

Ques 6)



Weight = 1+2+2+4+4+7+8+9 = 37

Prim's Algorithm



Weight

0	1	2	3	4	5	6	7	8
0 ~~0~~	∞	∞	∞	∞	∞	∞	∞	∞
	4						8	
		8						7
	11		7		4		1	2
								6
					2			
	4		14		10			
			7					
							9	

Parent :-

0	1	2	3	4	5	6	7	8
-1	~~-1~~	~~-1~~	-1	-1	-1	~~1~~	~~-1~~	-1
	0	1				1	0	



Weight = 4+8+1+2+4+2+7+9 = 37 Ans