


HOSTINGER

Connector

Official code-editor integration for deploying, monitoring, and managing Hostinger services through AI assistants and MCP.



Natural-language workflow

Ask your assistant to **deploy websites, manage domains and DNS, inspect deployments, or operate VPS resources** without leaving your editor.

[Documentation](#) [Overview](#) • [Installation & Setup](#) • [Using the Connector](#) • [Troubleshooting](#)

[Last updated](#) July 22, 2026

Contents

- 01** **Overview**
What Hostinger Connector is, what it can do, supported editors, architecture, and security.
- 02** **Installation & Setup**
Prerequisites, extension installation, Node.js, account connection, restart, and disconnect.
- 03** **Using the Connector**
Product access, editor workflows, example prompts, deployment behavior, commands, and credentials.
- 04** **Troubleshooting**
Connection issues, missing tools, authentication failures, Windows notes, and clean uninstall.

Quick orientation

The Connector is an MCP-based bridge. Your editor hosts the extension, your AI assistant decides which Hostinger tool to call, and Hostinger's API performs the requested operation.

01 — Overview

Hostinger Connector is an official Hostinger extension for your code editor that lets you deploy, monitor, and manage Hostinger services without leaving your code. It connects AI assistants such as GitHub Copilot, Cursor, or Windsurf directly to your Hostinger account so you can manage websites, domains, VPS, and more using natural-language prompts.

Instead of switching to hPanel, you can ask your assistant:

- "Deploy my Node.js app to Hostinger"
- "List all my Hostinger domains"
- "Add a DNS record pointing blog.mydomain.com to my server"
- "Show the build logs for my latest deployment"

What you can do

Once connected, your AI assistant gets access to 100+ Hostinger tools across these product areas:

Product area	Capabilities
Websites	Deploy static sites, Node.js apps, WordPress sites, plugins, and themes; list deployments; view build logs; manage caching
Domains	Search and register domains, manage forwarding, domain lock, WHOIS profiles, and verification
DNS	Create, update, and delete DNS records; take and restore DNS snapshots
Subscriptions & Payments	View subscriptions, manage auto-renewal, and list payment methods
Email Marketing	Manage contacts, groups, and segments in Hostinger Reach
Ecommerce	Manage stores, products, and sales channels
VPS	Start, stop, and restart virtual machines; manage firewalls, SSH keys, snapshots, and metrics

Supported editors & tools

Editor / tool	AI assistant
Visual Studio Code (1.99+)	GitHub Copilot
Cursor	Cursor AI
Windsurf	Cascade
Devin Desktop	Devin
Antigravity	Google Gemini
Claude Code (CLI)	Claude
OpenAI Codex (CLI)	Codex
Gemini CLI	Google Gemini

The extension is installed once in your editor and automatically configures the AI tools available to you, including Claude Code and Codex command-line tools. Other MCP-compatible clients can use the standalone `hostinger-api-mcp` server with manual configuration.

How it works

- 1 Install the extension and connect your Hostinger account using one-click browser sign-in or an API token.
- 2 The extension registers Hostinger's official MCP servers with your AI assistant.
- 3 When you ask for a Hostinger action, the assistant calls the appropriate tool. The tool communicates with the Hostinger API using your credentials and returns the result to your chat.

Control stays with you

You choose which Hostinger product areas the assistant can access, and your editor may ask for confirmation before running tools. The MCP servers fetch the latest Hostinger API definition on startup, so new Hostinger features can become available automatically.

Visual reference

Contoh penggunaan

**Bangun infrastruktur dalam hitungan detik**

Deploy VPS, pilih OS, dan atur firewall dari satu prompt. Tanpa perlu utak-atik dashboard.

**Deploy website tanpa pindah tab**

WordPress, website statis, atau aplikasi JavaScript bisa online langsung dari editor, cukup dengan push kode.

**Pantau performa dan atasi issue secara real-time**

Lihat metrik CPU, memori, dan bandwidth. Scan malware dan restore backup dengan prompt sederhana.

**Otomatiskan domain dan DNS**

Daftarkan domain, ubah DNS record, aktifkan perlindungan WHOIS, atau setup forwarding tanpa perlu membuka control panel.

Supplied Hostinger hPanel reference: API connection, supported editor tabs, and example use cases.

Security

- **OAuth sign-in (recommended)** uses OAuth 2.1 through your browser. No password passes through the editor.
- **API tokens** are stored in your editor's encrypted secret storage, never in plain-text settings.
- **HTTPS** is used for API communication directly between your machine and Hostinger.
- **Disconnect** is available at any time with **Hostinger: Disconnect**, removing stored credentials and configuration.

Recommended connection method

Use OAuth when possible. Use an API token for explicit credential-based connections or environments where browser sign-in is not practical.

Next steps

- Installation & Setup — install the extension and connect your account.
- Using the Connector — enable products, explore example prompts, and review commands.
- Troubleshooting — resolve common connection, authentication, and tool-discovery issues.

02 — Installation & Setup

This guide covers installing Hostinger Connector in VS Code, Cursor, Windsurf, Devin Desktop, or Antigravity and connecting your Hostinger account via OAuth or an API token.

Prerequisites

- A supported editor — Visual Studio Code 1.99+, Cursor, Windsurf, Devin Desktop, or Antigravity.
- Node.js 18 or later. The Connector can install it for you on supported systems.
- A Hostinger account.

Step 1 — Install the extension

- 1 Open the Extensions panel in your editor: `<b>Ctrl+Shift+X</b>` / `<b>Cmd+Shift+X</b>`.
- 2 Search for `<b>"Hostinger Connector"</b>`.
- 3 Click `<b>Install</b>`.

After installation, a Hostinger icon appears in the editor's Activity Bar.

Step 2 — Check Node.js

Hostinger Connector runs Hostinger's MCP servers using Node.js, so Node.js 18+ is required. The sidebar reports the current status automatically.

Sidebar status	Meaning / action
Node.js X.Y.Z ✓	Node.js is present and meets the requirement.
Node.js Required	Node.js is missing or older than 18. Click Install or Update in the banner.
npm not found	The Node.js installation is incomplete; reinstall Node.js from the official installer.

Automatic installation uses the system package manager where supported: Homebrew on macOS, winget or Chocolatey on Windows, and apt/dnf/pacman on Linux. If automatic installation is not possible, the Connector opens the Node.js download page for manual installation.

Step 3 — Connect your Hostinger account

There are two connection methods. OAuth is recommended for most users.

Option A — One-click sign-in (recommended)

- 1 Click the **Hostinger** icon in the Activity Bar.
- 2 Click **1-Click Connect**.
- 3 Your browser opens the Hostinger sign-in page. Log in and approve the connection.
- 4 Return to the editor. The sidebar status becomes green: **Connected (via OAuth)**.

OAuth timing

Sign-in must be completed within 3 minutes. If the browser does not open automatically, the sign-in link is printed in the editor terminal so you can open it manually.

Option B — API token (advanced)

- 1 In **hPanel → API**, click **Generate new token** and copy the token.
- 2 In the Hostinger sidebar, expand **Advanced: Connect with API token**.
- 3 Paste the token and click **Connect with API token**.
- 4 Alternatively, open the Command Palette and run **Hostinger: Set API Token (Optional)**.

The token is stored in the editor's encrypted secret storage. Only one connection method can be active at a time; setting a token while signed in with OAuth signs you out of OAuth first.

Step 4 — Restart if needed

- **Visual Studio Code:** tools become available immediately; reload the window if they do not appear.
- **Cursor, Windsurf, Devin Desktop, Antigravity:** fully quit and reopen the editor once after connecting so it picks up the new MCP configuration.

Step 5 — Try it out

First prompt

"List my Hostinger websites"

If the assistant returns your websites, the connection is ready. Continue with the Using the Connector section for product access and examples.

Disconnecting

To disconnect your account, either click **Disconnect** in the Hostinger sidebar or run **Hostinger: Disconnect** from the Command Palette.

Disconnecting signs you out, deletes stored credentials, and removes the Hostinger MCP configuration from all managed editors and tools.

Before uninstalling

If you plan to uninstall the extension, disconnect first. Uninstalling without disconnecting can leave stale MCP configuration entries behind.

03 — Using the Connector

Once installed and connected, Hostinger Connector works through your AI assistant. This section covers product selection, editor workflows, example prompts, deployment behavior, commands, and credential locations.

Choosing what your assistant can access

The Hostinger sidebar lists product groups with a checkbox for each. Only enabled products are exposed to your AI assistant.

Product group	Default	What it covers
Websites	Yes	Deployments (static, Node.js, WordPress), build logs, caching, databases, cron jobs
Domains	Yes	Domain registration and management, plus DNS records and snapshots
Subscriptions & Payments	Yes	Subscriptions, auto-renewal, payment methods
Email Marketing	Yes	Hostinger Reach contacts, groups, and segments
Ecommerce	No	Stores, products, sales channels
VPS	No	Virtual machines, firewalls, SSH keys, snapshots, metrics

Each product card shows a short description and the number of tools it provides. Toggling a checkbox applies the change to your assistant right away; fork-based editors such as Cursor may need a restart.

Least-privilege setup

Enable only the product groups you need. This keeps the assistant's tool list focused and reduces what it can act on.

Product selections reset to their defaults when you disconnect.

Using it in your editor

Editor	How to use
VS Code (Copilot)	Open Copilot Chat, click Tools, and make sure Hostinger tools are enabled. Then prompt normally.
Cursor	Open chat (Cmd+L / Ctrl+L). Hostinger tools are available to the agent automatically.
Windsurf	Open Cascade. Hostinger tools appear in its tool list.
Claude Code / Codex (CLI)	The Connector writes their configuration automatically when you connect. Run the CLI and prompt.

Example prompts

Websites & deployments

- "Deploy this project to Hostinger as a static site"
- "Deploy my Node.js app to Hostinger"
- "Show the build logs for my latest deployment"
- "List all my websites and their status"
- "Clear the cache for mydomain.com"

Domains & DNS

- "Is mydomain.dev available? If so, how much does it cost?"
- "List all my Hostinger domains"
- "Add an A record for blog.mydomain.com pointing to 203.0.113.10"
- "Take a snapshot of my DNS zone before I make changes"

VPS — enable the VPS product first

- "Show CPU and memory usage for my VPS"
- "Restart my VPS"
- "Add a firewall rule allowing port 8080"

Billing

- "Which of my subscriptions renew this month?"
- "Turn off auto-renewal for my VPS plan"

How deployments work

Deployments are performed by your AI assistant calling Hostinger tools. There is no separate deploy button. The assistant selects the appropriate tool, uploads the project through the Hostinger API, and reports the result, including build logs when a build is involved.

Project type	Behavior / constraints
Static websites	HTML/CSS/JS or built output from frameworks such as React, Vue, or Astro. Pre-built files only; no build step runs.
Node.js applications	Express, Next.js, NestJS, and other Node.js apps. Upload archive capped at 50 MB; exclude node_modules and build output. Hostinger runs the build.
WordPress	Sites, plugins, and themes. Site imports use an archive plus a .sql dump and can take several minutes.

For hosting-side behavior, the documentation references Hostinger's Node.js Hosting and Git resources.

Command reference

Command	Description
Hostinger: Set API Token (Optional)	Connect using an API token instead of OAuth sign-in.
Hostinger: Disconnect	Sign out, delete stored credentials, and remove Hostinger MCP configuration.
Hostinger: Refresh	Refresh sidebar status; also available from the sidebar refresh icon.

The extension adds no editor settings; everything is managed from the Hostinger sidebar.

Where credentials are stored

Connection	Storage
OAuth	Hostinger MCP server stores tokens in ~/.config/hostinger-mcp/credentials.json on macOS/Linux, or %APPDATA%\hostinger-mcp\credentials.json on Windows.
API token	Stored in the editor's encrypted secret storage and passed to MCP servers as HOSTINGER_API_TOKEN.

Disconnect removes both

Disconnecting removes the OAuth credential file and the API-token connection from the managed environment.

04 — Troubleshooting

Solutions to the most common Hostinger Connector issues.

Connection issues

The Connect button is disabled

- If the sidebar says **"Node.js not detected"** or **"needs 18+"**, click Install / Update in the red banner, or install Node.js 18+ manually and restart the editor.
- If **"npm not found"** appears, the Node.js installation is incomplete. Reinstall Node.js from the official installer, which includes npm.

OAuth sign-in fails or times out

- The sign-in must be completed within 3 minutes. Click 1-Click Connect and try again.
- If the browser does not open, use the sign-in link printed in the editor terminal.
- On Windows, the sign-in runs in a terminal window named **"Hostinger OAuth"**. Do not close it until sign-in completes.

API token does not work

- Verify the token was copied fully, with no leading or trailing spaces.
- Tokens can be revoked or expire. Generate a new one in hPanel → API and reconnect.

Tools not appearing in your assistant

VS Code (Copilot)

- Run Developer: Reload Window from the Command Palette.
- In Copilot Chat, click Tools and verify that Hostinger tools are enabled.

Cursor, Windsurf, Devin Desktop, or Antigravity

- Fully quit and reopen the editor, not just the window.
- Verify the MCP configuration file exists at the path listed below.

MCP configuration paths

Client	Configuration file
Cursor	~/.cursor/mcp.json
Windsurf / Devin	~/.codeium/windsurf/mcp_config.json
Antigravity	~/.gemini/antigravity/mcp_config.json

If the configuration file is missing, disconnect and reconnect from the Hostinger sidebar.

A product's tools are missing

Check that the product group is enabled in the Hostinger sidebar. **Ecommerce** and **VPS** are disabled by default.

Errors when the assistant uses tools

Authentication or “unauthorized” errors

- The session may have expired or the token may have been revoked.
- Run Hostinger: Disconnect, then reconnect.
- If using an API token, generate a fresh one in hPanel.

Tools fail immediately after connecting

The MCP servers are downloaded on first use via **npx**, which requires internet access. Check your network and any proxy or firewall that might block npm registry access.

Windows-specific notes

- OAuth sign-in opens a visible cmd.exe terminal. This is expected and required on Windows.
- If duplicate Hostinger entries appear in the assistant tool list, update to the latest extension version, then disconnect and reconnect.

Uninstalling cleanly

- 1 Run `<b>Hostinger: Disconnect</b>` first. This removes credentials and cleans up MCP configuration in managed editors and CLIs.
- 2 Then uninstall the extension from the Extensions panel.

Disconnect does not require Node.js

Disconnect works even if Node.js has been removed from your system because the Connector deletes the stored credentials file directly.

Still stuck?

- Check the Hostinger API documentation for API-level details.
- Contact Hostinger Support, available 24/7.

Reference links

[Hostinger API](#)

[Hostinger hPanel API](#)

[Hostinger Connector — Overview](#)

[Hostinger Connector — Installation & Setup](#)

[Hostinger Connector — Using the Connector](#)

[Hostinger Connector — Troubleshooting](#)

[Node.js](#)

[Hostinger Support](#)

[hostinger-api-mcp \(npm\)](#)

Last updated: July 22, 2026

This PDF is a consolidated, visually consistent edition of the supplied Hostinger Connector documentation and the supplied hPanel reference screenshots.