

GitHub



Уеб базирана услуга за разполагане на софтуерни проекти върху отдалечен интернет сървър в т.нар. хранилище. Базира се на Git системите за контрол и управление на версиите В това хранилище се съхраняват файлове на проекти. Когато някой започне да работи по проект, той създава копие на файловете от това хранилище на своята система и работи с тези копия. В процеса на работа потребителят може да изпраща към хранилището направени от него промени и да получава промени, направени по проекта от други хора).

FileEditViewRepositoryBranchHelp

Current repository
hybrid-app-development

Current branch
master

Fetch origin
Last fetched 5 days ago

Changes 1History

No branches to compare

Update Presentation1.pptx
Yordan • 4d

presentation
Yordan • 4d

Update README.md
Jordan Jordanov • Feb 9, 2021

Update README.md
Yordan • Feb 5, 2021

Update README.md
Jordan Jordanov • Jan 25, 2021

Update exercise.docx
Yordan • Jan 22, 2021

react
Yordan • Jan 20, 2021

react
Yordan • Jan 18, 2021

Update React-exercise.docx
Yordan • Jan 16, 2021

react
Yordan • Jan 14, 2021

react

Update Presentation1.pptx
Yordan 20e38a0 1 changed file New

Presentation1.pptx

Инструмент, който ви позволява
да взаимодействате с GitHub

This binary file has changed.
[Open file in external program.](#)

<https://students-manager.azurewebsites.net/>

ТЕСТОВЕ

Домашни

ПРОФИЛ



#ТЕКУЩ КОНТРОЛ

Модел-Изглед-Контролер е архитектурен шаблон за дизайн в програмирането, основан на разделянето на бизнес логиката от графичния интерфейс и данните в дадено приложение.




В системата

на Хибридни Мобилни
Приложения

ТЕСТОВЕ

Mobile Client







Frontend

(Developer builds)

- User interface
- Client-side logic

Бекенд като услуга е модел за предоставяне на разработчиците начин да свържат своите приложения към бекенд облачно съхранение и приложни програмни интерфейси (API). Доставчиците на BaaS (като Kinvey) предоставят предварително написан софтуер за дейности като удостоверяване на потребителя, управление на база данни, съхранение в облак и хостинг.



Backend

(Vendor provides as a service)

- Database management
- Cloud storage
- User authentication
- Push notifications
- Hosting

Kinvey

High Productivity Meets Developer Control

- Leverage open source frameworks to build cross platform, native iOS, native Android and web apps
- Start with a modern serverless architecture that handles all operations and infrastructure at scale
- Integrate no- and low-code services for enterprise data and authentication

Focus on Innovation, Not Infrastructure

Progress® Kinvey™ is a modern JavaScript-based platform for rapidly building complex business apps. Developers can now focus on the app-specific code that matters to users. There are starter and enterprise bundles available for organizations of all sizes.

Get started now, for free!

Sign Up for a 30-Day Kinvey Account

Already have an account? [Login](#)

Business Email

Password

[Privacy Policy](#)

First name

Last name

Company

Job title

Country

Phone

SIGN UP NOW

Kinvey - Please verify your email address

0 apps



Create an App

We've changed how you work with multiple organizations. You are now only seeing apps, services and websites for the selected organization.

GOT IT!

Get Started

Get Started

Learn how to navigate the Kinvey Console

Cloud Functions

Support Your App with Cloud Functions

Video - Get Started

Video Walkthrough of the Console and Key Features

Your First App

Step-by-step guide to write your first app



Add an App



New app name

What do you want to call this app?

CREATE APP

B

BooksApp

Development

Trial expires in 30 days

CONTACT US

Dashboard

IDENTITY

Users

MIC Mobile Identity Connect

Roles

DATA

Collections

Files

API Console

BUSINESS LOGIC

Collection Hooks

Custom Endpoints

Common Code

Scheduled Code

Apps

Services

Websites

Organization:

Total users

0

API calls (last 24h)

0

Data storage (bytes)

0

File storage (bytes)

0

Collections

You don't have any collections yet.

+ ADD A COLLECTION

MIC MIC services

You don't have any MIC configurations yet.

Business logic scripts

Name	Count
Collection Hooks	0
Custom Endpoints	0
Common Code	0
Scheduled Code	0

Push

Apple - Not configured

Android - Not configured

Trial expires in 28 days

[CONTACT US](#)

 **Dashboard**

IDENTITY

 Users


MIC Mobile Identity Connect

 Roles

DATA

 Collections

 Files

 API Console

BUSINESS LOGIC

Development

App Key

kid_r11QOPsMd 

App Secret

5a8c8675b64b483... 

 CLONE

 MIGRATE

 APP SETTINGS

MIC SERVICES

You don't have any MIC



POSTMAN

<https://www.postman.com/downloads/>

<https://hoppscotch.io/>

ore

Search Postman

Scratch Pad

New Import

POST token e2e Servic... GET https://api-e2e.hc... GET https://qahcembra... POST login

kinvey / login

POST https://baas.kinvey.com/user/kid_r1BWJHnw/login

Params Authorization Headers (10) Body Pre-request Script Tests Settings

Query Params

KEY	VALUE
Key	Value

Response

Удостоверяване и

Определяне на самоличността на потребител на уеб базирана система.

упълномощаване

е функцията за определяне на права / привилегии за достъп до ресурси



Trial expires in 28 days

[CONTACT US](#)

Dashboard

▼ IDENTITY

Users

Mobile Identity Connect

Roles

▼ DATA

Collections

Files

API Console

▼ BUSINESS LOGIC

Collection Hooks

Custom Endpoints

Common Code

Filter users...

ADV. ▾

0 of 0 users

DISABLED

LOCKED DOWN

[ADD COLUMN](#)[ADD USER](#)

Users

We provide the following methods to connect with Kinvey out of the box with minimal configuration required on your part.

- Kinvey
- Google+
- Facebook
- LinkedIn

Kinvey lets you connect with authentication provider. Create your own connection method or use one of our pre-built options.

- Custom
- LDAP
- SAML-WRAP
- SAML-Redirect
- SAML-POST
- OAuth2
- Active Directory
- JWT Bearer Token

New App User

Use this form to manually register a new user for your app.

Username

user

Password

...

POST

https://baas.kinvey.com/user/kid_r11QOPsMd/

Params

Authorization

Headers (10)

Body

Pre-request Script

Tests

Settings

Type

Basic Auth

Username

kid_r11QOPsMd

Password

5a8c8675b64b4834a0ed70e7f7f85114

☒ Show Password

The authorization header will be automatically generated when you send the request.

[Learn more about authorization](#)

Body

Cookies

Headers (11)

Test Results

Status: 201 Created

Ti

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2   ...."username": "yordan",
3   ...."password": "123qwe",
4   ...."_kmd": {
5     ...."lmt": "2021-03-04T08:41:58.526Z",
6     ...."ect": "2021-03-04T08:41:58.526Z",
7     ...."l1t": "2021-03-04T08:41:58.561Z",
8     ...."authtoken": "0f7dee62-5b20-4c14-a538-0b860f95ecbf.KiZSL6x0T9pZLIw974eGk1GuaZbkxUgB5rijfjy+0oI="
9   },
10  ...."_id": "60409d569fe719492c03454b",
11  ...."_acl": {
12    ...."creator": "60409d569fe719492c03454b"
13  },
14 }
```

POST

https://baas.kinvey.com/user/kid_r11QOPsMd/

Send

Params

Authorization

Headers (10)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

1

{

2

...."username": "yordan",

3

...."password": "123qwe"

4

}

Body

Cookies

Headers (11)

Test Results

Status: 201 Created

Time: 2.33 s

Size: 785 B

Save Response

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2   ...."username": "yordan",
3   ...."password": "123qwe",
4   ...."_kmd": {
5     ...."lmt": "2021-03-04T08:41:58.526Z",
6     ...."ect": "2021-03-04T08:41:58.526Z",
7     ...."l1t": "2021-03-04T08:41:58.561Z",
8     ...."authtoken": "0f7dee62-5b20-4c14-a538-0b860f95ecbf.KiZSL6x0T9pZLIw974eGk1GuaZbkxUgB5rijfjy+0oI="
9   },
10  ...."_id": "60409d569fe719492c03454b",
11  ...."_acl": {
12    ...."creator": "60409d569fe719492c03454b"
13  },
14 }
```


POST

https://baas.kinvey.com/user/kid_r11QOPsMd/login

Send

Params Authorization Headers (10) Body Pre-request Script Tests Settings

Cookies

Beautify

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON

```
1 {
2   ... "username": "yordan",
3   ... "password": "123qwe"
4 }
```

Body Cookies Headers (10) Test Results

Status: 200 OK Time: 1150 ms Size: 681 B

Save Response

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2   ... "_id": "60409d569fe719492c03454b",
3   ... "username": "yordan",
4   ... "_kmd": {
5     ... "lmt": "2021-03-04T08:41:58.526Z",
6     ... "ect": "2021-03-04T08:41:58.526Z",
7     ... "l1t": "2021-03-04T08:49:06.267Z",
8     ... "authtoken": "9ad60f39-5697-4811-853c-254e4536a846.z0uVNDyhKiu1yE1XFLy6eZzjPhdHDopkp5hUHViby8A="
9   },
10  ... "_acl": {
11    ... "creator": "60409d569fe719492c03454b"
12  }
13 }
```



Create New Collection

Name

What do you want to call this collection? (collection names cannot have spaces)

CANCEL

SAVE

POST

https://baas.kinvey.com/appdata/kid_r11QOPsMd/books

Send

Params Authorization Headers (10) Body Pre-request Script Tests Settings

Cookies

Type

API Key

Key

Authorization

Value

Kinvey 7d8b2cc2-7ac2-4a51-9140-7e470b...

Add to

Header

The authorization header will be automatically generated when you send the request.

[Learn more about authorization ↗](#)

Body Cookies Headers (11) Test Results



Status: 201 Created Time: 198 ms Size: 673 B

[Save Response](#)

Pretty

Raw

Preview

Visualize

JSON



Params

Authorization

Headers (10)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

```
1 {
2   ... "title": "ttt",
3   ... "author": "aaa",
4   ... "description": "ddd",
5   ... "_acl": {
6     ... "creator": "60409d569fe719492c03454b"
7   },
8   ... "_kmd": {
9     ... "lmt": "2021-03-04T09:14:43.759Z",
10    ... "ect": "2021-03-04T09:14:43.759Z"
11  },
12  ... "_id": "6040a503966e36373549ed48"
13 }
```

```
1 { "title":"ttt", "author":"aaa", "description":"ddd" }
```

Filter collections...

ADV. ▾

1 books

ADD COLUMN

ADD ROW

<input type="checkbox"/> _id ▾	_acl	_kmd	title	author	description	«
<input type="checkbox"/> 6040a503966e36373549ed48	<div><div>{ "creator": "60409d569fe719492c03454b" }</div></div>	{ "lmt": "2021-03-04T09:25:13.41" }	ttt	aaa	ddd	

Users

Filter users...

ADV. ▾

1-4 of 4 users

DISABLED

LOCKED DOWN

<input type="checkbox"/> _id ▾	_acl	_kmd	username
<input type="checkbox"/> 60409ed7140989001339bc11	{ "creator": "60409ed7140989001339bc11" }	{ "lmt": "2021-03-04T08:48:23.35" }	yordan2
<input type="checkbox"/> 60409d569fe719492c03454b	{ "creator": "60409d569fe719492c03454b" }	{ "lmt": "2021-03-04T08:41:58.52" }	yordan
<input type="checkbox"/> 60409d0d140989001339b738	{ "creator": "60409d0d140989001339b738" }	{ "lmt": "2021-03-04T08:40:45.92" }	user
<input type="checkbox"/> 60409c9f01d5ab001260b3c0	{ "creator": "60409c9f01d5ab001260b3c0" }	{ "lmt": "2021-03-04T08:38:55.31" }	jordan