BRAND SYSTEM / V2.0

Built for what comes next.

Comprehensive visual identity and product design system for Future Ready Nig. Ltd., Future Ready Press, Future Ready Events and the shared group application.

FUTURE READY

WORKING MASTER · IMPLEMENTATION-GRADE SPECIFICATION

HOW TO USE THIS GUIDE

Source of truth and handoff

This edition is written for humans and implementation agents. It separates business requirements from visual proposals, and it removes the ambiguity that made v1 too small for reliable execution.

For designers

Use the logo masters, colour tokens, type hierarchy, spacing, icon rules and application examples. Do not recreate logos from screenshots.

For Claude / developers

Start with `08_AI_Handoff/IMPLEMENTATION_SPEC.md`, then the UI behavior specification and JSON tokens. The PDF explains intent; machine-readable files define execution.

Precedence

1. AI implementation specification
2. UI/UX behavior specification
3. Design tokens and component contracts
4. SVG masters
5. Original Future Ready business specs
6. This visual PDF

FOUNDATION

What Future Ready is

Future Ready is an operating group with shared people, hiring and money capabilities, plus company-specific work such as Press production and Event management. The identity must therefore behave as a system rather than a collection of unrelated marks.

Clear

Information is structured before it is decorated.

Capable

The brand should feel able to run real operational work, not merely advertise it.

Progressive

Directional geometry suggests movement without relying on generic futuristic effects.

> **Source-derived:** the Group System Plan defines one shell and shared sign-in across companies. **Design proposal:** the "Forward Modules" visual idea and all new identity assets.

ARCHITECTURE

One family, distinct companies

FUTURE READY

Master corporate identity and group software shell

FUTURE READY
PRESS

Distinct company identity, common geometry

FUTURE READY
EVENTS

Distinct company identity, common geometry

Modules are not sub-brands

Hiring, People, Money, Reports and Group Administration use module names and the group product identity. They do not receive corporate logos. This keeps the system scalable when more modules are added.

NAMING


Approved presentation hierarchy

CONTEXT	USE	AVOID
Public parent brand	Future Ready	Future Ready Nig Ltd everywhere
Formal legal documents	Future Ready Nig. Ltd. (pending final legal-name verification)	Abbreviating inconsistently
Business unit	Future Ready Press	FR Press as primary public name
Business unit	Future Ready Events	Future Ready Event Management unless management adopts it formally
Product modules	Hiring, People, Money, Reports	Separate logos for each module

> The uploaded documents use both “Future Ready Nig. Ltd.” and “Future Ready Nigeria Ltd.” The system cannot settle the legal form; management must confirm the registered presentation before final registration/print production.

MASTER LOGO

Construction and optical alignment




The parent symbol retains the v1 concept. The v2 lockup rebuild fixes the relationship between symbol and outlined wordmark: symbol and type are optically centred, the wordmark is converted to vector paths, and the gap is a fixed proportion rather than a guessed text position.


Symbol grid	72 × 72 units	**Horizontal clear gap**	~0.46 × symbol height
Wordmark	Outlined master artwork	**Alignment**	Optical vertical centre, not baseline guesswork


MASTER LOGO

Lockups and versions









Use horizontal by default. Use vertical when width is constrained and the brand still has enough room to breathe. Use symbol-only for app icons, favicons, avatars and repeated UI contexts where the Future Ready name already appears nearby.

MASTER LOGO

Clear space and minimum size



Define **X** as the width of the symbol's primary vertical stem. Keep at least X clear on all sides of a lockup. More space is preferred on presentation covers and signage.

ASSET	DIGITAL MINIMUM	PRINT MINIMUM
Horizontal lockup	120 px wide	32 mm wide
Vertical lockup	84 px wide	22 mm wide
Symbol	20 px	6 mm

MASTER LOGO

Incorrect use

- Do not stretch or compress
- Do not rotate
- Do not recolour arbitrarily
- Do not add shadows or bevels
- Do not redraw the symbol
- Do not typeset a replacement wordmark
- Do not place on noisy photography without a field
- Do not use the symbol as a decorative bullet repeatedly

> If a new context appears, change the surrounding layout before changing the logo.

SUB-BRAND SYSTEM

Shared DNA, independent recognition

Press and Events receive their own symbols, accent palettes and patterns. They remain visibly related through diagonal cuts, module proportions, wordmark structure, clear-space logic and restrained composition.



They are siblings, not the same logo wearing different labels.

FUTURE READY PRESS

Identity rationale

FUTURE READY
PRESS

The Press symbol combines the parent family's stepped geometry with a folded page/print-sheet form. Blue is a marketing and company-context accent, chosen for precision and technical production rather than as a semantic UI state.

#2F5BFF — **Press Blue** — Primary Press accent


#0D7A62 — **Future Green** — Family connection


#163A6F — **Press Navy** — Dark brand field


#E9EEFF — **Press Soft** — Background field


FUTURE READY PRESS

Logo use and production context









Use

Quotes, job cards, packaging labels, production boards, Press email, Press social/marketing, signage and company-specific documents. In the group application, use the Press symbol and blue only for company context, never to mean “info” by itself.

FUTURE READY EVENTS

Identity rationale

FUTURE READY
EVENTS

The Events symbol uses connected ribbon modules. The overlapping forms suggest coordinated movement and hand-offs, which fits event files, vendors, tasks and run sheets without resorting to confetti graphics on every surface.

#E85D3F — **Events Coral** — Primary Events accent


#0D7A62 — **Future Green** — Family connection


#9E3825 — **Events Deep** — Dark brand field


#FCEBE6 — **Events Soft** — Background field


FUTURE READY EVENTS

Logo use and event context









Use


Event proposals, run sheets, vendor briefs, event signage, social/marketing and company-specific communication. In operational UI, Coral identifies Events context; overdue or blocked work still uses semantic warning/error colours.

CO-BRANDING

Group and company contexts

Rule

When Future Ready and one business appear together, the business logo is primary if the communication belongs to that company. The parent may appear as an endorsement line: “A Future Ready company”. Do not place three equal logos in a header unless the communication genuinely represents the whole group.





Shared product

The internal group application uses the Future Ready master identity at shell level. Company context is expressed through a small logo/badge, page label and restrained accent, not a complete reskin.

COLOUR

Core corporate palette

#0D7A62 **Future Green**
Primary action / brand

#073F35 **Deep Green**
Dark brand fields

#10211D **Future Ink**
Primary text

#B9F2D8 **Future Mint**
Brand accent

#F6F8F7 **Cloud**
App canvas

#FFFFFF **Surface**
Cards / forms

#DCE5E0 **Border**
Dividers / input borders

#4A736D **Muted Text**
Secondary text

Green is a brand and interaction colour. It is not used to mean “success” when that distinction matters; Success has its own semantic token.

COLOUR


Company accents and semantic separation

FAMILY	PRIMARY	MEANING
Future Ready	#0D7A62	Master brand / primary action
Press	#2F5BFF	Press company context
Events	#E85D3F	Events company context
Success	#157F3B	Completed / valid / positive state
Warning	#A65F00	Attention / risk
Error	#C0392B	Failure / destructive
Info	#275DD6	Neutral system information

> Company colour answers “where am I?” Semantic colour answers “what is happening?” Keep those questions separate.

COLOUR

Neutral scale and surfaces



Use the neutral scale for structure. Product screens should be mostly neutral surfaces with brand colour reserved for navigation state, primary actions and compact emphasis.

- Canvas: Gray 50 / Cloud
- Cards: White
- Borders: Gray 200
- Secondary text: Gray 500-600
- Primary text: Ink / Gray 900

TYPOGRAPHY

Brand and product type

Sora / Inter Display

Display and branded headings. Sora is the desired brand display family; Inter Display is the tested system fallback used in generated samples.

IBM Plex Sans / Inter

Operational UI, forms, long text and documents. IBM Plex Sans is the intended body family; Inter is the tested fallback.

```
IBM Plex Mono · ₦1,250,000.00 · PR-104
```

IDs, scores, timestamps and numbers where fixed-width rhythm improves scanning.

> Font files are not included in this package. Use licensed/public font delivery from the implementation environment. Logo wordmarks are outlined SVG and do not depend on local fonts.

TYPOGRAPHY

Scale, weight and content density

TOKEN	SIZE	WEIGHT	USE
Display XL	48	700	Brand campaigns / covers
Display L	40	700	Marketing hero
H1	32	700	Page title
H2	24	650-700	Section title
H3	20	600	Card group / modal title
Body L	16	400	Introductory copy
Body	14	400	Product default
Body S	13	400-500	Dense tables / metadata
Caption	12	500	Labels / helper text

Use sentence case in product UI. Avoid all-caps body copy. Uppercase may be used for tiny metadata labels with increased letter spacing.

LAYOUT

Grid, spacing and radius

Base unit	4 px	**Common spacing**	8 / 12 / 16 / 24 / 32 / 48
Card radius	12 px	**Input radius**	8 px
Content max	1440 px	**Drawer**	560 px

Use spacing to show relationships before adding dividers. Dense work screens may use 12-16 px card padding; marketing/brand surfaces can use 32-64 px.


> Avoid the SaaS habit of rounding every rectangle into a pill. Pills are for statuses, compact filters and truly pill-shaped controls.

ICONOGRAPHY

System grammar

The v2 pack expands the icon library to **116 editable SVG icons**.


Grid	24 × 24
Stroke	1.75 px
Caps / joins	Round
UI sizes	16 / 20 / 24 / 32



Icons inherit colour from the component. Do not hard-code different colours inside ordinary UI icons.

ICONOGRAPHY


Navigation icon set



Assets: `04_Iconography/icons/`. Add new symbols only when the existing library cannot express the action. Match the same grid, stroke and corner grammar.

ICONOGRAPHY


Actions icon set



Assets: `04_Iconography/icons/`. Add new symbols only when the existing library cannot express the action. Match the same grid, stroke and corner grammar.

ICONOGRAPHY

Hiring icon set



Assets: `04_Iconography/icons/`. Add new symbols only when the existing library cannot express the action. Match the same grid, stroke and corner grammar.

ICONOGRAPHY


Press icon set

printer	file-text	quote	invoice	receipt
palette	layers	package	boxes	ruler
scissors	image	proof	truck	stock

Assets: `04_Iconography/icons/`. Add new symbols only when the existing library cannot express the action. Match the same grid, stroke and corner grammar.

ICONOGRAPHY


Events icon set



Assets: `04_Iconography/icons/`. Add new symbols only when the existing library cannot express the action. Match the same grid, stroke and corner grammar.

ICONOGRAPHY


Finance icon set



Assets: `04_Iconography/icons/`. Add new symbols only when the existing library cannot express the action. Match the same grid, stroke and corner grammar.

ICONOGRAPHY


System icon set



Assets: `04_Iconography/icons/`. Add new symbols only when the existing library cannot express the action. Match the same grid, stroke and corner grammar.

GRAPHIC LANGUAGE

Patterns and backgrounds



Master modular

Press pages

Events ribbons

Patterns belong to covers, email banners, section openers, social backgrounds and large empty fields. They do not sit behind forms, tables or small text. Typical opacity behind copy: 5-15%.

The provided Islamic floral reference informed the idea of modular repetition only. Its literal religious/cultural motif is not part of the Future Ready system.

IMAGERY

Photography and illustration direction

Photography

- Real work, real people and real environments when available.
- Natural light and believable Nigerian business contexts.
- Prefer candid operational moments over staged handshakes.
- Avoid fake “AI office” imagery, neon holograms and generic call-centre stock photography.

Illustration / diagrams

- Use modular geometric lines and simple operational diagrams.
- Company accents may distinguish systems or modules.
- Keep diagrams functional first; decoration comes second.

When a real customer, employee or event is shown, obtain the required permissions before publication.

PRODUCT DESIGN

Principles for the group application

Action before analytics

Tell the user what needs attention before displaying supporting charts.

One shell

Company context changes; navigation grammar and component behavior do not.


Explain state

Statuses, permissions, loading and failures must be explicit.

Mobbin's 2026 dashboard analysis reinforces this direction: effective dashboards interpret what matters and avoid showing data merely because it exists. Dribbble/Behance references inform visual restraint, while functional behavior follows the supplied product specs and established component-system practice.

PRODUCT SHELL

Desktop anatomy



Illustrative data only. The shell dimensions and behavior are specified in the machine-readable files.

RESPONSIVE UI

Desktop to 400 px

WIDTH	BEHAVIOR
1440+	Full 248 px sidebar, content max 1440 px.
1120-1439	Full sidebar; standard data density.
900-1119	Sidebar may collapse to 80 px; tooltips required.
720-899	Five-item bottom navigation + More sheet; ordinary tables convert to cards.
480-719	Single-column forms; mobile sticky action bars.
400-479	No page-level horizontal scroll; core acceptance width.

> The original rebuild specification proposes bottom navigation below 900 px. v2 makes that workable by limiting the persistent bar to five items and moving the remainder into “More”.

NAVIGATION

Behavior, state and company switching

- Stable routes for every primary view.
- Browser back/forward works; deep links open correct records.
- Closing a record drawer preserves filters and scroll.
- Current navigation uses fill plus shape/text, never colour alone.
- Changing company checks for unsaved work before switching.
- Collapsed desktop navigation persists per browser.
- Mobile “More” is a full-height sheet, not a six-row horizontal icon strip trying to defy physics.



TABLES AND FILTERS

Dense work without clutter

Row	52 px
Compact row	44 px
Header	40 px
Search debounce	250 ms

- Sticky table headers for long regions.
- Row click opens the record, except on child controls.
- Bulk selection affects current visible/filter scope unless the user explicitly chooses all results.
- Active filters stay visible as chips with Clear all.
- Numeric data aligns right and uses tabular figures.
- Filtered-no-results has a distinct empty state from no-data.

FORMS

Validation, saving and data integrity

Email address

example@future-ready.ng

Phone number

0701

Enter the full phone number.

Availability

Immediately ˅

- Labels remain visible. Placeholder is only an example.
- Validate on blur and submit, not on the first keystroke.
- Preserve user input after recoverable failures.
- Sticky drawer footer keeps Save reachable.
- Prevent double-submit immediately; show spinner after 300 ms when needed.
- Phone values remain text where leading zero matters.

DRAWERS AND MODALS

Layer behavior

Record drawer

560 px desktop, full width under 720 px. Focus moves inside on open and returns to the trigger on close. Escape closes only if clean.

Modal

Use for confirmations and short blocking decisions. Destructive dialogs name the object and consequence. Permanent role deletion requires typed confirmation.

Unsaved work

Scrim click or Escape never silently destroys edits. A dirty form receives a discard confirmation. Critical destructive confirmation cannot be dismissed by scrim click.

FEEDBACK

Loading, empty, errors and offline

STATE	RULE
Success toast	4 s, non-blocking
Info toast	5 s
Warning toast	7 s unless action is required
Error	Persistent when user could miss the failure
Loading <200 ms	No spinner
200 ms-1 s	Inline progress
>1 s	Skeleton when final geometry is known

Empty states distinguish: no records, no filter results, insufficient access, service failure and offline/no cache. The connection indicator uses Live, Syncing and Disconnected states.

PERMISSIONS AND AUDIT

Make access understandable

Backend rules remain authoritative. UI visibility communicates permission but never substitutes for server/database enforcement.

SITUATION	UI TREATMENT
User can view object but cannot edit	Read-only state; disable relevant controls when seeing the capability is useful and explain access level.
User must not know capability/data exists	Hide it entirely.
Write succeeds	Record actor/time in history where required.
Optimistic update fails	Rollback visibly and state what did not save.

DASHBOARD AND CHARTS

Interpretation before decoration

- Top region answers what requires attention today.
- Summary cards link only when they lead to a useful filtered view.
- Charts appear below operational summaries.
- No more than six data colours in one chart.
- Company accents do not encode good/bad state.
- Every chart has an accessible summary or data alternative.
- Use direct labels when possible; tooltips show exact values and units.

> A dashboard is successful when it reduces decisions, not when it manages to display every number in the database at once.

HIRING MODULE

Candidate lifecycle behavior

1. Import role and normalise applicant data.
2. Compute pre-call ranking and tier.
3. Send outreach in a monitored batch.
4. Ingest self-reported form replies.
5. Log calls/WhatsApp for remaining candidates.
6. Compute second-interview eligibility.
7. Invite and record interview outcome.
8. End role to History; reopen or permanently delete through separate flows.

Candidate drawer retains provenance banners, no-answer attempt count, history, availability/location/relocation, next action and interview block.

HIRING MODULE

Batch send and uncertainty

OUTCOME	UI	BEHAVIOR
Sent	Sent ✓	Write outreach history and continue
Definite failure	Failed	Record failure and continue unless connection/policy blocks batch
Ambiguous/timeout	Unknown	Do not auto-retry; tell user to check Sent folder

Batch progress shows current recipient and count. Clear selection after completion, but keep the dialog open when failed/unknown results need review.

PRESS MODULE

Production workflow

Enquiry / Quote → Accepted / Job Card → Design → Proof → Print → Finishing → Ready → Delivered

- Board is default operational view; list/table is available for dense review.
- Drag may advance only when required transition fields are complete.
- Proof approval is explicit, timestamped and attributed.
- Stock consumption updates from confirmed production quantities.
- Low stock warns; out-of-stock blocks relevant work.
- Quote, invoice and receipt maintain linked history and document numbers.

EVENTS MODULE

Event file and run sheet

Enquiry → Quoted → Confirmed → Delivered → Closed

- Calendar and list are peer views of the same event records.
- Event file contains client, date, venue, guests, budget, vendors, tasks/run sheet, payments and close-out.
- Run sheet remains chronological inside the event; overdue items rise in group attention views.
- Vendor history may show past prices but must not present them as current quotations.
- Budget separates planned and actual values.

PEOPLE + MONEY

Shared operational modules

People

- Directory filters by company, role and status.
- Profiles include documents and leave history.
- Hiring-to-People conversion previews copied fields before confirmation.
- Sensitive documents respect access roles.

Money

- Invoices, receipts, expenses, cash in/out and balances.
- Not a full accounting ledger.
- Partial payments retain individual transactions.
- Issued document numbers are never silently reused.

ACCESSIBILITY

WCAG 2.2 AA target

- Visible focus for every interactive control.
- Touch targets target 44 × 44 px.
- Status is never colour-only.
- Dialogs trap focus and restore it on close.
- Tables use semantic table markup when tabular relationships matter.
- Charts have text/table alternatives.
- Product remains operable at 200% browser zoom.
- Reduced motion preference is respected.

> Accessibility is part of component acceptance, not a patch applied after the product looks finished.

MOTION

Purposeful, short and optional


Hover/focus	120 ms	**State change**	180 ms
Drawer/sheet	260 ms	**Easing**	.2,.8,.2,1

Use motion to preserve spatial understanding: drawers move from their edge, menus appear from their trigger, and refreshed content updates in place. Avoid animated decoration in dense operational screens.

Reduced-motion mode removes translation and scale transitions and keeps only very short opacity changes where necessary.

EMAIL


Transactional communication system



- 600 px single-column content.
- Readable 16 px body.
- One primary CTA.
- Plain fallback URL for restrictive clients.
- Important text is never baked into the banner image.
- Test desktop and mobile email clients before production.

EMAIL


Company banner family



The banner can identify the sender, but operational emails still use live text below it. Company banners use their own identity; the shared HTML structure remains consistent.

DOCUMENTS

Quotes, invoices, receipts and reports



Document templates use restrained corporate styling, clear numbering, high-contrast totals and enough whitespace for real operational content. Company-specific documents can replace the parent header with Press or Events identity while retaining the same information architecture.

DIGITAL MARKETING

Web, social and presentations

Website

Use master or company identity according to ownership. Marketing may use larger patterns and display type than the product UI.

Social

Keep logo in a predictable zone. Use one dominant message, one pattern family and company accent where relevant.

Slides

Use 16:9, strong section dividers, clean data tables and minimal decoration. Product screenshots should remain legible.

Do not turn every campaign into a new mini-brand. New visual ideas should be expressible through the existing geometry, type and colour system.

AI HANDOFF

How Claude should execute the system

```
READ ORDER
1. IMPLEMENTATION_SPEC.md
2. UI_UX_BEHAVIOR_SPEC.md
3. design_tokens.json + component_contracts.json
4. SVG masters
5. original business specs
6. PDF guide
```

- Do not redraw logos.
- Do not invent colours or radii.
- Do not infer behavior from a static screenshot when a written contract exists.
- Report conflicts instead of silently choosing.
- Mark missing decisions as ASSUMPTION in implementation notes.

IMPLEMENTATION

Tokens and code integration

FILE	PURPOSE
`design_tokens.json`	Colour, typography, spacing, radii, layout, motion, icon and focus tokens
`tokens.css`	CSS custom properties
`tailwind-theme.js`	Optional Tailwind theme fragment
`component_contracts.json`	Machine-readable component behavior
`icon_manifest.json`	Icon inventory/category metadata
`fr-icons-sprite.svg`	Optional inline SVG sprite

Engineering may map token names into a framework, but values and semantic meaning should remain stable unless the design system version changes.

GOVERNANCE

Versioning and ownership

- Version the entire system. Do not replace a logo asset without changing the version and documenting migration.
- Maintain one canonical SVG per approved lockup/version.
- New components require behavior, keyboard, loading, empty and error definitions.
- New company identities must derive from the shared geometry without cloning an existing sibling symbol.
- Marketing experiments may be expressive, but core marks, type and colour semantics remain stable.
- Quarterly review: asset integrity, accessibility, product drift and template consistency.

QUALITY ASSURANCE

Acceptance checklist

- ☐ Logo masters used, not screenshots
- ☐ Wordmark alignment unchanged
- ☐ Correct company identity/context
- ☐ No invented colours
- ☐ Semantic status colours correct
- ☐ Icons follow 24/1.75 grammar
- ☐ 400 px width has no page-level horizontal scroll
- ☐ Keyboard and focus pass
- ☐ Loading/empty/error/offline states exist
- ☐ Drawers protect unsaved changes
- ☐ Backend permissions enforced
- ☐ Dates use Africa/Lagos display
- ☐ Phone leading zeros preserved where required
- ☐ Email tested in real clients
- ☐ Print documents proofed
- ☐ rk/legal-name review complete before public registration

RESEARCH BASIS

What informed v2

Internal sources: Future Ready Group System Plan; Hiring Desk Rebuild Specification; current Hiring Desk HTML; six supplied visual references.

External research:

- Mobbin, “What good dashboard design looks like: a study of 2,108 dashboards” (2026).
- Behance 2026 SaaS identity studies including Sytoso, Automo, KERNEX, AXIS, STRATA and related system-driven identity work.
- Dribbble enterprise dashboard and enterprise SaaS galleries, used as visual pattern sampling rather than product requirements.
- Atlassian Design System component guidance for loading, empty states, banners and modal/entry-point behavior.

External references are benchmarking material only. No third-party logo, UI or illustration has been copied into the supplied assets.

DELIVERABLES

Package map

```
00_Previews/
01_Master_Brand/
02_Sub_Brands/Press/
02_Sub_Brands/Events/
03_Color_Typography/
04_Iconography/
05_Patterns_Backgrounds/
06_UI_UX/
07_Email_Documents/
08_AI_Handoff/
09_Guidelines/
10_Source_Requirements/
11_Reference_Images/
```

This guide is the human-readable reference. The Markdown/JSON/SVG files in the same pack exist specifically so an implementation agent can execute without guessing from a PDF.

RELEASE STATUS

What remains for formal approval

Legal

Confirm registered company name presentation and perform trademark/similarity screening of the final marks.

Operational

Replace illustrative addresses/ contact placeholders where management supplies official details; validate document numbering policy.

Production

Approve logo family, sub-brand accents and typography before printing signage or registering marks.

FUTURE READY

v2 is ready to function as an implementation specification while those governance items are pending.