

Hero Badge

Date	Changes
2024-07-30	Added link to dashboard resource summary page
2024-07-03	- Rename to Hero Badges - Move user id to badge local-id string. - Add NF data - Add metadata - Add additional metadata fields - Add explanation for some NF data fields - Add owner - Make all metadata fields updatable
2024-07-04	Add roles
2024-07-14	- Add metadata and non-fungible data roles - Update burner, withdrawer and recaller roles

Why do we need it?

A user needs a user badge to do quests (excluding the getting started quests) on RadQuest. To prevent an on-ledger association between the user's persona and account we use an intermediate user badge. The hero badge local ID allows us to internally map the identity address to the user ID without compromising persona anonymity. We can also use it to track some progress through quests in a way that can be used by other dapps to know if a user has learnt to complete specific tasks.

User story

- As a user, I want to get a user badge, so that I can start questing
- As a user, I want to see how many quests I've completed
- As a dapp developer, I want to see if users know how to complete specific tasks on Radix

Type

String Non-Fungible

Local ID

Each badges local-id-string is a user-id used by the RadQuest system.

Owner

Super Admin Badge holder

Roles

Role	Rule	Updater Rule
minter	Admin Badge holder	OWNER
burner	OWNER	OWNER
withdrawer	OWNER	OWNER
recaller	OWNER	OWNER
non_fungible_data_updater	Admin Badge holder	OWNER
other roles...	default (- freezer: deny_all - depositor: allow_all)	default (all deny_all)

Metadata Roles:

Role	Rule	Updater Rule
metadata_setter	OWNER	OWNER
metadata_locker	OWNER	OWNER

Metadata

Field	Value	Is Updatable
name	"RadQuest Hero Badges"	updatable
description	"A unique Hero Badge NFT is given to every RadQuest quester. It is presented whenever interacting with RadQuest, like claiming rewards or crafting RadMorphs."	updatable
tags	vec!["radquest", "badge"]	updatable
icon_url	Awaiting asset	updatable
dapp_definitions	RadQuest dapp definition address	updatable

NF Data

```

1 struct HeroBadgeData {
2     name: String,
3     description: String,
4     #[mutable]
5     key_image_url: Url,
6     #[mutable]
7     quests_completed: Vec<String>,
8     #[mutable]
9     quest_counter: u32,
10 }

```

Field	Value
name	Your Hero Badge
description	Your progress through your RadQuest journey is tracked right on your Hero Badge. Take a look at the "quests_completed" to see what you've accomplished!
key_image_url	Awaiting asset (same for all NFs)
quests_completed	the quest ID strings for all the quests a user has completed. e.g. <code>['WelcomeToRadQuest', 'WhatIsRadix', 'GetRadixWallet', 'LoginWithWallet', 'FirstTransactionQuest', 'TransferTokens', 'StakingQuest', 'SwapQuest', 'InstapassQuest', 'MayaQuest', 'ReferralQuest']</code>
quests_counter	the number of quests the user has completed. For the the example above that would be <code>11</code>

Dashboard Resource Summary Page:

 [The Radix Dashboard | Explorer, staking & more for Radix](#)