1. The probability of a leap year selected at random contain 53 Sunday is:					
(a) 53/ 366 (b) 1/7 (c) 2/7 (d) 53/365					
2. A bag contains 3 red and 2 blue marbles. A marble is drawn at					
random. The probability of drawing a black ball is :					
(a) 3/5 (b) 2/5 (c) 0/5 (d) 1/5					
3. The probability that it will rain tomorrow is 0.85. What is the					
probability that it will not rain tomorrow					
(a) 0.25 (b) 0.145 (c) 3/20 (d) none of these					
4. What is the probability that a number selected from the numbers					
(1, 2, 3,,15) is a multiple of 4?					
(a) 1/5 (b) 4/5 (c) 2/15 (d) 1/3					
5. What are the total outcomes when we throw three coins?					
(a) 4 (b) 5 (c) 8 (d) 7					
6. The probability that a prime number selected at random from the					
numbers (1,2,3,35) is :					
(a) 12/35 (b) 11/35 (c) 13/35 (d) none of these					
7. The sum of the probability of an event and non event is:					
(a) 2 (b) 1 (c) 0 (d) none of these.					
8. The following probabilities are given; choose the correct answer					
for that which is not possible.					
(a) 0.15 (b) 2/7 (c) 7/5 (d) none of these.					
9. If three coins are tossed simultaneously, than the probability of					
getting at least two heads, is:					
(a) 1/4 (b) 3/8 (c) ½ (d) 1/8					
10. A letter is chosen at random from the letters of the word					
<b>♦</b> ASSASSINATION <b>♦</b> . The probability that the letter chosen has:					
(a) 6/13 (b) 7/13 (c) 1 (d) none of these.					
11. A dice is thrown. Find the probability of getting an even number.					
(A) 2/3 (B) 1 (C) 5/6 (D) 1/2					
12. Two coins are thrown at the same time. Find the probability of getting both heads.					
(A) 3/4 (B) 1/4 (C) 1/2 (D) 0					
13. Two dice are thrown simultaneously. The probability of getting a					

1

sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1/9	(D) 4/9					
14. 100 cards are numbered from 1 to 100. Find the probability of getting a prime number.								
• • •		(C <mark>) 1/4</mark>	(D) 2	9/100				
15. A bag contains 5 red balls and some blue balls .If the probability of drawing a blue ball is double that of a red ball, then the number of blue balls in a bag is:								
(A) 5	(B <mark>) 10</mark>	(C) 15	(D) 20					
taken out a non-defect	16. A box of 600 bulbs contains 12 defective bulbs. One bulb is taken out at random from this box. Then the probability that it is non-defective bulb is:							
(A) 143/15	0 ( <mark>B) 147</mark>	<mark>7/150</mark> (C)	1/25	(D) 1/50				
mixed thor	oughly. One ca ility that the nu	imbers 2 to 101 ard is drawn fro imber on card i (C) 3/10	m this box rai s a perfect sq	ndomly, then				
<b>18. What is</b> (A) 1/7	s the probabilit (B) 53/366	ty of getting 53 (C <mark>) 2/7</mark>	Mondays in a (D) 7/3					
19. A card is drawn from a well shuffled deck of 52 cards. Find the probability of getting a king of red suit. (A) $1/26$ (B) $3/26$ (C) $7/52$ (D) $1/13$								
20. A game of chance consists of spinning an arrow which is equally likely to come to rest pointing to one of the number 1,2,312 ,then the probability that it will point to an odd number is: $1/2$ (A) $1/6$ (B) $1/12$ (C) $7/12$ (D) $5/12$								
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same result i.e. three heads or three tails and loses otherwise. Then the probability that Aryan will lose the game.  (A) $\frac{3}{4}$ (B) $\frac{1}{2}$ (C) 1 (D) $\frac{1}{4}$								

22. Riya and Kajal are friends. Probability that both will have the same birthday is the same birthday is:							
(A) 364/365	(B) 31/365	(C <mark>) 1/365</mark>	(D) 1/133225				
2. Then the p	er <i>x</i> is chosen at ra probability that x² < 3) 2/5 (C) 3/5	2 is?	umbers -2, -1, 0 , 1,				
24. A jar contains 24 marbles. Some are red and others are white. If a marble is drawn at random from the jar, the probability that it is red is 2/3, then the number of white marbles in the jar is:  (A) $10$ (B) $6$ (C) $8$ (D) $7$							
Then the pro	25. A number is selected at random from first 50 natural numbers. Then the probability that it is a multiple of 3 and 4 is: (A) $7/50$ (B) $4/25$ (C) $1/25$ (D) $2/25$						
with n dots s	26. Consider a dice with the property that that probability of a face with n dots showing up is proportional to n. The probability of face showing 4 dots is?						
a) $\frac{1}{7}$	b) $\frac{5}{42}$	c) $\frac{1}{21}$	d) 4/21				
	ored by batsman in The standard devia	-	nes are 50, 70, 82,				
	b) 25.49		d) 25.69				
28. Find median and mode of the messages received on 9 consecutive days 15, 11, 9, 5, 18, 4, 18, 13, 17.							
a) 13, 15	b) <mark>13, 18</mark>	c) 18, 15	d) 13, 16				
29. A coin is tossed up 4 times. The probability that tails turn up in 3 cases is							
$\frac{a)^{1}}{2}$ 30. X is a var	b) $^1\!/_3$ riate between 0 and						
31. The random variables X and Y have variances 0.2 and 0.5							

respectively. Let Z= 5X-2Y. The variance of Z is?

32.Out of t probability?	he following valu	ies, which	one is not	possib	le in	
a) $P(x) = 1$ c) $P(x) = 0.5$	b) ∑ x P( 5 d <mark>) P(x)</mark> :	x) = 3 = - 0.5				
• •	<b>2 and E(z) = 4, t</b> b) 6	•	k) =?	d) Insu	fficient data	
34.The cov	ariance of two in	dependent	t random v	/ariable	is	
a) 1	b) 0	c) - 1		d) Und	efined	
	<b>) = k<sup>2</sup> – 8 then, th</b> b) 1		k is?	d) Insu	ıfficient data	ì
• •	<b>0.5 and x = 4, th</b> b) 0.5	, ,		d <mark>) 2</mark>		
37.In a discrete probability distribution, the sum of all probabilities is always?						
a) 0	b) Infinite	c) 1	(	d) Unde	fined	
38.If the proversion variance.	robability of hittir	ng the targ	et is 0.4, 1	find me	an and	
	b) 0.6, 0.2	24	c) 0.4, 0	.16	d) 0.6, 0.16	)
-	robability that a b % and if 10 boml b) 6, 2.4		ped, find	mean a		
a) 2	e mean of tossing b <mark>) 4</mark> c) s the mean and v	8	d) 1 standard	norma	l distributior	า?

c) 5

d) 7

a) 3

b) 4

a) Mean is 0 and variance is 1 b) Mean is 1 and variance is 0 c) Mean is 0 and variance is $\infty$ d) Mean is $\infty$ and variance is 0									
		of a rand b) E(X			•		. d) (E(X))2		
	<b>43.Mean of a random variable X is given by a)</b> E(X)								
44.N a) 0	44.Mean of a constant 'a' is a) 0 b) a c) a/2 d) 1								
		of a cons		c) a/2		d) 1			
46.Find the mean and variance of X?									
	Х	0	1	2	3	4			
	f(x)	1/9	2/9	3/9	2/9	1/9			
a) 2,	4/3	b) 3	, 4/3	(	e) 2, 2/3		d) 3, 2/3		

47. Find the expectation of a random variable X?

	Х	0	1	2	3	
	f(x)	1/6	2/6	2/6	1/6	
a) (	).5		b) 1.5		c) 2.5	d) 3.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

\_\_\_\_\_

b) npq

c) np2q

d) npq2

49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.** 

- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx

50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard **Deviation?** 

- a)  $\sqrt{np}$  b)  $\sqrt{pq}$  c) (np)2 d)  $\sqrt{npq}$