

The transaction and recoverability layer.

Holt turns risky local repository actions into inspectable decisions with explicit recovery routes.

A16Z
SPEEDRUN

Parallel agents broke the one-branch mental model.

In my own development repository, agent speed became useless when I could no longer prove what local work was unique, recoverable, or safe to move.

01

54 WORKTREES

A founder-repository snapshot—not customer traction—made manual coordination impossible.

02

MIXED LOCAL STATE

Unique, overlapping, ignored, stashed, and interrupted work looked deceptively similar.

03

THE INSIGHT

The missing infrastructure is not another agent. It is independent repository truth.

Software creation is becoming parallel.

Repository coordination is still serial.

MORE AGENTS

Claude Code, Codex, Copilot, and internal agents now work side by side.

MORE AUTONOMY

Agents increasingly branch, patch, apply, merge, and clean without continuous supervision.

NEW CONTROL PLANE

Teams need one independent layer for supported local repository state across agents.

Holt is provider-neutral repository transaction infrastructure.

It observes supported local state, separates exact authority from advice, and gates declared action paths.

EACH AGENT ALONE

Partial repository view
Private confidence
Different cleanup logic

ONE SHARED TRUTH

Cross-workstream evidence
Recoverable decisions
Agent-neutral policy
One safe next action

Scale agents without surrendering control.

From repository chaos to one safe next action.

Today, Holt turns live Git and worktree state into an inspectable decision—locally, without uploading source.

1

OBSERVE

Map worktrees, branches, stashes, uncommitted bytes, receipts, and risk.

2

CONNECT

Build one evidence graph across tasks, agents, hosts, and repository state.

3

DECIDE

Return the safest next action before risky Git or worktree operations.

4

PRESERVE

Quarantine first; keep journals and rescue references for rollback.

A working local product. Distribution has not begun.

Holt is source-available today; integration and operating-system coverage are explicitly graded.

SHIPPED TODAY

- Local-first CLI
- Repository evidence graph
- Risk gates + strict-read-only mode
- Recoverable quarantine + journal
- Hash-chained local evidence

GRADED INTEGRATIONS

- MCP server
- GitHub Action
- Contract-tested host adapters
- Declared Linux, macOS + Windows paths
- Install, release, and supply-chain checks

First wedge: teams already running multiple coding agents.

Holt enters where parallel execution is already valuable—and repository coordination has become the bottleneck.

USER	Engineer running several coding agents	Needs a trustworthy answer before agents move, merge, clean, or delete work.
CHAMPION	AI platform / developer productivity lead	Wants to scale agent throughput across teams without multiplying operational risk.
BUYER	VP Engineering / platform owner	Owns productivity, incident risk, governance, and the path to an enterprise standard.

A permissioned incident corpus can compound.

Each permissioned incident can become a regression case; no cross-customer telemetry flywheel is claimed.

REPOSITORY EVIDENCE GRAPH

A shared model of work, risk, effects, and recovery across observed local workstreams.

RECOVERY CORPUS

Permissioned reproductions become durable tests for hold, quarantine, restore, and reconciliation.

CROSS-SYSTEM INTEROPERABILITY

A target for separately observed semantics across operating systems, CI, IDEs, and agent hosts.

AGENT-NEUTRAL STANDARD

Provider neutrality widens Holt's relevance without pretending every host is already integrated.

Source-available core earns trust. Team pricing is unvalidated.

Hypothesis: shared policy, signed aggregation, support, and fleet governance create paid expansion.

ADOPTION

CORE

Local evidence
Recoverable cleanup
Provider-neutral gates

HYPOTHESIS

TEAM

Shared policies
Approvals + incidents
Team integrations

HYPOTHESIS

ENTERPRISE

Fleet governance
Identity + audit
Deployment policy

Prove one incident. Earn one repeated workflow.

A founder-led validation motion on approved repositories, with explicit controls and a paid acceptance test.

01

DISCOVER

Find teams where multiple agents already create coordination and recovery pain.

02

PROVE

Run Holt on an approved repository and show a safer, clearer next action.

03

EMBED

Earn repeat use on one consequential cleanup or landing seam.

04

STANDARDIZE

Expand from one workflow into shared policy, CI, agent hosts, and fleet governance.

10 QUALIFIED CONVERSATIONS • 3 INSTALLS • 1 REPEAT WORKFLOW • 1 PAID EVALUATION

Test the company case in 12 weeks.

The goal is outside repeat use on one consequential cleanup or landing seam—not internal feature count.

WEEKS 1–4

DESIGN PARTNERS

10 qualified conversations; 3 approved installations on multi-agent repositories.

WEEKS 5–8

REPEAT USE

5 witnessed incidents; 3 changed actions; 1 team repeats the workflow weekly.

WEEKS 9–12

PAID PULL

1 paid evaluation with a written acceptance test; 1 permissioned reference.

SUCCESS: AN OUTSIDE TEAM REPEATS AND PAYS FOR ONE CONSEQUENTIAL SEAM.

RAED

Solo technical founder

While building ARC, I hit this failure at scale and shipped Holt as the infrastructure I needed.

WHY I CAN BUILD THIS

1. Built Holt end to end: evidence model, CLI, MCP, Action, adapters, docs, and release system
2. Building ARC: an ambitious local AI engineering system whose scale exposed the repository coordination gap
3. Built adversarial proof and mutation gates around recoverability boundaries
4. Audited 55 post-release commits and converted gaps into reproducible evidence
5. Recruiting next: a systems engineer and a design-partner / GTM operator

**As coding agents multiply,
teams need a shared source of
repository truth.**

Holt's bet: become the local transaction and recoverability layer beneath parallel software work.