Documentação Api

Documentação de API e SDK

Versão: 1.0

Documentação Api

BasicErrorController

errorHtmlUsingDELETE

errorHtml

DELETE

/error

Amostras de uso e SDK

Ondulação Java Android Obj-C JavaScript C# PHP Perl Pitão

curl -X DELETE\
-H "Accept: text/html"\
"http://localhost:8080/error"

Parâmetros

Respostas

Status: 200 - OK

Esquema

```
▼ ModelAndView { []
```

```
vazio: boleano
modelo: ▼ { []
}
modelMap: ▼ { []
}
referência: boleano
status: fragmento
```

Ajustes: Accepted, Already_Reported, BAD_GATEWAY, BAD_REQUEST, BANDWIDTH_LIMIT_EXCEEDED, CHECKPOINT, CONFLICT, CONTINUE, CREATED, DESTINATION_LOCKED, EXPECTATION_FAILED, FAILED_DEPENDENCY, FORBIDDEN, FOUND, GATEWAY_TIMEOUT, GONE, HTTP_VERSION_NOT_SUPPORTED, IM_USED, INSUFFICIENT_SPACE_ON_RESOURCE, INSUFFICIENT_STORAGE, INTERNAL_SERVER_ERROR, I_AM_A_TEAPOT, LENGTH_REQUIRED, LOCKED, LOOP_DETECTED, METHOD_FAILURE, METHOD_NOT_ALLOWED, MOVED_PERMANENTLY, MOVED_TEMPORARILY, MULTIPLE_CHOICES, MULTI_STATUS, NETWORK_AUTHENTICATION_REQUIRED, NON_AUTHORITATIVE_INFORMATION, NOT_ACCEPTABLE, NOT_EXTENDED, NOT_FOUND, NOT_IMPLEMENTED, NOT_MODIFIED, NO_CONTENT, OK, PARTIAL_CONTENT, PAYLOAD_TOO_LARGE, PAYMENT_REQUIRED, PERMANENT_REDIRECT, PRECONDITION_FAILED, PRECONDITION_REQUIRED, PROCESSING, PROXY_AUTHENTICATION_REQUIRED, REQUESTED_RANGE_NOT_SATISFIABLE, REQUEST_ENTITY_TOO_LARGE, REQUEST_HEADER_FIELDS_TOO_LARGE, REQUEST_TIMEOUT, REQUEST_URI_TOO_LONG, RESET_CONTENT, SEE_OTHER, SERVICE_UNAVAILABLE, SWITCHING_PROTOCOLS, TEMPORARY_REDIRECT, TOO_EARLY, TOO_MANY_REQUESTS, UNAUTHORIZED, UNAVAILABLE_FOR_LEGAL_REASONS, UNPROCESSABLE_ENTITY, UNSUPPORTED_MEDIA_TYPE, UPGRADE_REQUIRED, URI_TOO_LONG, USE_PROXY, VARIANT_ALSO_NEGOTIATES

visualizar: ▼ Ver { []

tipo de conteúdo: fragmento

}

```
viewName: fragmento
}
```

Status: 204 - Sem conteúdo

Status: 401 - Não autorizado

Status: 403 - Proibido

errorHtmlUsingGET

errorHtml

GET

/error

Amostras de uso e SDK

Ondulação Java Android Obj-C JavaScript C# PHP Perl Pitão

curl -X GET\
-H "Accept: text/html"\
"http://localhost:8080/error"

Parâmetros

Respostas

Status: 200 - OK

Esquema

```
▼ ModelAndView { []
              boleano
   vazio:
   modelo:
               ▼ { []
              }
   modelMap: ▼ { []
   referência: boleano
   status:
              fragmento
                               ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                  CONFLICT , CONTINUE , CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND ,
                  GATEWAY_TIMEOUT, GONE, HTTP_VERSION_NOT_SUPPORTED, IM_USED, INSUFFICIENT_SPACE_ON_RESOURCE,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY , MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS ,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT ,
                  TOO_EARLY , TOO_MANY_REQUESTS , UNAUTHORIZED , UNAVAILABLE_FOR_LEGAL_REASONS , UNPROCESSABLE_ENTITY ,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
   visualizar: ▼ Ver { []
                  tipo de conteúdo: fragmento
              }
   viewName: fragmento
}
```

Status: 401 - Não autorizado

Status: 403 - Proibido

Status: 404 - Não encontrado

errorHtmlUsingHEAD

errorHtml

HEAD

/error

Amostras de uso e SDK

Ondulação Java Android Obj-C JavaScript C# PHP Perl Pitão

```
curl -X HEAD\
-H "Accept: text/html"\
"http://localhost:8080/error"
```

Parâmetros

Respostas

Status: 200 - OK

Esquema

```
▼ ModelAndView { []
   vazio:
               boleano
   modelo:
               ▼ { []
   modelMap: ▼ { []
              }
   referência: boleano
   status:
              fragmento
                              ACCEPTED, ALREADY_REPORTED, BAD_GATEWAY, BAD_REQUEST, BANDWIDTH_LIMIT_EXCEEDED, CHECKPOINT,
                 Ajustes:
                  CONFLICT , CONTINUE , CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND ,
                  GATEWAY_TIMEOUT, GONE, HTTP_VERSION_NOT_SUPPORTED, IM_USED, INSUFFICIENT_SPACE_ON_RESOURCE,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE, METHOD_NOT_ALLOWED, MOVED_PERMANENTLY, MOVED_TEMPORARILY, MULTIPLE_CHOICES, MULTI_STATUS,
                  NETWORK AUTHENTICATION REQUIRED , NON AUTHORITATIVE INFORMATION , NOT ACCEPTABLE , NOT EXTENDED , NOT FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT ,
                  TOO_EARLY, TOO_MANY_REQUESTS, UNAUTHORIZED, UNAVAILABLE_FOR_LEGAL_REASONS, UNPROCESSABLE_ENTITY,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
   visualizar: ▼ Ver { []
                 tipo de conteúdo: fragmento
   viewName: fragmento
}
```

Status: 401 - Não autorizado

Status: 403 - Proibido

errorHtmlUsingOPTIONS

errorHtml

OPTIONS

/error

Amostras de uso e SDK

Ondulação Java Android Obj-C JavaScript C# PHP Perl Pitão

```
curl -X OPTIONS\
-H "Accept: text/html"\
"http://localhost:8080/error"
```

Parâmetros

Respostas

Status: 200 - OK

Esquema

```
▼ ModelAndView { []
              boleano
   vazio:
   modelo:
               ▼ { []
              }
   modelMap: ▼ { []
   referência: boleano
              fragmento
   status:
                             ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                 Enum:
                  CONFLICT, CONTINUE, CREATED, DESTINATION_LOCKED, EXPECTATION_FAILED, FAILED_DEPENDENCY, FORBIDDEN, FOUND,
                  GATEWAY_TIMEOUT , GONE , HTTP_VERSION_NOT_SUPPORTED , IM_USED , INSUFFICIENT_SPACE_ON_RESOURCE ,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE, METHOD_NOT_ALLOWED, MOVED_PERMANENTLY, MOVED_TEMPORARILY, MULTIPLE_CHOICES, MULTI_STATUS,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT ,
                  TOO EARLY, TOO MANY REQUESTS, UNAUTHORIZED, UNAVAILABLE FOR LEGAL REASONS, UNPROCESSABLE ENTITY,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
   view:
               ▼ View { []
                  contentType: string
              }
   viewName: string
}
```

Status: 204 - No Content

Status: 401 - Unauthorized

errorHtmlUsingPATCH

errorHtml

PATCH

/error

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X PATCH\
-H "Accept: text/html"\
"http://localhost:8080/error"
```

Parameters

Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
              boolean
   empty:
   model:
               ▼ { []
              }
   modelMap: ▼ { []
   reference: boolean
   status:
              strina
                             ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                 Enum:
                  CONFLICT , CONTINUE , CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND ,
                  GATEWAY_TIMEOUT, GONE, HTTP_VERSION_NOT_SUPPORTED, IM_USED, INSUFFICIENT_SPACE_ON_RESOURCE,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY , MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS ,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT ,
                  TOO EARLY, TOO MANY REQUESTS, UNAUTHORIZED, UNAVAILABLE FOR LEGAL REASONS, UNPROCESSABLE ENTITY,
                  UNSUPPORTED_MEDIA_TYPE, UPGRADE_REQUIRED, URI_TOO_LONG, USE_PROXY, VARIANT_ALSO_NEGOTIATES
               ▼ View { []
   view:
                  contentType: string
              }
   viewName: string
}
```

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

errorHtmlUsingPOST

errorHtml

POST

/error

Usage and SDK Samples

```
Curl Java Android Obj-C JavaScript C# PHP Perl Python
```

```
curl -X POST\
-H "Accept: text/html"\
"http://localhost:8080/error"
```

Parameters

Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
   empty:
              boolean
   model:
               ▼ { []
              }
   modelMap: ▼ { []
   reference: boolean
   status:
              string
                             ACCEPTED , ALREADY REPORTED , BAD GATEWAY , BAD REQUEST , BANDWIDTH LIMIT EXCEEDED , CHECKPOINT ,
                  CONFLICT , CONTINUE , CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND ,
                  GATEWAY_TIMEOUT , GONE , HTTP_VERSION_NOT_SUPPORTED , IM_USED , INSUFFICIENT_SPACE_ON_RESOURCE ,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY , MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS ,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG, RESET_CONTENT, SEE_OTHER, SERVICE_UNAVAILABLE, SWITCHING_PROTOCOLS, TEMPORARY_REDIRECT,
                  TOO_EARLY, TOO_MANY_REQUESTS, UNAUTHORIZED, UNAVAILABLE_FOR_LEGAL_REASONS, UNPROCESSABLE_ENTITY,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
   view:
               ▼ View { []
                 contentType: string
              }
   viewName: string
}
```

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

errorHtmlUsingPUT

errorHtml

PUT

/error

Usage and SDK Samples

```
Curl Java Android Obj-C JavaScript C# PHP Perl Python
```

```
curl -X PUT\
-H "Accept: text/html"\
"http://localhost:8080/error"
```

Parameters

Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
               boolean
   empty:
   model:
               ▼ { ∏
   modelMap: ▼ { []
              }
   reference: boolean
   status:
               string
                             ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                  CONFLICT, CONTINUE, CREATED, DESTINATION_LOCKED, EXPECTATION_FAILED, FAILED_DEPENDENCY, FORBIDDEN, FOUND,
                  GATEWAY_TIMEOUT , GONE , HTTP_VERSION_NOT_SUPPORTED , IM_USED , INSUFFICIENT_SPACE_ON_RESOURCE ,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY , MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS ,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG, RESET_CONTENT, SEE_OTHER, SERVICE_UNAVAILABLE, SWITCHING_PROTOCOLS, TEMPORARY_REDIRECT,
                  TOO_EARLY, TOO_MANY_REQUESTS, UNAUTHORIZED, UNAVAILABLE_FOR_LEGAL_REASONS, UNPROCESSABLE_ENTITY,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
               ▼ View { []
   view:
                  contentType: string
   viewName: string
}
```

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

BlogPessoalApplication

swaggerUiUsingGET

swaggerUi

GET

1

Usage and SDK Samples

```
Curl Java Android Obj-C JavaScript C# PHP Perl Python
```

```
curl -X GET\
-H "Accept: */*"\
"http://localhost:8080/"
```

Parameters

Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
              boolean
   empty:
   model:
               ▼ { []
              }
   modelMap: ▼ { []
   reference: boolean
   status:
              string
                            ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                  CONFLICT, CONTINUE, CREATED, DESTINATION_LOCKED, EXPECTATION_FAILED, FAILED_DEPENDENCY, FORBIDDEN, FOUND,
                  GATEWAY_TIMEOUT, GONE, HTTP_VERSION_NOT_SUPPORTED, IM_USED, INSUFFICIENT_SPACE_ON_RESOURCE,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE, METHOD_NOT_ALLOWED, MOVED_PERMANENTLY, MOVED_TEMPORARILY, MULTIPLE_CHOICES, MULTI_STATUS,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED, NOT_MODIFIED, NO_CONTENT, OK, PARTIAL_CONTENT, PAYLOAD_TOO_LARGE, PAYMENT_REQUIRED,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT ,
                  TOO_EARLY, TOO_MANY_REQUESTS, UNAUTHORIZED, UNAVAILABLE_FOR_LEGAL_REASONS, UNPROCESSABLE_ENTITY,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
               ▼ View { []
   view:
                 contentType: string
              }
   viewName: string
}
```

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

PostagemController

deleteUsingDELETE

delete

DELETE

/postagens/{id}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X DELETE\

"http://localhost:8080/postagens/{id}"

Parameters

Path parameters

Name	Description	
id*	Long (int64) id	
	Required	

Responses

Status: 200 - OK

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

getAllUsingGET

GetAll

GET

/postagens

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\

-H "Accept: */*"\

"http://localhost:8080/postagens"

Responses Status: 200 - OK Schema Status: 401 - Unauthorized Status: 403 - Forbidden Status: 404 - Not Found getByIdUsingGET GetById **GET** /postagens/{id} **Usage and SDK Samples** Curl Java Android Obj-C JavaScript C# PHP Perl Python curl -X GET\ -H "Accept: */*"\ "http://localhost:8080/postagens/{id}" **Parameters** Path parameters Name Description id* Long (int64) id Required Responses Status: 200 - OK Schema Status: 401 - Unauthorized Status: 403 - Forbidden Status: 404 - Not Found

Parameters

GET

/postagens/titulo/{titulo}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\

-H "Accept: */*"\

"http://localhost:8080/postagens/titulo/{titulo}"

Parameters

Path parameters

Name	Description
titulo*	String titulo
	Required

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

postUsingPOST

post

POST

/postagens

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X POST\


-H "Accept: */*"\

-H "Content-Type: application/json"\
"http://localhost:8080/postagens"

Parameters

Body parameters

Name	Description			
------	-------------	--	--	--



Responses

Status: 200 - OK

Schema

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

putUsingPUT

put

PUT

/postagens

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X PUT\
-H "Accept: */*"\
-H "Content-Type: application/json"\
"http://localhost:8080/postagens"

Parameters

Body parameters

Name	Description					
body	▼ Postagem { [] Required: texto,titulo curtidas: integer (int32) data: string (date-time) id: integer (int64) tema: ▼ Tema { [] Required: descricao descricao: string id: integer postagem: ▶ [] []					
	texto: string minLength:10 maxLength:500 titulo: string minLength:5 maxLength:100					
	}					

Responses

Status: 200 - OK

Schema

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

TemaController

deleteUsingDELETE1

delete

DELETE

/tema/{id}

Usage and SDK Samples

Curl

Android Java

Obj-C JavaScript C#

PHP

Perl

Python

curl -X DELETE\

"http://localhost:8080/tema/{id}"

Parameters

Path parameters

Name	Description
id*	Long (int64) id
	Required

Responses

Status: 200 - OK


Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

getAllUsingGET

getAll



r attr paramotor	sur paramotoro						
Name	Description						
id*	Long (int64) id						
	Required						

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden
Status: 404 - Not Found

getByNameUsingGET

getByName

GET

/tema/descricao/{descricao}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\

-H "Accept: */*"\

"http://localhost:8080/tema/descricao/{descricao}"

Parameters

Path parameters

Name	Description
descricao*	String descricao Required

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

postUsingPOST1

post

POST

/tema

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X POST\ -H "Accept: */*"\

-H "Content-Type: application/json"\

"http://localhost:8080/tema"

Parameters

Body parameters

Name	Description
body	

Responses

Status: 200 - OK

Schema

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

putUsingPUT1

put

PUT

/tema

Curl

Usage and SDK Samples

Java

curl -X PUT\

-H "Accept: */*"\

-H "Content-Type: application/json"\

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

"http://localhost:8080/tema"

Parameters

Body parameters

seay parameters									
Name	Description								
body									

Responses

Status: 200 - OK

Schema

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

UsuarioController

authentication Using POST

Authentication

POST

/usuarios/logar

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X POST\
-H "Accept: */*"\
-H "Content-Type: application/json"\
"http://localhost:8080/usuarios/logar"
```

Parameters

Body parameters

Name	Description
body	▼ UsarioLogin { []
	login: string
	nome: string
	senha: string
	token: string
	}

Responses

Status: 200 - OK

Schema

```
▼ UsarioLogin { []
login: string
nome: string
senha: string
token: string
}
```

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status:	404 - No	ot Foun	d								
nact	Heina	DV6.	_								
post	Using	FU3	•								
Post											
POST											
/usuari	os/cadastr	ar									
Usage	and SDK	(Sampl	es								
Curl	Java	Andro	oid	Obj-C	JavaScript	C#	PHP	Perl	Python		
-H "Co	cept: */*"\ ntent-Type localhost:8										
	arameters	s									
Name			Desc	cription							
body											
Respo	nses										
Status:	200 - OI	<									
Scher	ma										
Status:	201 - Cr	eated									
Status:	401 - Ur	nauthor	ized								
Status:	403 - Fo	rbiddeı	1								

Status: 404 - Not Found

Suggestions, contact, support and error reporting;

Information URL: https://helloreverb.com (https://helloreverb.com) Contact Info: hello@helloreverb.com (hello@helloreverb.com)

Apache 2.0

http://www.apache.org/licenses/LICENSE-2.0