

HACK THE BOX SHERLOCK - DFIR CAMPFIRE-2

```
(rafael@raf)-[~/HTB_SHERLOCKS/Campfire2]
$ 7z x campfire-2.zip

7-Zip 25.01 (x64) : Copyright (c) 1999-2025 Igor Pavlov : 2025-08-03
64-bit locale=en_SG.UTF-8 Threads:4 OPEN_MAX:1024, ASM

Scanning the drive for archives:
1 file, 25037 bytes (25 KiB)

Extracting archive: campfire-2.zip
--
Path = campfire-2.zip
Type = zip
Physical Size = 25037

Enter password (will not be echoed):
Everything is Ok

Size:          1118208
Compressed:    25037

(rafaels@raf)-[~/HTB_SHERLOCKS/Campfire2]
$ ls
campfire-2.zip  Security.evtx
```

Upon unzipping the zipped file downloaded, inside there is only one Windows Event Log (.evtx) file.


```
(rafael@raf)-[~/HTB_SHERLOCKS/Campfire2]
$ chainsaw dump Security.evtx --json > security.json

CHAINSAW
By WithSecure Countercept (@FranticTyping, @AlexKornitzer)

[+] Dumping the contents of forensic artefacts from: Security.evtx (extensions: *)
[+] Loaded 1 forensic artefacts (1.1 MiB)
[+] Done
```

For better readability of the file, I converted the evtx into a proper formatted JSON file using Chainsaw dump.

1. When did the ASREP Roasting attack occur, and when did the attacker request the Kerberos ticket for the vulnerable user?



I had to find first what EventID it would be so I tried 4769 but found no results, and then I tried 4768.



This is the command I used using jq to filter for Event ID 4768.

```
"Event": {
  "System": {
    "Provider_attributes": {
      "Name": "Microsoft-Windows-Security-Auditing",
      "Guid": "54849625-5478-4994-A5BA-3E3B0328C30D"
    },
    "EventID": 4768,
    "Version": 0,
    "Level": 0,
    "Task": 14339,
    "Opcode": 0,
    "Keywords": "0x8020000000000000",
    "TimeCreated_attributes": {
      "SystemTime": "2024-05-29T06:36:40.246362Z"
    },
    "EventRecordID": 6241,
    "Correlation": null,
    "Execution_attributes": {
      "ProcessID": 752,
      "ThreadID": 3188
    },
    "Channel": "Security",
    "Computer": "DC01.forela.local",
    "Security": null
  },
  "EventData": {
    "TargetUserName": "arthur.kyle",
    "TargetDomainName": "forela.local",
    "TargetSid": "S-1-5-21-3239415629-1862073780-2394361899-1601",
```

And then I found this one, where we can see the target user name "arthur.kyle", is the vulnerable user whose ticket got requested so I got the system time and the answer is **2024-05-29 06:36:40**

2. Please confirm the User Account that was targeted by the attacker.

```
},
"Event": {
  "System": {
    "Provider_attributes": {
      "Name": "Microsoft-Windows-Security-Auditing",
      "Guid": "54849625-5478-4994-A5BA-3E3B0328C30D"
    },
    "EventID": 4768,
    "Version": 0,
    "Level": 0,
    "Task": 14339,
    "Opcode": 0,
    "Keywords": "0x8020000000000000",
    "TimeCreated_attributes": {
      "SystemTime": "2024-05-29T06:36:40.246362Z"
    },
    "EventRecordID": 6241,
    "Correlation": null,
    "Execution_attributes": {
      "ProcessID": 752,
      "ThreadID": 3188
    },
    "Channel": "Security",
    "Computer": "DC01.forela.local",
    "Security": null
  },
  "EventData": {
    "TargetUserName": "arthur.kyle",
    "TargetDomainName": "forela.local",
    "TargetSid": "S-1-5-21-3239415629-1862073780-2394361899-1601",
```

The answer for this question number 2 can be seen from the screenshot from question 1 and has been mentioned which is **arthur.kyle**.

3. What was the SID of the account?

```
"EventID": 4768,  
"Version": 0,  
"Level": 0,  
"Task": 14339,  
"Opcode": 0,  
"Keywords": "0x8020000000000000",  
"TimeCreated_attributes": {  
  "SystemTime": "2024-05-29T06:36:40.246362Z"  
},  
"EventRecordID": 6241,  
"Correlation": null,  
"Execution_attributes": {  
  "ProcessID": 752,  
  "ThreadID": 3188  
},  
"Channel": "Security",  
"Computer": "DC01.forela.local",  
"Security": null  
},  
"EventData": {  
  "TargetUserName": "arthur.kyle",  
  "TargetDomainName": "forela.local",  
  "TargetSid": "S-1-5-21-3239415629-1862073780-2394361899-1601",  
  "ServiceName": "krbtgt",  
  "ServiceSid": "S-1-5-21-3239415629-1862073780-2394361899-502",  
  "TicketOptions": "0x40800010",  
  "Status": "0x0",  
  "TicketEncryptionType": "0x17",  
  "PreAuthType": "0",  
}
```

Here still under the same event as the previous 2 questions, I got the TargetSid of arthur.kyle and that is

S-1-5-21-3239415629-1862073780-2394361899-1601.

4. It is crucial to identify the compromised user account and the workstation responsible for this attack. Please list the internal IP address of the compromised asset to assist our threat-hunting team.

```
    },
    "Channel": "Security",
    "Computer": "DC01.forela.local",
    "Security": null
  },
  "EventData": {
    "TargetUserName": "arthur.kyle",
    "TargetDomainName": "forela.local",
    "TargetSid": "S-1-5-21-3239415629-1862073780-2394361899-1601",
    "ServiceName": "krbtgt",
    "ServiceSid": "S-1-5-21-3239415629-1862073780-2394361899-502",
    "TicketOptions": "0x40800010",
    "Status": "0x0",
    "TicketEncryptionType": "0x17",
    "PreAuthType": "0",
    "IpAddress": "::ffff:172.17.79.129",
    "IpPort": "61965",
    "CertIssuerName": "",
    "CertSerialNumber": "",
    "CertThumbprint": ""
  }
}
```

Still under the same event from the previous questions, and we see the IP of the compromised asset to be **172.17.79.129**

5. We do not have any artifacts from the source machine yet. Using the same DC Security logs, can you confirm the user account used to perform the ASREP Roasting attack so we can contain the compromised account/s?

```
(rafael@raf)-[~/HTB_SHERLOCKS/Campfire2]
$ jq '.[0] | select(.Event.EventData.IpAddress == "172.17.79.129")' security.json
{
  "Event_attributes": {
    "xmlns": "http://schemas.microsoft.com/win/2004/08/events/event"
  },
  "Event": {
    "System": {
      "Provider_attributes": {
        "Name": "Microsoft-Windows-Security-Auditing",
        "Guid": "54849625-5478-4994-A5BA-3E3B0328C30D"
      }
    }
  }
}
```

I tried to filter using the compromised asset's IP address by using the jq CLI utility.

```
"Security": null
},
"EventData": {
  "SubjectUserSid": "S-1-5-21-3239415629-1862073780-2394361899-1103",
  "SubjectUserName": "happy.grunwald",
  "SubjectDomainName": "FORELA",
  "SubjectLogonId": "0x102de0",
  "ObjectType": "File",
  "IpAddress": "172.17.79.129",
  "IpPort": "61974",
  "ShareName": "\\\\*\\IPC$",
  "ShareLocalPath": "",
  "AccessMask": "0x1",
  "AccessList": "%4416\\r\\n\\t\\t\\t\\t"
}
```

Here I see another username that is not arthur.kyle using the same IP address (172.17.79.129), but the username is **happy.grunwald**, and that is the answer to this question number 6.



You have solved Campfire-2!

Congratulations  **rafaelangelo** best of luck in capturing flags ahead!

#3818	18 Apr 2026	Retired
Sherlock Rank	Solve Date	Sherlock State

OkShare