

dbdiagram.io


Users
userID int
name varchar(20)
lastName varchar(20)
email varchar(254)
enabled boolean
Countries
countryID int
countryCommonName varchar(25)
countryOfficialName varchar(30)
isoCode char(3)
taxRate decimal(5,4)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
States
stateID int
countryID int
stateName varchar(20)
isoCode varchar(10)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
Cities
cityID int
stateID int
cityName varchar(30)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
Addresses
addressID int
cityID int
address1 varchar(30)
address2 varchar(30)
zipCode varchar(20)
geoPosition point
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
Logs
logID int
eventTypeID int
description varchar(255)
sourceID int
severityID int
postTime timestamp
userID int
checksum binary
dataObjectID1 int
dataObjectID2 int
EventTypes
eventTypeID int
logType varchar(30)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
checksum binary
Sources
sourceID int
sourceName varchar(30)
userID int
Severities
severityID int
severityLevel smallint
severityName varchar(10)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
checksum binary
DataObjects
dataObjectID int
dataObjectName varchar(63)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
checksum binary
Currencies
currencyID int
currencySymbol char(1)
currencyName varchar(10)
countryID int
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
checksum binary
ExchangeHistories
exchangeHistoryID int
startDate time
endDate time
exchangeRateID int
currencyID1 int
currencyID2 int
exchangeRate decimal(20,4)
createdBy int
updatedBy int
enabled boolean
checksum binary
ExchangeRates
exchangeRateID int
currencyID1 int
currencyID2 int
exchangeRate decimal(20,4)
createdBy int
updatedBy int
enabled boolean
checksum binary
Products
productID int
name varchar(80)
productTypeID int
categoryID int
description varchar(300)
measurementId int
createdAt timestamp
updatedAt timestamp
updatedBy int
enabled boolean
checksum binary
Providers
providerID int
name varchar(64)
contactEmail varchar(254)
contactPhone varchar(20)
addressID int
createdAt timestamp
updatedAt timestamp
updatedBy int
enabled boolean
checksum binary
Measurements
measurementId int
measurementName varchar(20)
measurementSimbol varchar(3)
quantity decimal(10,2)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
ProductsXProvider
productsXProviderId int
productId int
providerId int
currencyId int
price decimal(19,4)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
checksum binary
ProductTypes
productTypeId int
typeName varchar(50)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
Categories
categoryID int
categoryName varchar(30)
description varchar(100)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
TargetAudiences
targetAudienceID int
ageMin int
ageMax int
gender char
incomeLevel varchar(6)
Configs
configID int
colorCode1 varchar(7)
colorCode2 varchar(7)
fontFamily varchar(63)
layoutTemplate varchar(30)
ProductsXWebSite
productXWebSiteID int
productID int
webSiteID int
quantity int
currencyID int
price decimal(19,4)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
checksum binary
Clients
clientID int
name varchar(32)
email varchar(32)
phone varchar(25)
password varchar(30)
addressId int
age smallint
gender char
purchaseFrecuency smallint
createdAt timestamp
updatedAt timestamp
enabled boolean
checksum binary
WebSites
webSiteID int
webSiteName varchar(32)
URL varchar(255)
logoURL varchar(255)
focus varchar(255)
countryID int
targetAudience int
configID int
addressID int
enabled boolean
Marketing
marketingID int
websiteID int
section varchar(50)
content varchar(255)
imageURL varchar(255)
ProductsXOrder
productXOrderID int
orderID int
productID int
quantity int
currencyID int
price decimal(19,4)
logID int
checksum varchar(64)
Payments
paymentID int
orderID int
paymentMethodID int
transactionReference varchar(100)
paymentStatus varchar(20)
amountPaid decimal(19,4)
Status
statusID int
statusName varchar(15)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
Orders
orderID int
orderNumber varchar(32)
websiteID int
clientID int
statusID int
countryId int
currencyID int
exchangeRate int
subtotalAmount decimal(19,4)
taxRate decimal(5,4)
shippingFee decimal(19,4)
service decimal(19,4)
discountAmount decimal(19,4)
totalAmount decimal(19,4)
logID int
createdAt timestamp
Packages
packageID int
orderID int
managingWebsiteID int
currentAddressID int
destinationAddressID int
courierServiceID int
status int
legalRequirements varchar(256)
healthPermits varchar(256)
createdAt timestamp
updatedAt timestamp
endedAt timestamp
updatedBy int
enabled boolean
checksum binary
PaymentMethods
paymentMethodID int
paymentMethod varchar(10)
createdAt timestamp
updatedAt timestamp
createdBy int
updatedBy int
enabled boolean
ProductsXPackage
productXPackageID int
packageID int
productID int
quantity int
CourierServices
courierServiceID int
name varchar(64)
addressID int
LogisticsCosts
logisticsCostID int
packageID int
costType varchar(30)
amount decimal(19,4)
currencyID int
InventoryControls
inventoryID int
productID int
websiteID int
stockQuantity int
minStockLevel int
createdAt timestamp
updatedAt timestamp
updatedBy int
enabled boolean
checksum binary
dbdiagram.io