


Atividade 4 – Psql

- 1) Acessar o banco via psql;
- 2) Fazer uma consulta como usuário postgres (super usuário);
- 3) Criar o usuário bob;
- 4) Acessar o banco como bob, fazer uma consulta e verificar que esse usuário não tem permissão;
- 5) Criar SCHEMA rental e a ROLE rental_reader;

```
Windows PowerShell x Windows PowerShell + - □
✓Network pagila_default Removed 0.7s
PS C:\Users\Sara de Castro\Desktop\pagila> docker compose up -d
time="2025-06-29T21:42:18-03:00" level=warning msg="C:\\Users\\Sara de Castro\\Desktop\\pagila\\docker-compose.yml: the attribute 'version' is obsolete, it will be ignored, please remove it to avoid potential confusion"
[+] Running 3/3
✓Network pagila_default Created 0.1s
✓Container pgadmin4 Started 0.9s
✓Container pagila Started 1.0s
PS C:\Users\Sara de Castro\Desktop\pagila> docker exec -it c7e0f00cddfd bash
root@c7e0f00cddfd:/# CREATE USER bob WITH PASSWORD 'bob_password';
bash: CREATE: command not found
root@c7e0f00cddfd:/# psql postgres -U postgres
psql (17.5 (Debian 17.5-1.pgdg120+1))
Type "help" for help.

postgres=# CREATE USER bob WITH PASSWORD 'bob_password';
CREATE ROLE
postgres=# CREATE SCHEMA rental;
CREATE SCHEMA
postgres=# CREATE ROLE rental_reader;
CREATE ROLE
postgres=# \c postgres bob
You are now connected to database "postgres" as user "bob".
postgres=> SELECT * FROM actor;
ERROR: permission denied for table actor
postgres=> \c postgres postgres
You are now connected to database "postgres" as user "postgres".
postgres=# SELECT * FROM actor;
postgres=# |
```



The image shows a Windows PowerShell window with a table of actor data. The table has four columns: actor_id, first_name, last_name, and last_update. The data is displayed in a grid format with alternating row colors. The table contains 32 rows of data, each representing an actor with their ID, first name, last name, and last update timestamp.

actor_id	first_name	last_name	last_update
1	PENELOPE	GUINNESS	2022-02-15 09:34:33+00
2	NICK	WAHLBERG	2022-02-15 09:34:33+00
3	ED	CHASE	2022-02-15 09:34:33+00
4	JENNIFER	DAVIS	2022-02-15 09:34:33+00
5	JOHNNY	LOLLOBRIGIDA	2022-02-15 09:34:33+00
6	BETTE	NICHOLSON	2022-02-15 09:34:33+00
7	GRACE	MOSTEL	2022-02-15 09:34:33+00
8	MATTHEW	JOHANSSON	2022-02-15 09:34:33+00
9	JOE	SWANK	2022-02-15 09:34:33+00
10	CHRISTIAN	GABLE	2022-02-15 09:34:33+00
11	ZERO	CAGE	2022-02-15 09:34:33+00
12	KARL	BERRY	2022-02-15 09:34:33+00
13	UMA	WOOD	2022-02-15 09:34:33+00
14	VIVIEN	BERGEN	2022-02-15 09:34:33+00
15	CUBA	OLIVIER	2022-02-15 09:34:33+00
16	FRED	COSTNER	2022-02-15 09:34:33+00
17	HELEN	VOIGHT	2022-02-15 09:34:33+00
18	DAN	TORN	2022-02-15 09:34:33+00
19	BOB	FAWCETT	2022-02-15 09:34:33+00
20	LUCILLE	TRACY	2022-02-15 09:34:33+00
21	KIRSTEN	PALTROW	2022-02-15 09:34:33+00
22	ELVIS	MARX	2022-02-15 09:34:33+00
23	SANDRA	KILMER	2022-02-15 09:34:33+00
24	CAMERON	STREEP	2022-02-15 09:34:33+00
25	KEVIN	BLOOM	2022-02-15 09:34:33+00
26	RIP	CRAWFORD	2022-02-15 09:34:33+00
27	JULIA	MCQUEEN	2022-02-15 09:34:33+00
28	WOODY	HOFFMAN	2022-02-15 09:34:33+00
29	ALEC	WAYNE	2022-02-15 09:34:33+00
30	SANDRA	PECK	2022-02-15 09:34:33+00
31	SISSY	SOBIESKI	2022-02-15 09:34:33+00
32	TIM	HACKMAN	2022-02-15 09:34:33+00

- 6) Atribuir ROLE ao usuário bob.
- 7) Conceder permissões para o usuário bob, a nível de schemas, nível de tabela e permissões padrão para tabelas futuras;

```
Windows PowerShell
postgres=# GRANT rental_reader TO bob;
GRANT ROLE
postgres=# GRANT USAGE ON SCHEMA rental TO rental_reader;
GRANT
postgres=# GRANT SELECT ON ALL TABLES IN SCHEMA rental TO rental_reader;
GRANT
postgres=# ALTER DEFAULT PRIVILEGES IN SCHEMA rental GRANT SELECT ON TABLES TO rental_reader;
ALTER DEFAULT PRIVILEGES
postgres=# |
```

- 8) Acessar o banco como bob e verificar se agora esse usuário tem permissão;
- 9) Caso não tenha, cria-se uma VIEW conectado como super usuário;
- 10) Conecta-se novamente como bob e basta chamar a VIEW.

```
Windows PowerShell
postgres=# GRANT rental_reader TO bob;
GRANT ROLE
postgres=# GRANT USAGE ON SCHEMA rental TO rental_reader;
GRANT
postgres=# GRANT SELECT ON ALL TABLES IN SCHEMA rental TO rental_reader;
GRANT
postgres=# ALTER DEFAULT PRIVILEGES IN SCHEMA rental GRANT SELECT ON TABLES TO rental_reader;
ALTER DEFAULT PRIVILEGES
postgres=# \c postgres bob
You are now connected to database "postgres" as user "bob".
postgres=> SELECT * FROM actor;
ERROR: permission denied for table actor
postgres=> \c postgres postgres
postgres=# CREATE OR REPLACE VIEW rental.rental AS SELECT * FROM public.rental;
CREATE VIEW
postgres=# \c postgres bob
You are now connected to database "postgres" as user "bob".
postgres=> SELECT * FROM rental.rental;
postgres=> |
```



rental_id		rental_date	inventory_id	customer_id	return_date	s
f_id	last_update					

	2	2022-05-24 21:54:33+00	1525	459	2022-05-28 18:40:33+00	
1	2022-02-16 02:30:53+00					
	3	2022-05-24 22:03:39+00	1711	408	2022-06-01 21:12:39+00	
1	2022-02-16 02:30:53+00					
	4	2022-05-24 22:04:41+00	2452	333	2022-06-03 00:43:41+00	
2	2022-02-16 02:30:53+00					
	5	2022-05-24 22:05:21+00	2079	222	2022-06-02 03:33:21+00	
1	2022-02-16 02:30:53+00					
	6	2022-05-24 22:08:07+00	2792	549	2022-05-27 00:32:07+00	
1	2022-02-16 02:30:53+00					
	7	2022-05-24 22:11:53+00	3995	269	2022-05-29 19:34:53+00	
2	2022-02-16 02:30:53+00					
	8	2022-05-24 22:31:46+00	2346	239	2022-05-27 22:33:46+00	
2	2022-02-16 02:30:53+00					
	9	2022-05-24 23:00:40+00	2580	126	2022-05-27 23:22:40+00	
1	2022-02-16 02:30:53+00					
	10	2022-05-24 23:02:21+00	1824	399	2022-05-31 21:44:21+00	
2	2022-02-16 02:30:53+00					
	11	2022-05-24 23:09:02+00	4443	142	2022-06-02 19:56:02+00	
2	2022-02-16 02:30:53+00					
	12	2022-05-24 23:19:27+00	1584	261	2022-05-30 04:44:27+00	
2	2022-02-16 02:30:53+00					
	13	2022-05-24 23:22:55+00	2294	334	2022-05-30 03:28:55+00	
1	2022-02-16 02:30:53+00					
	14	2022-05-24 23:31:15+00	2701	446	2022-05-26 01:56:15+00	
1	2022-02-16 02:30:53+00					
	15	2022-05-24 23:39:22+00	3049	319	2022-06-03 02:30:22+00	
1	2022-02-16 02:30:53+00					
	16	2022-05-24 23:43:11+00	389	316	2022-05-26 03:42:11+00	
2	2022-02-16 02:30:53+00					

