

Refactoring for Dynamic Languages

Rafael Reia

Instituto Superior Técnico
Universidade de Lisboa

26th Jun, 2015

- 1 Introduction
 - Motivation
 - Objectives
 - Definitions
- 2 Related Work
- 3 Solution
 - Architecture
 - Evaluation
- 4 Conclusion

- 1 Introduction
 - Motivation
 - Objectives
 - Definitions
- 2 Related Work
- 3 Solution
 - Architecture
 - Evaluation
- 4 Conclusion

Listing 1: Algorithm first implementation

```
(define (fibs n)
  (let ((fibs
        (let loop ((previous 0)
                  (current 1)
                  (index 0))
          (if (= index n)
              (list)
              (cons current
                    (loop current
                        (+ previous current)
                        (+ index 1)))))))
    (for ([fib (in-list fibs)])
      (displayln fib))))
```

Objectives

Optional Subtitle

- Correct
- Useful
- Simple to use

Definitions

- 1 Introduction
 - Motivation
 - Objectives
 - Definitions
- 2 Related Work
- 3 Solution
 - Architecture
 - Evaluation
- 4 Conclusion

- First item.

Related Work

- First item.
- Second item.


- First item.
- Second item.
- Third item.

- First item.
- Second item.
- Third item.
- Fourth item.

- First item.
- Second item.
- Third item.
- Fourth item.
- Fifth item.

- First item.
- Second item.
- Third item.
- Fourth item.
- Fifth item. Extra text in the fifth item.


DrRacket's Rename



The screenshot shows the DrRacket IDE with the file 'random-cake.rkt'. The code is as follows:

```
1 #lang racket
2 (require "cake.rkt")
3
4 (print-cake (random 30))
5 (a-function)
```

The status bar at the bottom indicates 'Determine language from source', '1:0', and '209.15 MB'.



The screenshot shows the DrRacket IDE with the same file 'random-cake.rkt'. The code is now:


```
1 #lang racket
2 (require one-function)
3
4 (one-function (random 30))
5 (one-function)
```

An error message is displayed in the bottom status bar: *random-cake.rkt:2:9: collection not found for module path: one-function*. The status bar also shows 'Determine language from source', '1:0', and '209.15 MB'.

Outline

- 1 Introduction
 - Motivation
 - Objectives
 - Definitions
- 2 Related Work
- 3 Solution
 - Architecture
 - Evaluation
- 4 Conclusion

Architecture



Evaluation

Outline

- 1 Introduction
 - Motivation
 - Objectives
 - Definitions
- 2 Related Work
- 3 Solution
 - Architecture
 - Evaluation
- 4 Conclusion

Summary

- The **first main message** of your talk in one or two lines.
- The **second main message** of your talk in one or two lines.
- Perhaps a **third message**, but not more than that.
- Outlook
 - Something you haven't solved.
 - Something else you haven't solved.

Thank you
Questions?