

Refactoring for Dynamic Languages

F. Author¹ S. Another²

¹Department of Computer Science
University of Somewhere

²Department of Theoretical Philosophy
University of Elsewhere

15th May, 2015

- 1 First Main Section
 - First Subsection
 - Second Subsection
- 2 Second Main Section
 - Another Subsection

- 1 First Main Section
 - First Subsection
 - Second Subsection
- 2 Second Main Section
 - Another Subsection

First Slide Title

Optional Subtitle

- My first point.
- My second point.

- 1 First Main Section
 - First Subsection
 - Second Subsection
- 2 Second Main Section
 - Another Subsection

Second Slide Title

- First item.

Second Slide Title

- First item.
- Second item.

Second Slide Title

- First item.
- Second item.
- Third item.

Second Slide Title

- First item.
- Second item.
- Third item.
- Fourth item.

Second Slide Title

- First item.
- Second item.
- Third item.
- Fourth item.
- Fifth item.

Second Slide Title

- First item.
- Second item.
- Third item.
- Fourth item.
- Fifth item. Extra text in the fifth item.

- 1 First Main Section
 - First Subsection
 - Second Subsection
- 2 Second Main Section
 - Another Subsection

Blocks

Block Title

You can also highlight sections of your presentation in a block, with it's own title

Theorem

There are separate environments for theorems, examples, definitions and proofs.



Example

Here is an example of an example block.

Summary

- The **first main message** of your talk in one or two lines.
- The **second main message** of your talk in one or two lines.
- Perhaps a **third message**, but not more than that.
- Outlook
 - Something you haven't solved.
 - Something else you haven't solved.

For Further Reading I

-  A. Author.
Handbook of Everything.
Some Press, 1990.
-  S. Someone.
On this and that.
Journal of This and That, 2(1):50–100, 2000.