Invented claims to remove

Items 1 and 2 are out of `README.md` as of 2026-10-19. They are still in the printed PDFs and in the runbook, which have not been rebuilt.

Things written into this project that Rafael never decided and no code, dataset or measurement supports. The list is filled first and acted on later, in one pass, on his order.

Nothing here is removed yet.

1. "Two people" at the payables desk

Where it is

File	Line
`README.md`	"Two people check the five the model ranks first every week"
`docs/triage-runbook.md`	Fault 3: "5,300 invoices a year, about 190 wrong, two people"
`docs/pdf_README.pdf`	the printed copy of the same line
`docs/pdf_triage-runbook.pdf`	the printed copy of the same line

Why it is wrong. No headcount was ever decided or measured. The code holds two numbers only: `metrics.K` is 5, the invoices ranked first each week, and `metrics.DESK` is 25, what a desk checks by hand.

Why it was written. To make the number 5 sound motivated. It already was: 5 is about how many errors a week the simulation plants, so a perfect model scores 1 and every false alarm shows. A measured reason was replaced with an invented scene.

What replaces it. Nothing, unless Rafael says otherwise. The line states what the code does and stops there.

2. "About 5,600 invoices a year, about 200 of them wrong"

Where it is

File	Line
`README.md`	"About 5,600 invoices a year, about 200 of them wrong"
`docs/pdf_README.pdf`	the printed copy

What is actually measured. On `year-seed1`: 5,330 invoices, 191 of them anomalies. That is one seed, counted in this session. The plan says the year profile aims at about 5,300 invoices and about 250 anomalies, which does not match either.

Where 5,600 and 200 come from. Unknown. The runbook asked for "5,300 a year, about 190 wrong", the measured figures. DeepSeek wrote other numbers into the README and nobody checked them.

What it needs. Count the invoices and the anomalies across the five year seeds, write the real figures, and say which seeds they come from.

3. References to the invented runs still standing

Found on 2026-10-19, in the pass that moved the project onto the live run. Step 7 removed the old commands from `run.py`. Step 9 deleted the cached feature files and moved the two tests that read the dropped sets to `tests/_retired/`. What is left is on the protected list.

File	Line	What stands
~~ `run.py` ~~	15	help text: the loop runs on `drift-seed7` by default — **removed in step 7**
~~ `run.py` ~~	44	`TRAIN_SEEDS` holds `year-seed1` to `year-seed4` — **removed in step 7**
~~ `run.py` ~~	45	`HELD_OUT` holds `year-seed5` — **removed in step 7**
~~ `run.py` ~~	130	`retrain` defaults to `drift-seed7` — **removed in step 7**
~~ `run.py` ~~	175	`loop` defaults to `drift-seed7` — **removed in step 7**
~~ `data/features/year-seed1.csv` .. `year-seed5.csv` ~~	—	cached features — **deleted in step 9**
~~ `tests/models/test_honesty.py` ~~	17	reads `year-seed1` — **moved to `tests/_retired/` in step 9**
~~ `tests/runs/test_loop_story.py` ~~	32, 33	reads and names `drift-seed7` — **moved to `tests/_retired/` in step 9**
~~ `src/runs/loop.py` ~~	73	`training_floor` defaulted to the four year seeds — **rewritten in step 10**
`src/data/load.py`	22	`DATASETS` points at the invented datasets folder
`src/data/load.py`	102	`available()` globs `year-seed*`
`docs/triage-runbook.md`	53	says the five year folders are no longer used
`docs/triage-runbook.md`	169	step 6 names the `year-seed*` folders
`docs/triage-runbook.md`	176	step 6 asks for this list
`docs/removals.md`	51	this page's item 2 names `year-seed1`

Nothing new calls `load.read()`; `live()` reads the real run instead. `run.py` no longer names an invented run. The files that still do are protected, so they stay.

One note: two active tests also name the dropped runs while policing them, `tests/test_readme.py` (a docstring) and `tests/runs/test_commands.py` (asserting `run.py` holds no such name). They are tests, so they are not edited. The sources this pass controls, `run.py`, `README.md` and everything under `src/` except the protected `loop.py` rewrite, name neither.