$\acute{\mathrm{c}}\mathrm{w.4}$

Rafał Pietrzak

Listopad 2022

$$\sqrt{\frac{2^n}{2_n}} \neq \sqrt[\frac{1}{4}]{1+n}$$

$$\frac{2^k}{2^{k+2}}$$

$$\frac{x^2}{2^{(x+2)(x-2)^3}}$$

$$log_2 2^8 = 8$$

$$\sqrt[3]{e^x - \log_2 x}$$

$$\lim_{0 \to \infty} \sum_{k=1}^{n} \frac{1}{k^2} = \frac{\pi^2}{6}$$

$$\int_{2}^{\infty} \frac{1}{\log_{2} x} dx = \frac{1}{x} sinx = 1 - \cos^{2}(x)$$

$$\begin{bmatrix} a_{11} & a_{12} & \dots & a_{1K} \\ a_{21} & a_{22} & \dots & a_{2K} \\ \vdots & \vdots & \ddots & \vdots \\ a_{K1} & a_{K2} & \dots & a_{KK} \end{bmatrix} * \begin{bmatrix} x_1 \\ x_2 \\ \vdots \\ x_K \end{bmatrix} = \begin{bmatrix} b_1 \\ b_2 \\ \vdots \\ b_K \end{bmatrix}$$

$$(a_1 = a_1(x)) \land (a_2 = a_2(x)) \land ...(a_k = a_k(x)) \Rightarrow (d = d(u))$$

 $[x]_A = \{y \in U : a(x) = a(y), \forall_a \in A\}$ where the control object $x \in U$

$$T:[0,1]\times[0,1]\to[0,1]$$

$$\lim_{x \to \infty} \exp(-x) = 0$$

$$\frac{n!}{k!(n-k)!} = \binom{n}{k}$$

$$P\left(A=2\left|\frac{A^2}{B}>4\right)\right)$$

$$S^{C_i}(a) = \frac{(\overline{C}_i^a) - \hat{C}_i^a)^2}{Z_{\overline{C}_i^{a^2}} + Z_{\hat{C}_i^{a^2}}}, a \in A$$