


AHSANULLAH UNIVERSITY OF SCIENCE & TECHNOLOGY



COMPUTER SCIENCE & ENGINEERING

Course number : CSE-3100
Course name : SOFTWARE DEVELOPMENT-IV
Project name : The Food

Submitted To : Shimul Paul & Sabikun Nahar

Date of submission : 6-9-2022

Presented By

Name : Habibun Nabi Sajol
ID : 190204092
Section : B

Name : Tasnim Munawar Rafee
ID : 190204104
Section : B

Abstract:

Our project “The Food” is a online E- commercial website based on online food ordering system across many restaurants. We’ve used HTML,CSS,Bootstrap for front-end design and php and mysql for back-end development. Anyone can login and order food and share their experience with it. The admin of this page can add/ modify restaurants’ data, their foods data change their menu items and see their orders list. The users data is secured and safe in the database considering privacy and policy.

Contents/Features:

- Homepage
- Contact page
- Login Page & Register Page
- Restaurants Page
- My Orders Page
- Admin Page

Motivation:

Everythings now-a-days online and computer based and online marketplace is so widespread across the globe. Online based E-commerce is so common. People even apply it by ordering food items from websites like Food Panda , Hungry Naki. From those websites and their marketplace status we were motivated.

Introduction:

Our Website Project “The Food” users can order foods from different restaurants and give feedbacks. User can pay the price of the food on delivery or can pay it from Paypal. The admins can modify the goods, restaurants information. The Users data is stored in the database considering the privacy and policy issue.

Featured Description:

Homepage:

There are many items and restaurants choosing option. Food ordering is only available when logged in.

THE FOOD

[Home](#) [Restaurants](#) [Contact](#) [My Orders](#) [Logout](#)

The Best Food ever


1. Choose Restaurant


2. Order Food


3. Delivery or take out

Popular Dishes of the Month



Burger

xyz

\$5.00

Order Now



Burger

so tasty ,spicy,sweet

\$3.00

Order Now



Burger

so tasty ,spicy,sweet

\$4.00

Order Now



chiken

so tasty ,spicy

\$3.00

Order Now



chiken

so tasty ,spicy,sweet

\$4.00

Order Now




chiken

so tasty ,spicy,sweet

\$25.00

Order Now



```

<?php
include("connection/connect.php");
error_reporting(0);
session_start();
?>
<?php
    if(empty($_SESSION["user_id"])) // if user is not login
    {
        echo '<li class="nav-item"><a href="login.php" class="nav-link active">Login</a> </li>
        <li class="nav-item"><a href="registration.php" class="nav-link active">Register</a> </li>';
    }
    else
    {

        echo '<li class="nav-item"><a href="your_orders.php" class="nav-link active">My Orders</a>
</li>';

        echo '<li class="nav-item"><a href="logout.php" class="nav-link active">Logout</a> </li>';
    }

?>
<?php
$query_res= mysqli_query($db,"select * from dishes LIMIT 6");

```


```

while($r=mysqli_fetch_array($query_res))
{
    echo ' <div class="col-xs-12 col-sm-6 col-md-4 food-item">
        <div class="food-item-wrap">
            <div class="figure-wrap bg-image" data-image-
src="admin/Res_img/dishes/'.$r['img'].'"></div>
            <div class="content">
                <h5><a href="dishes.php?res_id='.$r['rs_id'].'">'.$r['title'].'</a></h5>
                <div class="product-name">'.$r['slogan'].'</div>
                <div class="price-btn-block"> <span class="price">$'.$r['price'].'</span> <a
href="dishes.php?res_id='.$r['rs_id'].'" class="btn theme-btn-dash pull-right">Order Now</a> </div>
                </div>
            </div>
        </div>;
    }
?>
<?php
    $ress= mysqli_query($db,"select * from restaurant");
    while($rows=mysqli_fetch_array($ress))
    {
        $query= mysqli_query($db,"select * from res_category where c_id='".$rows['c_id'].'"
    ");
        $rowss=mysqli_fetch_array($query);
        echo ' <div class="col-xs-12 col-sm-12 col-md-6 single-restaurant all
'.$rowss['c_name'].'">
            <div class="restaurant-wrap">
                <div class="row">
                    <div class="col-xs-12 col-sm-3 col-md-12 col-lg-3 text-xs-center">
                        <a class="restaurant-logo" href="dishes.php?res_id='.$rows['rs_id'].'" >  </a>
                    </div>
                    <div class="col-xs-12 col-sm-9 col-md-12 col-lg-9">
                        <h5><a href="dishes.php?res_id='.$rows['rs_id'].'" >'.$rows['title'].'</a></h5>
                        <span>'.$rows['address'].'</span>
                    </div>
                </div>
            </div>
        </div>
    }
?>

```

Contact page:

Users can send their feedback in the contact page description.



THE FOOD

Home Restaurants Contact My Orders Logout

USER NAME

PHONE NUMBER

EMAIL ADDRESS

DESCRIPTION

SUBMIT

Payment Options

Address

186/4 FARMGATE DHAKA BANGLADESH

Phone: 01883901491

Addition informations

Join with us and enjoy many of the features

DEVELOPED BY

MD HASIBUN NABI

MD TASNIM MUNOWAR RAHAT

```
<?php
session_start();
error_reporting(0);
include("connection/connect.php");
if(isset($_POST['submit'] ))
{

    include("connection/connect.php");
    error_reporting(0);
    session_start();
    if (isset($_POST['submit'])) {
        $username = $_POST['username'];
        $phonenumber = $_POST['phonenumber'];
        $email = $_POST['email'];
        $description1 = $_POST['email'];
    }

    $sql = "INSERT INTO contact(username,phonenumber,email,description1)
VALUES('".$_POST['username']. "','".$_POST['phonenumber']. "','".$_POST['email']. "','".$_POST['description1'
]. "')";
    mysqli_query($db, $sql);
```



```

        header("refresh:0.1;url=index.php");
    }
?>

<?php
    if(empty($_SESSION["user_id"]))
    {
        echo '<li class="nav-item"><a href="login.php" class="nav-link active">Login</a> </li>
        <li class="nav-item"><a href="registration.php" class="nav-link active">Register</a> </li>';
    }
    else
    {


        echo '<li class="nav-item"><a href="your_orders.php" class="nav-link active">My
Orders</a> </li>';
        echo '<li class="nav-item"><a href="logout.php" class="nav-link active">Logout</a> </li>';
    }

?>

```

Login Page& Register Page:

Registered users can log in and order Foods from desired restaurants. After that can log out.



```

<?php
    if (empty($_SESSION["user_id"])) {
        echo '<li class="nav-item"><a href="login.php" class="nav-link active">Login</a> </li>
        <li class="nav-item"><a href="registration.php" class="nav-link active">Register</a> </li>';
    } else {

```

```

        echo '<li class="nav-item"><a href="your_orders.php" class="nav-link active">My Orders</a>
</li>';
        echo '<li class="nav-item"><a href="logout.php" class="nav-link active">Logout</a> </li>';
    }

?>
<?php
    include("connection/connect.php");
    error_reporting(0);
    session_start();
    if (isset($_POST['submit'])) {
        $username = $_POST['username'];
        $password = $_POST['password'];


        if (!empty($_POST["submit"])) {
            $loginquery = "SELECT * FROM users WHERE username='$username' && password='" .
md5($password) . "'"; //selecting matching records
            $result = mysqli_query($db, $loginquery); //executing
            $row = mysqli_fetch_array($result);

            if (is_array($row)) {
                $_SESSION["user_id"] = $row['u_id'];
                header("refresh:1;url=index.php");
            } else {
                $message = "Invalid Username or Password!";
            }
        }
    }
?>
<?php
    session_start();
    session_destroy();
    $url = 'login.php';
    header('Location: ' . $url);
?>

```

Registration page

New users can register from this page.



```
<?php
session_start();
error_reporting(0);
include("connection/connect.php");
if(isset($_POST['submit']))
{
    if(empty($_POST['firstname']) ||
        empty($_POST['lastname']) ||
        empty($_POST['email']) ||
        empty($_POST['phone']) ||
        empty($_POST['password']) ||
        empty($_POST['cpassword']) ||
        empty($_POST['cpassword']))
    {
        $message = "All fields must be Required!";
    }
    else
    {
        $check_username= mysqli_query($db, "SELECT username FROM users where username =
        '".$_POST['username']."' ");
        $check_email = mysqli_query($db, "SELECT email FROM users where email = '".$_POST['email']."' ");

        if($_POST['password'] != $_POST['cpassword']){

            echo "<script>alert('Password not match');</script>";
        }
        elseif(strlen($_POST['password']) < 6)
        {
            echo "<script>alert('Password Must be >=6');</script>";
        }
    }
}
```

```

elseif(strlen($_POST['phone']) < 10)
{
    echo "<script>alert('Invalid phone number!');</script>";
}

elseif (!filter_var($_POST['email'], FILTER_VALIDATE_EMAIL))
{
    echo "<script>alert('Invalid email address please type a valid email!');</script>";
}
elseif(mysqli_num_rows($check_username) > 0)
{
    echo "<script>alert('Username Already exists!');</script>";
}
elseif(mysqli_num_rows($check_email) > 0)
{
    echo "<script>alert('Email Already exists!');</script>";
}
else{
    $mql = "INSERT INTO users(username,f_name,l_name,email,phone,password,address)
VALUES('".$_POST['username']."','".$_POST['firstname']."','".$_POST['lastname']."','".$_POST['email']."','".$_POST['phone']."','".$_POST['password']."','".$_POST['address']."')";
    mysqli_query($db, $mql);

    header("refresh:0.1;url=login.php");
}
}
?>

<?php
    if(empty($_SESSION["user_id"]))
    {
        echo '<li class="nav-item"><a href="login.php" class="nav-link active">Login</a> </li>
        <li class="nav-item"><a href="registration.php" class="nav-link active">Register</a> </li>';
    }
    else
    {


        echo '<li class="nav-item"><a href="your_orders.php" class="nav-link active">My
Orders</a> </li>';
        echo '<li class="nav-item"><a href="logout.php" class="nav-link active">Logout</a> </li>';
    }

?>

```

Restaurants Page:

Users can purchase foods and pay the bills from this page with 3 steps.



```
<?php
include("connection/connect.php");
error_reporting(0);
session_start();
?>

<?php
    if(empty($_SESSION["user_id"]))
    {
        echo '<li class="nav-item"><a href="login.php" class="nav-link active">Login</a> </li>
        <li class="nav-item"><a href="registration.php" class="nav-link active">Register</a> </li>';
    }
    else
    {
        echo '<li class="nav-item"><a href="your_orders.php" class="nav-link active">My
Orders</a> </li>';
        echo '<li class="nav-item"><a href="logout.php" class="nav-link active">Logout</a>
```

```

</li>';
    }

?>

<?php $ress= mysqli_query($db,"select * from restaurant");
    while($rows=mysqli_fetch_array($ress))
    {

        echo' <div class="col-sm-12 col-md-12 col-lg-8 text-xs-center text-sm-left">
            <div class="entry-logo">
                <a class="img-fluid" href="dishes.php?res_id='.$rows['rs_id'].'" > </a>
            </div>
            <!-- end:Logo -->
            <div class="entry-dscr">
                <h5><a href="dishes.php?res_id='.$rows['rs_id'].'"
>'.$rows['title'].'</a></h5> <span>'.$rows['address'].'</span>

            </div>
            <!-- end:Entry description -->
        </div>

        <div class="col-sm-12 col-md-12 col-lg-4 text-xs-center">
            <div class="right-content bg-white">
                <div class="right-review">

                    <a href="dishes.php?res_id='.$rows['rs_id'].'" class="btn btn-
purple">View Menu</a> </div>
                </div>
            <!-- end:right info -->
        </div>';
    }

?>
<?php
include("connection/connect.php");
include_once 'product-action.php';
error_reporting(0);
session_start();

function function_alert() {

    echo "<script>alert('Thank you. Your Order has been placed!');</script>";
    echo "<script>window.location.replace('your_orders.php');</script>";

```

```

}

if(empty($_SESSION["user_id"]))
{
    header('location:login.php');
}
else{

        foreach ($_SESSION["cart_item"] as $item)
        {

            $item_total += ($item["price"]*$item["quantity"]);

            if($_POST['submit'])
            {

                $SQL="insert into users_orders(u_id,title,quantity,price)
values('".$_SESSION["user_id"]."', '".$_item["title"]."', '".$_item["quantity"]."', '".$_item["price"]."')";

                mysqli_query($db,$SQL);

                unset($_SESSION["cart_item"]);
                unset($item["title"]);
                unset($item["quantity"]);
                unset($item["price"]);
                $success = "Thank you. Your order has been placed!";

                function_alert();

            }
        }

?>
<?php
    if(empty($_SESSION["user_id"]))
    {
        echo '<li class="nav-item"><a href="login.php" class="nav-link active">Login</a> </li>
        <li class="nav-item"><a href="registration.php" class="nav-link active">Register</a> </li>';
    }
    else
    {

        echo '<li class="nav-item"><a href="your_orders.php" class="nav-link active">My
Orders</a> </li>';
        echo '<li class="nav-item"><a href="logout.php" class="nav-link active">Logout</a>

```

```

</li>;
    }

?>
<?php echo $success; ?>
<?php
include("connection/connect.php");
error_reporting(0);
session_start();

include_once 'product-action.php';

?>
<?php
    if(empty($_SESSION["user_id"]))
    {
        echo '<li class="nav-item"><a href="login.php" class="nav-link active">Login</a> </li>
        <li class="nav-item"><a href="registration.php" class="nav-link active">Register</a> </li>';
    }
    else
    {

        echo '<li class="nav-item"><a href="your_orders.php" class="nav-link active">My
Orders</a> </li>';
        echo '<li class="nav-item"><a href="logout.php" class="nav-link active">Logout</a>
</li>';
    }

?>
<?php echo $_GET['res_id']; ?>
<?php $ress= mysqli_query($db,"select * from restaurant where rs_id='".$_GET['res_id']."'");
    $rows=mysqli_fetch_array($ress);

?>
<?php echo ''; ?>
<?php echo $rows['address']; ?>
<?php

$item_total = 0;

foreach ($_SESSION["cart_item"] as $item)
{
?>
<?php echo $item["title"]; ?><a href="dishes.php?res_id=<?php echo $_GET['res_id']; ?>
<?php echo $item["d_id"]; ?>
<?php echo "$".$item["price"]; ?>
<?php echo $item["quantity"]; ?>
<?php

```



```

$item_total += ($item["price"]*$item["quantity"]);
}
?>
<?php
            if($item_total==0){
            ?>
<?php echo $_GET['res_id'];?>
<?php
            }
            else{
            ?>
<?php echo $_GET['res_id'];?>
<?php
            }
            ?>

<?php
            $stmt = $db->prepare("select * from dishes where rs_id='".$_GET['res_id']."'");
            $stmt->execute();
            $products = $stmt->get_result();
            if (!empty($products))
            {
                foreach($products as $product)
                {

                    ?>

<?php echo $_GET['res_id'];?>
<?php echo $product['d_id']; ?>
<?php echo ''; ?>
<?php echo $product['slogan']; ?>
<?php echo $product['price']; ?>
<?php
                }
            }

            ?>

<?php
if(!empty($_GET["action"]))
{
$productId = isset($_GET['id']) ? htmlspecialchars($_GET['id']) : "";
$quantity = isset($_POST['quantity']) ? htmlspecialchars($_POST['quantity']) : "";

switch($_GET["action"])
{
    case "add":
        if(!empty($quantity)) {
            $stmt = $db->prepare("SELECT * FROM dishes where d_id= ?");
            $stmt->bind_param('i',$productId);

```

```

        $stmt->execute();
        $productDetails = $stmt->get_result()->fetch_object();
        $itemArray = array($productDetails->d_id=>array('title'=>$productDetails->title,
'd_id'=>$productDetails->d_id, 'quantity'=>$quantity, 'price'=>$productDetails->price));
        if(!empty($_SESSION["cart_item"]))
        {
            if(in_array($productDetails->d_id,array_keys($_SESSION["cart_item"])))
            {
                foreach($_SESSION["cart_item"] as $k => $v)
                {
                    if($productDetails->d_id == $k)
                    {
                        if(empty($_SESSION["cart_item"][$k]["quantity"]))
                        {
                            $_SESSION["cart_item"][$k]["quantity"] = 0;
                        }
                        $_SESSION["cart_item"][$k]["quantity"] += $quantity;
                    }
                }
            }
            else
            {
                $_SESSION["cart_item"] = $_SESSION["cart_item"] + $itemArray;
            }
        }
        else
        {
            $_SESSION["cart_item"] = $itemArray;
        }
    }
    break;

case "remove":
    if(!empty($_SESSION["cart_item"]))
    {
        foreach($_SESSION["cart_item"] as $k => $v)
        {
            if($productId == $v['d_id'])
            {
                unset($_SESSION["cart_item"][$k]);
            }
        }
    }
    break;

case "empty":
    unset($_SESSION["cart_item"]);
    break;

case "check":
    header("location:checkout.php");

```


```

        break;
    }
}
?>

```

My Orders Page

Users can see their orders and cancel it as their wish.



```

<?php
include("connection/connect.php");
error_reporting(0);
session_start();

```

```

if(empty($_SESSION['user_id']))
{
    header('location:login.php');
}
else
{
    ?>

```

```

<?php
    if(empty($_SESSION["user_id"]))
    {
        echo '<li class="nav-item"><a href="login.php" class="nav-link active">Login</a> </li>
        <li class="nav-item"><a href="registration.php" class="nav-link active">Register</a> </li>';
    }
    else
    {

```

```

        echo 'li class="nav-item"><a href="your_orders.php" class="nav-link active">My
Orders</a> </li>';
        echo 'li class="nav-item"><a href="logout.php" class="nav-link active">Logout</a>
</li>';
    }

?>

<?php

$query_res= mysqli_query($db,"select * from users_orders where
u_id='".$$_SESSION['user_id']."'");
    if(!mysqli_num_rows($query_res) > 0 )
    {
        echo '<td colspan="6"><center>You have No orders Placed yet.
</center></td>';
    }
    else
    {

        while($row=mysqli_fetch_array($query_res))
        {

?>

<?php echo $row['title']; ?>

<?php echo $row['quantity']; ?>

<?php echo $row['price']; ?>

<?php

$status=$row['status'];
if($status==" " or $status=="NULL")
{
?>
<button type="button" class="btn btn-info"><span class="fa fa-
bars" aria-hidden="true" ></span> Dispatch</button>
<?php
}
if($status=="in process")
{ ?>
<button type="button" class="btn btn-warning"><span
class="fa fa-cog fa-spin" aria-hidden="true" ></span> On The Way!</button>
<?php
}
if($status=="closed")

```

```

        {
        ?>
        <button type="button" class="btn btn-success" ><span class="fa
fa-check-circle" aria-hidden="true"></span> Delivered</button>
        <?php
        }
        ?>
        <?php
        if($status=="rejected")
        {
        ?>
        <button type="button" class="btn btn-danger"> <i class="fa fa-
close"></i> Cancelled</button>
        <?php
        }
        ?>

        <?php echo $row['date']; ?>

        <?php echo $row['o_id'];?>

        <?php }} ?>

        <?php
        }
        ?>

```

Admin Page:

The admin of the page can logged in and access the information from database and modify it to maintain the system. The admin can add/ modify restaurants' data, their foods data change their menu items and see their orders list.

Admin Panel







Login

THE FOOD

HOME

Dashboard

LOG

Users

Restaurant

Menu

Orders

Admin Dashboard

4
Restaurants

17
Dishes

4
Users

5
Total Orders

2
Resto Categories

0
Processing Orders

0
Delivered Orders

0
Cancelled Orders

Total Earnings

```

<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
if(isset($_POST['submit']))
{

    if(empty($_POST['d_name'])||empty($_POST['about'])||$_POST['price']==""||$_POST['res_name']=="")
    {

        $error = '<div class="alert alert-danger alert-dismissible fade show">
                    <button type="button" class="close" data-dismiss="alert" aria-
label="Close"><span aria-hidden="true">&times;</span></button>
                    <strong>All fields Must be Fillup!</strong>
                </div>';

    }
    else
    {

        $fname = $_FILES['file']['name'];
        $temp = $_FILES['file']['tmp_name'];
        $size = $_FILES['file']['size'];
        $extension = explode('.', $fname);
        $extension = strtolower(end($extension));
        $fnew = uniqid().'.'.$extension;

        $store = "Res_img/dishes/".$basename($fnew);

        if($extension == 'jpg' || $extension == 'png' || $extension == 'gif' )
        {

            if($size >= 1000000)
            {

                $error = '<div class="alert alert-danger alert-dismissible fade show">
                            <button type="button" class="close" data-dismiss="alert" aria-
label="Close"><span aria-hidden="true">&times;</span></button>
                            <strong>Max Image Size is 1024kb!</strong> Try different Image.
                        </div>';

            }

            else
            {

                $sql = "INSERT INTO dishes(rs_id,title,slogan,price,img)
VALUE('".$_POST['res_name']. "','".$_POST['d_name']. "','".$_POST['about']. "','".$_POST['price']. "','".$_fnew."'"); //
store the submitted data into the database :images
                mysqli_query($db, $sql);
                move_uploaded_file($temp, $store);

                $success = '<div class="alert alert-success alert-dismissible fade show">
                            <button type="button" class="close" data-dismiss="alert" aria-
label="Close"><span aria-hidden="true">&times;</span></button>

```

```

                New Dish Added Successfully.
            </div>';

        }
    }
    elseif($extension == "")
    {
        $Error = ' <div class="alert alert-danger alert-dismissible fade show">
                    <button type="button" class="close" data-dismiss="alert" aria-
label="Close"><span aria-hidden="true">&times;</span></button>
                    <strong>select image</strong>
                </div>';
    }
    else{

        $Error = ' <div class="alert alert-danger alert-dismissible fade show">
                    <button type="button" class="close" data-dismiss="alert" aria-
label="Close"><span aria-hidden="true">&times;</span></button>
                    <strong>invalid extension!</strong>png, jpg, Gif are accepted.
                </div>';

    }

}

}
?>
<?php echo $Error; echo $success; ?>
<?php $ssql="select * from restaurant";
        $res=mysqli_query($db, $ssql);
        while($row=mysqli_fetch_array($res))
        {
            echo' <option value="'. $row['rs_id']. "'>'. $row['title']. ' </option>;';
        }

?>

<?php
include("../connection/connect.php");
error_reporting(0);
session_start();

if(isset($_POST['submit']))
{

    if(empty($_POST['c_name'])||empty($_POST['res_name'])||$_POST['email']==""||$_POST['phone']==""||$_POST['u
rl']==""||$_POST['o_hr']==""||$_POST['c_hr']==""||$_POST['o_days']==""||$_POST['address']==")
    {

        $Error = ' <div class="alert alert-danger alert-dismissible fade show">
                    <button type="button" class="close" data-dismiss="alert" aria-
label="Close"><span aria-hidden="true">&times;</span></button>
                    <strong>All fields Must be Fillup!</strong>
                </div>';

    }

}

```



```

else
{

    $fname = $_FILES['file']['name'];
    $temp = $_FILES['file']['tmp_name'];
    $size = $_FILES['file']['size'];
    $extension = explode('.', $fname);
    $extension = strtolower(end($extension));
    $fnew = uniqid().'.'.$extension;

    $store = "Res_img/" . basename($fnew);

    if($extension == 'jpg' || $extension == 'png' || $extension == 'gif' )
    {
        if($size >= 1000000)
        {

            $error = '<div class="alert alert-danger alert-dismissible fade show">
                <button type="button" class="close" data-dismiss="alert" aria-
label="Close"><span aria-hidden="true">&times;</span></button>
                <strong>Max Image Size is 1024kb!</strong> Try different Image.
            </div>';

        }

    }
    else
    {

        $res_name = $_POST['res_name'];

        $sql = "INSERT INTO
restaurant(c_id,title,email,phone,url,o_hr,c_hr,o_days,address,image)
VALUE('".$_POST['c_name']."','".$res_name."','".$_POST['email']."','".$_POST['phone']."','".$_POST['url']."','".$_PO
ST['o_hr']."','".$_POST['c_hr']."','".$_POST['o_days']."','".$_POST['address']."','".$fnew."');" // store the submitted data
ino the database :images

        mysqli_query($db, $sql);
        move_uploaded_file($temp, $store);

        $success = '<div class="alert alert-success alert-dismissible fade show">
            <button type="button" class="close" data-dismiss="alert" aria-
label="Close"><span aria-hidden="true">&times;</span></button>
            New Restaurant Added Successfully.
        </div>';

    }

}
elseif($extension == "")
{
    $error = '<div class="alert alert-danger alert-dismissible fade show">
        <button type="button" class="close" data-dismiss="alert" aria-
label="Close"><span aria-hidden="true">&times;</span></button>

```

```

        <strong>select image</strong>
    </div>';
}
else{

    $error = ' <div class="alert alert-danger alert-dismissible fade show">
        <button type="button" class="close" data-dismiss="alert" aria-
label="Close"><span aria-hidden="true">&times;</span></button>
        <strong>invalid extension!</strong>png, jpg, Gif are accepted.
    </div>';

}

}
}
?>
<?php $ssql="select * from res_category";
    $res=mysqli_query($db, $ssql);
    while($row=mysqli_fetch_array($res))
    {
        echo' <option value="'. $row['c_id']. "'>'. $row['c_name']. '</option>';
    }

?>

<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
?>
<?php

$sql="SELECT * FROM dishes order by d_id desc";
$query=mysqli_query($db,$sql);

if(!mysqli_num_rows($query) > 0 )
{
    echo '<td colspan="11"><center>No Menu</center></td>';
}
else
{
    while($rows=mysqli_fetch_array($query))
    {
        $mql="select * from restaurant where rs_id='". $rows['rs_id']. "'";
        $newquery=mysqli_query($db,$mql);
        $fetch=mysqli_fetch_array($newquery);

        echo '<tr><td>'. $fetch['title']. '</td>

        <td>'. $rows['title']. '</td>
        <td>'. $rows['slogan']. '</td>
        <td>$. $rows['price']. '</td>

```

```

<td><div class="col-md-3 col-lg-8 m-b-10">
<center></center>
</div></td>

<td><a
href="delete_menu.php?menu_del='.$rows['d_id'].'" class="btn btn-danger btn-flat btn-addon btn-xs m-b-10"><i
class="fa fa-trash-o" style="font-size:16px"></i></a>
<a href="update_menu.php?menu_upd='.$rows['d_id'].'"
class="btn btn-info btn-flat btn-addon btn-sm m-b-10 m-l-5"><i class="fa fa-edit"></i></a>
</td></tr>;

    }
}

?>

<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
?>
<?php
$sql="SELECT users.*, users_orders.* FROM users INNER JOIN users_orders ON
users.u_id=users_orders.u_id ";
$query=mysqli_query($db,$sql);

if(!mysqli_num_rows($query) > 0 )
{
    echo '<td colspan="8"><center>No Orders</center></td>';
}
else
{
    while($rows=mysqli_fetch_array($query))
    {

        ?>
        <?php
        echo ' <tr>
        <td>'.$rows['username'].'</td>
        <td>'.$rows['title'].'</td>
        <td>'.$rows['quantity'].'</td>
        <td>'.$rows['price'].'</td>
        <td>'.$rows['address'].'</td>';
        ?>
        <?php
        $status=$rows['status'];
        if($status==" " or $status=="NULL")
        {
            ?>
            <td> <button type="button" class="btn btn-info"><span class="fa fa-

```

```

bars" aria-hidden="true" ></span> Dispatch</button></td>
        <?php
        }
        if($status=="in process")
        { ?>
        <td> <button type="button" class="btn btn-warning"><span class="fa fa-
cog fa-spin" aria-hidden="true" ></span> On The Way!</button></td>
        <?php
        }
        if($status=="closed")
        {
        ?>
        <td> <button type="button" class="btn btn-primary" ><span class="fa fa-
check-circle" aria-hidden="true"></span> Delivered</button></td>
        <?php
        }
        ?>
        <?php
        if($status=="rejected")
        {
        ?>
        <td> <button type="button" class="btn btn-danger"> <i class="fa fa-
close"></i> Cancelled</button></td>
        <?php
        }
        ?>
        <?php
        echo ' <td>'.$rows['date'].'</td>';
        ?>
        <td>
        <a href="delete_orders.php?order_del=?php echo
$rows['o_id'];?>" onclick="return confirm('Are you sure?');" class="btn btn-danger btn-flat btn-addon btn-xs m-b-
10"><i class="fa fa-trash-o" style="font-size:16px"></i></a>
        <?php
        echo '<a href="view_order.php?user_upd='.$rows['o_id'].'" "
class="btn btn-info btn-flat btn-addon btn-sm m-b-10 m-l-5"><i class="fa fa-edit"></i></a>
        </td>
        </tr>';
        }
    }
?>
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();?>
<?php

$sql="SELECT * FROM restaurant order by rs_id desc";
$query=mysqli_query($db,$sql);

if(!mysqli_num_rows($query) > 0 )
{
    echo '<td colspan="11"><center>No Restaurants</center></td>';
}
else
{

```

```

while($rows=mysqli_fetch_array($query))
{

    $mql="SELECT * FROM res_category where c_id='".$rows['c_id']."'";
    $res=mysqli_query($db,$mql);
    $row=mysqli_fetch_array($res);

    echo ' <tr><td>'.$row['c_name'].'</td>
        <td>'.$rows['title'].'</td>
        <td>'.$rows['email'].'</td>
        <td>'.$rows['phone'].'</td>
        <td>'.$rows['url'].'</td>

        <td>'.$rows['o_hr'].'</td>
        <td>'.$rows['c_hr'].'</td>
        <td>'.$rows['o_days'].'</td>

        <td>'.$rows['address'].'</td>

        <td><div class="col-md-3 col-lg-8 m-b-10">
        <center></center>
        </div></td>

        <td>'.$rows['date'].'</td>
        <td><a
href="delete_restaurant.php?res_del='.$rows['rs_id'].'" class="btn btn-danger btn-flat btn-addon btn-xs m-b-10"><i
class="fa fa-trash-o" style="font-size:16px"></i></a>
        <a href="update_restaurant.php?res_upd='.$rows['rs_id'].'"
class="btn btn-info btn-flat btn-addon btn-sm m-b-10 m-l-5"><i class="fa fa-edit"></i></a>
        </td></tr>';

    }

}

?>
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();?>
<?php

$sql="SELECT * FROM users order by u_id desc";
$query=mysqli_query($db,$sql);

if(!mysqli_num_rows($query) > 0 )
{
    echo '<td colspan="7"><center>No Users</center></td>';
}
else
{
    while($rows=mysqli_fetch_array($query))
    {

```

```

        echo ' <tr><td>'.$rows['username'].'</td>
            <td>'.$rows['f_name'].'</td>
            <td>'.$rows['l_name'].'</td>
            <td>'.$rows['email'].'</td>
            <td>'.$rows['phone'].'</td>
            <td>'.$rows['address'].'</td>

            <td>'.$rows['date'].'</td>
            <td><a href="delete_users.php?user_del='.$rows['u_id'].'"
class="btn btn-danger btn-flat btn-addon btn-xs m-b-10"><i class="fa fa-trash-o" style="font-size:16px"></i></a>
            <a href="update_users.php?user_upd='.$rows['u_id'].'" "
class="btn btn-info btn-flat btn-addon btn-sm m-b-10 m-l-5"><i class="fa fa-edit"></i></a>
            </td></tr>';
    }
}
?>

<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
if(empty($_SESSION["adm_id"]))
{
    header('location:index.php');
}
else
{?>
<?php $sql="select * from restaurant";
        $result=mysqli_query($db,$sql);
        $rws=mysqli_num_rows($result);

        <?php $sql="select * from dishes";
        $result=mysqli_query($db,$sql);
        $rws=mysqli_num_rows($result);

        echo $rws;?>
        echo $rws;?>
?php $sql="select * from users";
        $result=mysqli_query($db,$sql);
        $rws=mysqli_num_rows($result);

        echo $rws;?>
<?php $sql="select * from users_orders";
        $result=mysqli_query($db,$sql);
        $rws=mysqli_num_rows($result);

        echo $rws;?>
<?php $sql="select * from res_category";
        $result=mysqli_query($db,$sql);
        $rws=mysqli_num_rows($result);

        echo $rws;?>
<?php $sql="select * from users_orders WHERE status = 'in process' ";
        $result=mysqli_query($db,$sql);
        $rws=mysqli_num_rows($result);

```

```

        echo $rws;?>
<?php $sql="select * from users_orders WHERE status = 'closed' ";
        $result=mysqli_query($db,$sql);
        $rws=mysqli_num_rows($result);

        echo $rws;?>
<?php $sql="select * from users_orders WHERE status = 'rejected' ";
        $result=mysqli_query($db,$sql);
        $rws=mysqli_num_rows($result);

        echo $rws;?>
<?php
        $result = mysqli_query($db, 'SELECT SUM(price) AS value_sum FROM users_orders
WHERE status = "closed"');
        $row = mysqli_fetch_assoc($result);
        $sum = $row['value_sum'];
        echo $sum;
        ?>
<?php}?>
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
mysqli_query($db,"DELETE FROM dishes WHERE d_id = '".$_GET['menu_del']."'");
header("location:all_menu.php");?>
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
mysqli_query($db,"DELETE FROM users_orders WHERE o_id = '".$_GET['order_del']."'");
header("location:all_orders.php");?>
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
mysqli_query($db,"DELETE FROM restaurant WHERE rs_id = '".$_GET['res_del']."'");
header("location:all_restaurant.php");?>
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
mysqli_query($db,"DELETE FROM users WHERE u_id = '".$_GET['user_del']."'");
header("location:all_users.php");?>

<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
if(isset($_POST['submit']))
{
    $username = $_POST['username'];
    $password = $_POST['password'];
    if(!empty($_POST["submit"]))
    {
        $loginquery ="SELECT * FROM admin WHERE username='$username' && password='".md5($password)."'";

```

```

$result=mysqli_query($db, $loginquery);
$row=mysqli_fetch_array($result);

        if(is_array($row))
        {
            $_SESSION["adm_id"] = $row['adm_id'];
            header("refresh:1;url=dashboard.php");
        }
    else
    {
        echo "<script>alert('Invalid Username or Password!');</script>";
    }
}
}??>
<?php echo $message; ?> <?php echo $success; ?>
<?php
session_start();
session_destroy();
$url = 'index.php';
header('Location: ' . $url);?>
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
if(strlen($_SESSION['user_id'])==0)
{
    header('location:../login.php');
}
else
{
    if(isset($_POST['update']))
    {
        $form_id=$_GET['form_id'];
        $status=$_POST['status'];
        $remark=$_POST['remark'];
        $query=mysqli_query($db,"insert into remark(frm_id,status,remark) values('$form_id','$status','$remark')");
        $sql=mysqli_query($db,"update users_orders set status='$status' where o_id='$form_id'");

        echo "<script>alert('Form Details Updated Successfully');</script>";
    } ?>
<?php echo htmlentities($_GET['form_id']); ?> <?php } ?>
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
if(isset($_POST['submit']))//if upload btn is pressed
{
    if(empty($_POST['d_name'])||empty($_POST['about'])||$_POST['price']==""||$_POST['res_name']=="")
    {
        $error ='<div class="alert alert-danger alert-dismissible fade show">
        <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
        <strong>All fields Must be Fillup!</strong>
        </div>';
    }
}
else

```



```

{
    $fname = $_FILES['file']['name'];
    $temp = $_FILES['file']['tmp_name'];
    $size = $_FILES['file']['size'];
    $extension = explode('.', $fname);
    $extension = strtolower(end($extension));
    $fnew = uniqid().'.'.$extension;
    $store = "Res_img/dishes/".basename($fnew);
    if($extension == 'jpg' || $extension == 'png' || $extension == 'gif' ){
        if($size >= 1000000){
            $error = '<div class="alert alert-danger alert-dismissible fade show">
                <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
                <strong>Max Image Size is 1024kb!</strong> Try different Image.
            </div>';

        }

        else{
            $sql = "update dishes set
rs_id='$_POST[res_name]',title='$_POST[d_name]',slogan='$_POST[about]',price='$_POST[price]',img='$fnew'
where d_id='$_GET[menu_upd]'"';
            mysqli_query($db, $sql);
            move_uploaded_file($temp, $store);
            $success = '<div class="alert alert-success alert-dismissible fade show">
                <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
                <strong>Record Updated!</strong>
            </div>';

        }
    }
}
}??>
<?php echo $error; echo $success; ?>
<?php $qml = "select * from dishes where d_id='$_GET[menu_upd]'"';
    $rest=mysqli_query($db, $qml);
    $roww=mysqli_fetch_array($rest);?>
<?php echo $roww['title'];?> <?php echo $roww['slogan'];?> <?php echo $roww['price'];?>
<?php $ssql = "select * from restaurant";
    $res=mysqli_query($db, $ssql);
    while($row=mysqli_fetch_array($res))
    {
        echo' <option value="'. $row['rs_id']. ">'. $row['title']. '</option>';
    }?>

<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
if(isset($_POST['submit']))
{
    if(empty($_POST['c_name'])||empty($_POST['res_name'])||$_POST['email']==""||$_POST['phone']==""||$_POST['url']
=="||$_POST['o_hr']==""||$_POST['c_hr']==""||$_POST['o_days']==""||$_POST['address']==")
    {
        $error = '<div class="alert alert-danger alert-dismissible fade show">
            <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-

```

```

hidden="true">&times;</span></button>
    <strong>All fields Must be Fillup!</strong>
</div>';
}
else
{
    $fname = $_FILES['file']['name'];
    $temp = $_FILES['file']['tmp_name'];
    $fsize = $_FILES['file']['size'];
    $extension = explode('.', $fname);
    $extension = strtolower(end($extension));
    $fnew = uniqid().'.'.$extension;
    $store = "Res_img/" . basename($fnew);
    if($extension == 'jpg' || $extension == 'png' || $extension == 'gif' )
    {
        if($fsize >= 1000000)
        {
            $error = ' <div class="alert alert-danger alert-dismissible fade show">
            <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
            <strong>Max Image Size is 1024kb!</strong> Try different Image.
            </div>';
        }

        else
        {

            $res_name=$_POST['res_name'];
            $sql = "update restaurant set c_id='$_POST[c_name]',
title='$res_name',email='$_POST[email]',phone='$_POST[phone]',url='$_POST[url]',o_hr='$_POST[o_hr]',c_hr='$_P
OST[c_hr]',o_days='$_POST[o_days]',address='$_POST[address]',image='$fnew' where rs_id='$_GET[res_upd]' "; //
store the submitted data into the database :images                                mysqli_query($db, $sql);
            mysqli_query($db, $sql);
            move_uploaded_file($temp, $store);
            $success = ' <div class="alert alert-success alert-dismissible fade show">
            <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
            <strong>Record Updated!</strong>.
            </div>';

        }
    }
    elseif($extension == "")
    {
        $error = ' <div class="alert alert-danger alert-dismissible fade show">
            <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
            <strong>select image</strong>
            </div>';
    }
    else{

        $error = ' <div class="alert alert-danger alert-dismissible fade show">
            <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-

```

```

hidden="true">&times;</span></button>
    <strong>invalid extension!</strong>png, jpg, Gif are accepted.
</div>;

}
}
}>
<?php echo $error;echo $success; ?>
<?php $ssql="select * from restaurant where rs_id='$_GET[res_upd]";
        $res=mysqli_query($db, $ssql);
        $row=mysqli_fetch_array($res);?>
<?php echo $row['title']; ?> <?php echo $row['email']; ?> <?php echo $row['phone']; ?>
<?php echo $row['url']; ?>
<?php $ssql="select * from res_category";
        $res=mysqli_query($db, $ssql);
        while($rows=mysqli_fetch_array($res))
        {
            echo' <option value="'. $rows['c_id']. "'>'. $rows['c_name']. '</option>;';;
        } ?>

<?php echo $row['address']; ?>
<?php session_start();
error_reporting(0);
include("../connection/connect.php");
if(isset($_POST['submit'] ))
{
    if(empty($_POST['uname']) ||
        empty($_POST['fname'])||
        empty($_POST['lname']) ||
        empty($_POST['email'])||
        empty($_POST['password'])||
        empty($_POST['phone']))
    {
        $error = '<div class="alert alert-danger alert-dismissible fade show">
        <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
        <strong>All fields Required!</strong>
        </div>;'
    }
    else
    {
        if(!filter_var($_POST['email'], FILTER_VALIDATE_EMAIL)) // Validate email address
        {
            $error = '<div class="alert alert-danger alert-dismissible fade show">
            <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
            <strong>invalid email!</strong>
            </div>;'
        }
        elseif(strlen($_POST['password']) < 6)
        {
            $error = '<div class="alert alert-danger alert-dismissible fade show">
            <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
            <strong>Password must be >=6!</strong>

```

```

        </div>';
    }

    elseif(strlen($_POST['phone']) < 10)
    {
        $error = '<div class="alert alert-danger alert-dismissible fade show">
            <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
            <strong>invalid phone!</strong>
        </div>';
    }

    else{

        $mysql = "update users set username='$_POST[uname]', f_name='$_POST[fname]',
l_name='$_POST[lname]',email='$_POST[email]',phone='$_POST[phone]',password=''.md5($_POST[password]).'"
where u_id='$_GET[user_upd]' ";
        mysqli_query($db, $mysql);
        $success = '<div class="alert alert-success alert-dismissible fade show">
            <button type="button" class="close" data-dismiss="alert" aria-label="Close"><span aria-
hidden="true">&times;</span></button>
            <strong>User Updated!</strong></div>';

    }
}
}
}??> <?php echo $error; echo $success;??>
<?php $mysql="select * from users where u_id='$_GET[user_upd]'";
        $res=mysqli_query($db, $mysql);
        $newrow=mysqli_fetch_array($res);??>
<?php echo $newrow['f_name']; ?> <?php echo $newrow['l_name']; ?> <?php echo $newrow['email']; ?>
<?php echo $newrow['password']; ?> <?php echo $newrow['phone']; ?>
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
if(strlen($_SESSION['user_id'])==0)
{
header('location:../login.php');
}
else
{
    if(isset($_POST['update']))
    {
        $form_id=$_GET['form_id'];
        $status=$_POST['status'];
        $remark=$_POST['remark'];
        $query=mysqli_query($db,"insert into remark(frm_id,status,remark) values('$form_id','$status','$remark')");
        $sql=mysqli_query($db,"update users_orders set status='$status' where o_id='$form_id'");
        echo "<script>alert('form details updated successfully');</script>"; } ?>
<?php
$ret1=mysqli_query($db,"select * FROM users_orders where o_id='".$_GET['newform_id'].'"");
$ro=mysqli_fetch_array($ret1);
$ret2=mysqli_query($db,"select * FROM users where u_id='".$ro['u_id'].'"");
while($row=mysqli_fetch_array($ret2))

```

```

{?>
<?php if($row['status']==1)
    { echo "<div class='btn btn-primary'>Active</div>";
    } else{
        echo "<div class='btn btn-danger'>Block</div>";
    } ?> <?php } ?>
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();
?>
<?php
        $sql="SELECT users.*, users_orders.* FROM users INNER JOIN users_orders ON
users.u_id=users_orders.u_id where o_id='".$$_GET['user_upd']."'";
        $query=mysqli_query($db,$sql);
        $rows=mysqli_fetch_array($query);?> <?php echo $rows['username']; ?>
<?php echo $rows['title']; ?> <?php echo $rows['quantity']; ?> <?php echo $rows['price']; ?>
<?php echo $rows['address']; ?> <?php echo $rows['date']; ?>
<?php
        $status=$rows['status'];
        if($status==" " or $status=="NULL")
        {
            ?>
            <td> <center><button type="button" class="btn btn-info"><span class="fa fa-
bars" aria-hidden="true" ></span> Dispatch</button></center></td>
            <?php
            }
            if($status=="in process")
            { ?>
            <td> <center><button type="button" class="btn btn-warning"><span class="fa fa-
cog fa-spin" aria-hidden="true" ></span> On a Way!</button></center></td>
            <?php
            }
            if($status=="closed")
            {
            ?>
            <td> <center><button type="button" class="btn btn-primary" ><span class="fa fa-
check-circle" aria-hidden="true"></span> Delivered</button></center></td>
            <?php
            }
            ?>
            <?php
            if($status=="rejected")
            {
            ?>
            <td> <center><button type="button" class="btn btn-danger"> <i class="fa fa-
close"></i> Cancelled</button> </center></td>
            <?php } ?>

```

SQL coding section:

```
-- phpMyAdmin SQL Dump
-- version 5.2.0
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Sep 05, 2022 at 07:11 PM
-- Server version: 10.4.24-MariaDB
-- PHP Version: 8.1.6

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `the food`
--

-----

--
-- Table structure for table `admin`
--

CREATE TABLE `admin` (
  `adm_id` int(22) NOT NULL,
  `username` varchar(22) NOT NULL,
  `password` varchar(22) NOT NULL,
  `email` varchar(22) NOT NULL,
  `code` varchar(22) NOT NULL,
  `date` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `admin`
--
```

```
INSERT INTO `admin` (`adm_id`, `username`, `password`, `email`, `code`, `date`) VALUES
(1, 'Rafee', '821f3157e1a3456bfe1a000a1adf0862', 'rafee@gmail.com', '', '2022-09-05 11:28:56'),
(2, 'Sajol', 'd6502f070c7e50402b7ee7e690d7dbb9', 'habibunnabi234@gmail.com', '', '2022-09-05
11:33:30');
```

```
-- -----
```

```
--
-- Table structure for table `contact`
--
```

```
CREATE TABLE `contact` (
  `username` varchar(60) CHARACTER SET latin1 COLLATE latin1_spanish_ci NOT NULL,
  `phonenumner` int(60) NOT NULL,
  `email` varchar(60) NOT NULL,
  `description1` varchar(100) NOT NULL,
  `c_id` int(11) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
-- -----
```

```
--
-- Table structure for table `dishes`
--
```

```
CREATE TABLE `dishes` (
  `d_id` int(222) NOT NULL,
  `rs_id` int(222) NOT NULL,
  `title` varchar(222) NOT NULL,
  `slogan` varchar(222) NOT NULL,
  `price` decimal(10,2) NOT NULL,
  `img` varchar(222) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
--
-- Dumping data for table `dishes`
--
```

```
INSERT INTO `dishes` (`d_id`, `rs_id`, `title`, `slogan`, `price`, `img`) VALUES
(17, 6, 'Burger', 'xyz', '5.00', '6315c5700b5d9.jpg'),
(18, 5, 'Burger', 'so tasty ,spicy,sweet', '3.00', '6315c59d61f2a.png'),
(19, 7, 'Burger', 'so tasty ,spicy,sweet', '4.00', '6315c5be52bce.png'),
(20, 5, 'chicken', 'so tasty ,spicy', '3.00', '6315c60defd37.png'),
(21, 7, 'chicken', 'so tasty ,spicy,sweet', '4.00', '6315c62d59e71.png'),
(22, 7, 'chicken', 'so tasty ,spicy,sweet', '25.00', '6315c6451b963.jpg'),
(23, 7, 'Pizzas', 'so tasty ,spicy,sweet', '10.00', '6315c67f42ac2.png'),
(24, 7, 'Pizzas', 'so tasty ,spicy,sweet', '5.00', '6315c6b58b85e.png'),
(25, 7, 'Burger', 'so tasty ,spicy,sweet', '3.00', '6315c6fa2cba8.png'),
(26, 7, 'Burger', 'so tasty ,spicy,sweet', '3.00', '6315c728c4a83.png'),
(27, 5, 'chicken ugget', 'so tasty ,spicy,sweet', '7.00', '6315c74b6fb14.png'),
(28, 7, 'Burger', 'so tasty ,spicy,sweet', '3.00', '6315c7e702927.png'),
```

```
(29, 8, 'drinks', 'so tasty sweet', '1.00', '6315c819afe67.jpg'),
(30, 8, 'drinks', 'so tasty sweet', '3.00', '6315c836f29d7.jpg'),
(31, 8, 'cake', 'so tasty sweet', '4.00', '6315c85022309.jpg'),
(32, 8, 'cake', 'so tasty sweet', '25.00', '6315c87151c71.jpg'),
(33, 8, 'cake', 'so tasty sweet', '25.00', '6315c8858a6f2.jpg');
```

```
-- -----
```

```
--
-- Table structure for table `remark`
--
```

```
CREATE TABLE `remark` (
  `id` int(11) NOT NULL,
  `frm_id` int(11) NOT NULL,
  `status` varchar(255) NOT NULL,
  `remark` mediumtext NOT NULL,
  `remarkDate` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
--
-- Dumping data for table `remark`
--
```

```
INSERT INTO `remark` (`id`, `frm_id`, `status`, `remark`, `remarkDate`) VALUES
(1, 2, 'in process', 'none', '2022-05-01 05:17:49'),
(2, 3, 'in process', 'none', '2022-05-27 11:01:30'),
(3, 2, 'closed', 'thank you for your order!', '2022-05-27 11:11:41'),
(4, 3, 'closed', 'none', '2022-05-27 11:42:35'),
(5, 4, 'in process', 'none', '2022-05-27 11:42:55'),
(6, 1, 'rejected', 'none', '2022-05-27 11:43:26'),
(7, 7, 'in process', 'none', '2022-05-27 13:03:24'),
(8, 8, 'in process', 'none', '2022-05-27 13:03:38'),
(9, 9, 'rejected', 'thank you', '2022-05-27 13:03:53'),
(10, 7, 'closed', 'thank you for your ordering with us', '2022-05-27 13:04:33'),
(11, 8, 'closed', 'thanks ', '2022-05-27 13:05:24'),
(12, 5, 'closed', 'none', '2022-05-27 13:18:03');
```

```
-- -----
```

```
--
-- Table structure for table `restaurant`
--
```

```
CREATE TABLE `restaurant` (
  `rs_id` int(222) NOT NULL,
  `c_id` int(222) NOT NULL,
  `title` varchar(222) NOT NULL,
  `email` varchar(222) NOT NULL,
  `phone` varchar(222) NOT NULL,
  `url` varchar(222) NOT NULL,
```



```

`o_hr` varchar(222) NOT NULL,
`c_hr` varchar(222) NOT NULL,
`o_days` varchar(222) NOT NULL,
`address` text NOT NULL,
`image` text NOT NULL,
`date` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

```

```

--
-- Dumping data for table `restaurant`
--

```

```

INSERT INTO `restaurant` (`rs_id`, `c_id`, `title`, `email`, `phone`, `url`, `o_hr`, `c_hr`, `o_days`,
`address`, `image`, `date`) VALUES
(5, 5, 'CP FIVE STAR', 'ghhhhhh@gmail.com', '55555', 'xyz', '10am', '12am', '24hr-x7', 'DHAKA',
'6315c1b6e7a83.png', '2022-09-05 09:30:30'),
(6, 5, 'tasty treat', 'sajolhabibunnabi87@gmail.com', '55555', 'xyz', '6am', '12am', 'Mon-Thu', 'dhaka',
'6315c49ae4e7f.png', '2022-09-05 09:42:50'),
(7, 5, 'Burger king', 'sajolhabibunnabi87@gmail.com', '5555500', 'http://www.burgerking.com', '11am',
'6pm', '24hr-x7', ' Dhaka ', '6315f2d3257bf.png', '2022-09-05 13:00:03'),
(8, 6, 'COOPERS', '190204092@aust.edu', '0999999999999999', 'xyz', '6am', '12am', '24hr-x7', 'dhaka',
'6315c506b1c6d.jpg', '2022-09-05 09:44:38');

```

```

-----

```

```

--
-- Table structure for table `res_category`
--

```

```

CREATE TABLE `res_category` (
  `c_id` int(222) NOT NULL,
  `c_name` varchar(222) NOT NULL,
  `date` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

```

```

--
-- Dumping data for table `res_category`
--

```

```

INSERT INTO `res_category` (`c_id`, `c_name`, `date`) VALUES
(5, 'FAST FOOD', '2022-09-05 09:29:14'),
(6, 'BAKERY', '2022-09-05 09:29:20');

```

```

-----

```

```

--
-- Table structure for table `users`
--

```

```

CREATE TABLE `users` (
  `u_id` int(222) NOT NULL,

```

```

`username` varchar(222) NOT NULL,
`f_name` varchar(222) NOT NULL,
`l_name` varchar(222) NOT NULL,
`email` varchar(222) NOT NULL,
`phone` varchar(222) NOT NULL,
`password` varchar(222) NOT NULL,
`address` text NOT NULL,
`status` int(222) NOT NULL DEFAULT 1,
`date` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

```

```

--
-- Dumping data for table `users`
--

```

```

INSERT INTO `users` (`u_id`, `username`, `f_name`, `l_name`, `email`, `phone`, `password`, `address`,
`status`, `date`) VALUES
(7, 'sajol', 'habib', 'nabi', 'sajolhabibunnabi87@gmail.com', '0999999999999999',
'e10adc3949ba59abbe56e057f20f883e', 'dhala', 1, '2022-09-05 09:36:57'),
(8, 'habib', 'habib', 'nabi', '190204092@aust.edu', '0999999999999999',
'e10adc3949ba59abbe56e057f20f883e', 'khulna', 1, '2022-09-05 09:38:54'),
(9, 'Rafee', 'Munawar', 'Rafee', 'mrrafee999@gmail.com', '01934897915',
'821f3157e1a3456bfe1a000a1adf0862', '275-Uttar Jurain , Mercy General Hospital ,Dhaka-1204', 1,
'2022-09-05 11:28:06'),
(10, 'Sajol', 'Habibunnabi ', 'Sajol', 'habibunnabi234@gmail.com', '01715081956',
'd6502f070c7e50402b7ee7e690d7dbb9', '230-Dhanmondi,Dhaka-1210', 1, '2022-09-05 11:32:09');

```

```

-- -----

```

```

--
-- Table structure for table `users_orders`
--

```

```

CREATE TABLE `users_orders` (
  `o_id` int(222) NOT NULL,
  `u_id` int(222) NOT NULL,
  `title` varchar(222) NOT NULL,
  `quantity` int(222) NOT NULL,
  `price` decimal(10,2) NOT NULL,
  `status` varchar(222) DEFAULT NULL,
  `date` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

```

```

--
-- Dumping data for table `users_orders`
--

```

```

INSERT INTO `users_orders` (`o_id`, `u_id`, `title`, `quantity`, `price`, `status`, `date`) VALUES
(10, 8, 'chicken', 1, '3.00', NULL, '2022-09-05 10:05:53'),
(11, 8, 'Pizzas', 1, '5.00', NULL, '2022-09-05 10:05:53'),
(12, 9, 'chicken', 1, '3.00', NULL, '2022-09-05 12:44:08'),

```

```
(13, 9, 'Burger', 1, '3.00', NULL, '2022-09-05 12:46:37'),  
(14, 9, 'Burger', 1, '3.00', NULL, '2022-09-05 13:28:53');
```

```
--  
-- Indexes for dumped tables  
--  
  
--  
-- Indexes for table `admin`  
--  
ALTER TABLE `admin`  
  ADD PRIMARY KEY (`adm_id`);  
  
--  
-- Indexes for table `contact`  
--  
ALTER TABLE `contact`  
  ADD PRIMARY KEY (`c_id`);  
  
--  
-- Indexes for table `dishes`  
--  
ALTER TABLE `dishes`  
  ADD PRIMARY KEY (`d_id`);  
  
--  
-- Indexes for table `remark`  
--  
ALTER TABLE `remark`  
  ADD PRIMARY KEY (`id`);  
  
--  
-- Indexes for table `restaurant`  
--  
ALTER TABLE `restaurant`  
  ADD PRIMARY KEY (`rs_id`);  
  
--  
-- Indexes for table `res_category`  
--  
ALTER TABLE `res_category`  
  ADD PRIMARY KEY (`c_id`);  
  
--  
-- Indexes for table `users`  
--  
ALTER TABLE `users`  
  ADD PRIMARY KEY (`u_id`);  
  
--  
-- Indexes for table `users_orders`
```

```

--
ALTER TABLE `users_orders`
  ADD PRIMARY KEY (`o_id`);

--
-- AUTO_INCREMENT for dumped tables
--

--
-- AUTO_INCREMENT for table `admin`
--
ALTER TABLE `admin`
  MODIFY `adm_id` int(222) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=3;

--
-- AUTO_INCREMENT for table `contact`
--
ALTER TABLE `contact`
  MODIFY `c_id` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `dishes`
--
ALTER TABLE `dishes`
  MODIFY `d_id` int(222) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=34;

--
-- AUTO_INCREMENT for table `remark`
--
ALTER TABLE `remark`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=13;

--
-- AUTO_INCREMENT for table `restaurant`
--
ALTER TABLE `restaurant`
  MODIFY `rs_id` int(222) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=9;

--
-- AUTO_INCREMENT for table `res_category`
--
ALTER TABLE `res_category`
  MODIFY `c_id` int(222) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=7;

--
-- AUTO_INCREMENT for table `users`
--
ALTER TABLE `users`
  MODIFY `u_id` int(222) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=11;

--

```

```
-- AUTO_INCREMENT for table `users_orders`  
--  
ALTER TABLE `users_orders`  
  MODIFY `o_id` int(222) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=15;  
COMMIT;  
  
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;  
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;  
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

Future Work:

We want to fix the problem of the contact page back-end. We also want to make the website size, lines of codes and loading time lesser. For the delivery man we want to make a private page like the admin page. We want to show some discount on specific food items responsively in homepage.

Conclusion:

Our page “The Food” is a online marketplace where users can order food online and admin of the page can modify data according to their needs considering privacy and policy. We can to advance it furthermore in future such as for delivery man their should be another private page.