#### HANDSON EXERCISES - WEEK 8

Skill: GIT

File: 1. Git-HOL.docx

**Exercise :** Git Setup and Repository Push to GitLab

#### Git Installation Check

```
[(base) rafi@RafiSBMs-MacBook-Air Week 8 % git --version
git version 2.15.0
(base) rafi@RafiSBMs-MacBook-Air Week 8 % ■
```

### **Git Global Configuration**

```
(base) rafi@RafiSBMs-MacBook-Air Week 8 % git config --global user.name "Rafi-Luffy"
(base) rafi@RafiSBMs-MacBook-Air Week 8 % git config --global user.email "786astragaming999@gmail.com"
(base) rafi@RafiSBMs-MacBook-Air Week 8 %
```

```
[(base) rafi@RafiSBMs-MacBook-Air Week 8 % git config --global --list filter.lfs.clean=git-lfs clean -- %f filter.lfs.smudge=git-lfs smudge -- %f filter.lfs.process=git-lfs filter-process filter.lfs.required=true user.name=Rafi-Luffy user.email=786astragaming999@gmail.com http.postbuffer=524288000 http.lowspeedlimit=0 http.lowspeedtime=999999 (base) rafi@RafiSBMs-MacBook-Air Week 8 %
```

#### **Setting VS Code as Default Git Editor**

```
• (base) rafi@RafiSBMs—MacBook—Air Week 8 % git config ---global core.editor "code ---wait"

○ (base) rafi@RafiSBMs—MacBook—Air Week 8 % ■
```

```
    (base) rafi@RafiSBMs-MacBook-Air Week 8 % code --version
    1.103.0
        e3550cfac4b63ca4eafca7b601f0d2885817fd1f
        arm64
    (base) rafi@RafiSBMs-MacBook-Air Week 8 % ■
```

## Opening .gitconfig in VS Code

```
gitconfig ×
Users > rafi > ⋄ .gitconfig
      [filter "lfs"]
          clean = git-lfs clean -- %f
          smudge = git-lfs smudge -- %f
          process = git-lfs filter-process
          required = true
      [user]
          name = Rafi-Luffy
          email = 786astragaming999@gmail.com
      [http]
          postBuffer = 524288000
          lowSpeedLimit = 0
          lowSpeedTime = 999999
      [core]
          editor = code --wait
```

## **Initializing Git Repository**

```
[(base) rafi@RafiSBMs-MacBook-Air Week 8 % mkdir GitDemo
[(base) rafi@RafiSBMs-MacBook-Air Week 8 % cd GitDemo
[(base) rafi@RafiSBMs-MacBook-Air GitDemo % git init
Initialized empty Git repository in /Users/rafi/Downloads/Cognizant Work_Progress/Week 8/GitDemo/.git/
(base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

## Creating the File & viewing its contents

#### **Checking Git Status (Untracked)**

```
[(base) rafi@RafiSBMs-MacBook-Air GitDemo % git status
On branch master
No commits yet
Untracked files:
   (use "git add <file>..." to include in what will be committed)
        welcome.txt
nothing added to commit but untracked files present (use "git add" to track)
   (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

## **Adding File to Staging**

```
[(base) rafi@RafiSBMs-MacBook-Air GitDemo % git add welcome.txt
[(base) rafi@RafiSBMs-MacBook-Air GitDemo % git status
On branch master

No commits yet

Changes to be committed:
   (use "git rm --cached <file>..." to unstage)
        new file: welcome.txt

(base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

## **SuperSet ID: 6314413**

## Shaik Balaji Mahammad Rafi

#### **Committing Changes with VS Code Editor**

```
[(base) rafi@RafiSBMs-MacBook-Air GitDemo % git commit

[master (root-commit) 7f44525] Initial commit - Added welcome.txt file - Prepared project structure

1 file changed, 1 insertion(+)

create mode 100644 welcome.txt
(base) rafi@RafiSBMs-MacBook-Air GitDemo % []
```

### Remote Repository Creation & Linking Remote to Local

```
(base) rafi@RafiSBMs-MacBook-Air GitDemo % clear
(base) rafi@RafiSBMs-MacBook-Air GitDemo % git remote set-url origin https://gitlab.com/kaze3244315/gitdemo.git

(base) rafi@RafiSBMs-MacBook-Air GitDemo % git remote -v
origin https://gitlab.com/kaze3244315/gitdemo.git (fetch)
origin https://gitlab.com/kaze3244315/gitdemo.git (push)

(base) rafi@RafiSBMs-MacBook-Air GitDemo % ■
```

#### **Successful Push to Remote**

```
• (base) rafi@RafiSBMs-MacBook-Air GitDemo % git push -u origin master

Counting objects: 3, done.
Writing objects: 100% (3/3), 294 bytes | 294.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
remote:
remote: To create a merge request for master, visit:
remote: https://gitlab.com/kaze3244315/gitdemo/-/merge_requests/new?merge_request%5Bsource_branch%5D=master
remote:
To https://gitlab.com/kaze3244315/gitdemo.git
* [new branch] master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.

○ (base) rafi@RafiSBMs-MacBook-Air GitDemo % ■
```

### Final Repository on GitLab



File: 2. Git-HOL.docx


**Exercise:** Ignoring Unwanted Files and Folders in Git using .gitignore

## **Current Repository**

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % pwd
    /Users/rafi/Downloads/Cognizant Work_Progress/Week 8/GitDemo
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % ■
```

### **Creating Log File and Folder**

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % touch debug.log
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % mkdir log
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % echo "now i am made a sample log" > log/app.log
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```



### **Git Status Before Ignoring**

```
o (base) rafi@RafiSBMs-MacBook-Air GitDemo % git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
    (use "git add <file>..." to include in what will be committed)

    debug.log
    log/

nothing added to commit but untracked files present (use "git add" to track)
o (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

#### Updating .gitignore File

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % echo "*.log" > .gitignore
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % echo "log/" >> .gitignore
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % cat .gitignore
    *.log
    log/
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % []
```

## **SuperSet ID** : 6314413

## Shaik Balaji Mahammad Rafi

### **Git Status After Ignoring**

### **Committing** .gitignore **File**


```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git add .gitignore
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git commit -m "Added .gitignore to ignore log files and folder" [master 2ea4425] Added .gitignore to ignore log files and folder
        1 file changed, 2 insertions(+)
        create mode 100644 .gitignore
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

## **Pushing Changes to Remote**

```
(base) rafi@RafiSBMs-MacBook-Air GitDemo % git push

Counting objects: 3, done.
Delta compression using up to 8 threads.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 319 bytes | 319.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
remote:
remote: To create a merge request for master, visit:
remote: https://gitlab.com/kaze3244315/gitdemo/-/merge_requests/new?merge_request%5Bsource_branch%5D=master
remote:
To https://gitlab.com/kaze3244315/gitdemo.git
    7f44525..2ea4425 master -> master
(base) rafi@RafiSBMs-MacBook-Air GitDemo % ■
```

### Verifying on GitLab



File: 3. Git-HOL.docx

**Exercise:** Git Branching and Merging


## **Listing Local and Remote Branches**

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % clear
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git branch GitNewBranch
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git branch -a
    GitNewBranch
    * master
    remotes/origin/master
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

### **Switching to New Branch**

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git checkout GitNewBranch
    Switched to branch 'GitNewBranch'
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % ■
```

## Creating a File in New Branch



#### **Committing Changes in the Branch**


```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git add branchfile.txt
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git commit -m "Added branchfile.txt in GitNewBranch" [GitNewBranch 52899d4] Added branchfile.txt in GitNewBranch
        1 file changed, 1 insertion(+)
        create mode 100644 branchfile.txt
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % ■
```

### **Pushing Branch to GitLab**


## **SuperSet ID: 6314413**

## Shaik Balaji Mahammad Rafi

### **Creating Merge Request in GitLab**



#### **Switching Back to Master**



### **Viewing CLI Differences Between Branch and Master**

```
• (base) rafi@RafiSBMs-MacBook-Air GitDemo % git diff master GitNewBranch

diff --git a/branchfile.txt b/branchfile.txt
new file mode 100644
index 0000000..4056526
--- /dev/null
+++ b/branchfile.txt
@@ -0,0 +1 @@
+This is a new file in new branch
○ (base) rafi@RafiSBMs-MacBook-Air GitDemo %
■
```

#### **Merging Branch into Master**

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git merge GitNewBranch
    Updating 2ea4425..52899d4
    Fast-forward
    branchfile.txt | 1 +
    1 file changed, 1 insertion(+)
    create mode 100644 branchfile.txt
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

## **Viewing Merge History**

```
• (base) rafi@RafiSBMs-MacBook-Air GitDemo % git log --oneline --graph --decorate

* 52899d4 (HEAD -> master, origin/GitNewBranch, GitNewBranch) Added branchfile.txt in GitNewBranch

* 2ea4425 (origin/master) Added .gitignore to ignore log files and folder

* 7f44525 Initial commit - Added welcome.txt file - Prepared project structure

○ (base) rafi@RafiSBMs-MacBook-Air GitDemo % ■
```

## **Deleting Branch After Merge**

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git branch -d GitNewBranch
    Deleted branch GitNewBranch (was 52899d4).
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

File: 4. Git-HOL.docx

**Exercise :** Merge Conflict Resolution in Git


#### **Master Branch Clean State**

(base) rafi@RafiSBMs-MacBook-Air GitDemo % git checkout master Already on 'master'
Your branch is ahead of 'origin/master' by 1 commit.
 (use "git push" to publish your local commits)
 (base) rafi@RafiSBMs-MacBook-Air GitDemo % git status On branch master
Your branch is ahead of 'origin/master' by 1 commit.
 (use "git push" to publish your local commits)
 nothing to commit, working tree clean
 (base) rafi@RafiSBMs-MacBook-Air GitDemo % ■

## Creating and Switching to GitWork Branch

- (base) rafi@RafiSBMs-MacBook-Air GitDemo % git branch GitWork
   (base) rafi@RafiSBMs-MacBook-Air GitDemo % git checkout GitWork
   Switched to branch 'GitWork'
- (base) rafi@RafiSBMs-MacBook-Air GitDemo %

### Creating hello.xml in GitWork



## Committing hello.xml in GitWork

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git add hello.xml
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git commit -m "Add hello.xml in GitWork" [GitWork 373a43b] Add hello.xml in GitWork
        1 file changed, 1 insertion(+)
        create mode 100644 hello.xml
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % ■
```

## **Creating Different hello.xml in Master**

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git checkout master
        Switched to branch 'master'
        Your branch is ahead of 'origin/master' by 1 commit.
        (use "git push" to publish your local commits)
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % echo "<greeting>Hello from Master branch</greeting>" > hello.xml
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

## **SuperSet ID** : 6314413

## Shaik Balaji Mahammad Rafi

#### Committing hello.xml in Master

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git add hello.xml
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git commit -m "Added hello.xml in master" [master 5d58349] Added hello.xml in master
        1 file changed, 1 insertion(+)
        create mode 100644 hello.xml
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

#### **Viewing Diverged Branch History**

```
• (base) rafi@RafiSBMs-MacBook-Air GitDemo % git log —oneline —graph —decorate —all

* 5d58349 (HEAD → master) Added hello.xml in master

| * 373a43b (GitWork) Add hello.xml in GitWork

|/

* 52899d4 (origin/GitNewBranch) Added branchfile.txt in GitNewBranch

* 2ea4425 (origin/master) Added .gitignore to ignore log files and folder

* 7f44525 Initial commit — Added welcome.txt file — Prepared project structure

• (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

### **Merge Conflict Occurs**

#### Resolving Conflict in VS Code & Committing the Resolved Conflict

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % code hello.xml
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git add hello.xml
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git commit -m "Resolved merge conflict in hello.xml"
    [master aa6feab] Resolved merge conflict in hello.xml
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

#### Adding Backup File Ignore Rule

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % echo "*~" >> .gitignore
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git add .gitignore
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git commit -m "Ignore backup files" [master 6e0c9c6] Ignore backup files
        1 file changed, 1 insertion(+)
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

#### **Deleting GitWork Branch**

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git branch -d GitWork
    Deleted branch GitWork (was 373a43b).
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

## **SuperSet ID** : 6314413

# Shaik Balaji Mahammad Rafi

## **Final Commit History After Merge**

```
• (base) rafi@RafiSBMs-MacBook-Air GitDemo % git log --oneline --graph --decorate

* 6e0c9c6 (HEAD -> master) Ignore backup files

* aa6feab Resolved merge conflict in hello.xml

|\
| * 373a43b Add hello.xml in GitWork

* | 5d58349 Added hello.xml in master

|/

* 52899d4 (origin/GitNewBranch) Added branchfile.txt in GitNewBranch

* 2ea4425 (origin/master) Added .gitignore to ignore log files and folder

* 7f44525 Initial commit - Added welcome.txt file - Prepared project structure

○ (base) rafi@RafiSBMs-MacBook-Air GitDemo % ■
```

## File: 5. Git-HOL.docx

**Exercise:** Cleaning Up and Pushing to Remote Git

#### **Master Branch Clean State**

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git checkout master Already on 'master'
Your branch is ahead of 'origin/master' by 5 commits.
    (use "git push" to publish your local commits)
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git status
On branch master
Your branch is ahead of 'origin/master' by 5 commits.
    (use "git push" to publish your local commits)
    nothing to commit, working tree clean
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

### Listing all available branches

```
    (base) rafi@RafiSBMs-MacBook-Air GitDemo % git branch -a
        * master
        remotes/origin/GitNewBranch
        remotes/origin/master
    (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

## Pulling latest changes from remote

#### **Pushing pending changes to remote**

```
● (base) rafi@RafiSBMs-MacBook-Air GitDemo % git push origin master

Counting objects: 12, done.
    Delta compression using up to 8 threads.
    Compressing objects: 100% (8/8), done.
    Writing objects: 100% (12/12), 1.19 KiB | 1.19 MiB/s, done.
    Total 12 (delta 4), reused 0 (delta 0)
    remote:
    remote: To create a merge request for master, visit:
    remote: https://gitlab.com/kaze3244315/gitdemo/-/merge_requests/new?merge_request%5Bsource_branch%5D=master
    remote:
    To https://gitlab.com/kaze3244315/gitdemo.git
        2ea4425..6e0c9c6 master -> master
        (base) rafi@RafiSBMs-MacBook-Air GitDemo %
```

## Verifying changes on GitLab

