RecruitO

AI-Assisted Recruitment Platform

Software Requirements Specification

Version ID Date: 28/10/2026

Document ID: SWD/RecruitO/SRS

Version ID: 1.0

Revision History

Doc. Ver.	Date	Author	Reviewer	Description of Revision
1.0	28/10/2026	Mahbubur Rahman Rafi		Initial version of the SRS for RecruitO

Contents

Revision History **2**

1. Introduction **4**

1.1 Purpose 4

1.2 Scope 4

1.3 Intended Stakeholder 4

1.4 References 5

1.5 Definitions, Acronyms, and Abbreviations 5

2. Overall Description **6**

2.1 Overview 6

2.2 Technical Platform 6

3. Functional Requirements **7**

3.1 Overview 7

3.1.1 CV Screening and Candidate Ranking (F1) 8

3.1.2 AI-Based Candidate Scoring (F2) 8

3.1.3 Job Description Drafting and External Publishing (Core) 9

3.1.4 Interview Scheduling and Notification 9

3.1.5 Video Interview (F3) 10

3.1.6 Speech Capture and Transcription (F4) 10

3.1.7 Interview Q&A Analysis (F5) 10

3.1.8 Consolidated Assessment and Comparison (F6) 11

3.1.9 Candidate Assistant Chatbot – Innovation Feature 11

3.1.10 Biometric Match (F7) and Extended Analysis (F8-F10) 12

4. User Interface **13**

5. Non-Functional Requirements **14**

5.1 Performance Requirements 14

5.2 Safety Requirements 14

5.3 Security Requirements 15

6. Design Constraints **16**

7. Software Quality Attributes **17**

8. User Interface (Notes) **18**

9. Other Requirements **19**

1. Introduction

1.1 Purpose

This document specifies the software requirements for RecruitO, an AI-assisted recruitment platform. It defines the product's scope, functional and non-functional requirements, external interfaces, design constraints, and quality attributes. The document is intended to serve as the agreed reference between the project team, reviewers, and stakeholders for the development, verification, and acceptance of the system.

1.2 Scope

RecruitO supports the end-to-end hiring workflow for a hiring organisation. Its scope covers three stages:

- Pre-interview: intake of PDF/DOCX applications and hiring-manager batch imports of up to 50 CVs, automatic requirement-based CV scoring with quoted evidence, and per-job candidate ranking.
- During interview: interview-eligibility notification to the hiring manager, manager-driven assignment of the interview date, time and interviewer, email confirmation with an .ics attachment and role-scoped join links, and a browser-based WebRTC interview room.
- Post-interview: consented transcription of interview audio, interview question-and-answer analysis mapped to job requirements, and printable consolidated candidate assessment and comparison.

The innovation feature of RecruitO is a privacy-preserving, role-scoped candidate assistant chatbot that answers each signed-in candidate using only their own application status and public job information, enforced by a strict per-candidate allowlist and validated by red-team boundary checks. The same role-aware engine also serves hiring managers and interviewers with per-role, user-bound data.

As core (must-have) capabilities, RecruitO also includes a manager-facing assistant that drafts policy-checked job descriptions, extracts structured requirements, and publishes approved jobs to Blogger through a bundled MCP service.

Out of scope / excluded: external calendar integration and OAuth-based availability checking (interview times are entered manually by the hiring manager); a TURN relay for WebRTC (restrictive NAT/firewall traversal is not provided); and any automated hiring or rejection decision (all AI output is decision support only). Scanned/image-only PDFs that yield no extractable text are not scored. Features F4-F10 and F7 biometric matching are implemented in source but remain pending live provider and two-browser verification.

1.3 Intended Stakeholder

The intended stakeholders for this document are:

- Hiring Managers / Recruiters – primary users who prepare jobs, review rankings, and schedule interviews.
- Interviewers – staff who conduct assigned interviews and review transcripts and assessments.
- Candidates – applicants who submit applications and attend interviews.
- Project team (developers, testers) – who build and verify the system against these requirements.

- Course trainer / reviewer – who evaluates the project and approves sensitive capabilities (e.g. biometric use).

1.4 References

Reference	Location
Project README (requirements, architecture, status)	README.md (project root)
LangGraph workflow design notes	docs/LangGraph_Workflows.md
Privacy and fairness notes	docs/Privacy_and_Fairness.md
Innovation feature rationale	docs/Innovation_Rationale.md
Risk register	docs/Risk_Register.md
Blogger / Mail2Blogger setup	docs/blogger_setup.md
Interactive API documentation (OpenAPI)	http://localhost:8000/docs (runtime)

1.5 Definitions, Acronyms, and Abbreviations

Term / Acronym	Definition
SRS	Software Requirements Specification.
CV	Curriculum Vitae; a candidate's resume submitted as PDF or DOCX.
JD	Job Description.
LLM	Large Language Model; RecruitO uses Google Gemini models.
LangGraph	Framework used to orchestrate the multi-step, stateful AI workflows.
WebRTC	Web Real-Time Communication; browser peer-to-peer audio/video used for the interview room.
STT	Speech-to-Text; chunked transcription of consented interview audio.
MCP	Model Context Protocol; the bundled service used to publish jobs to Blogger.
TURN	Traversal Using Relays around NAT; a media relay (not configured in RecruitO).
ICS	iCalendar file (.ics) attached to interview confirmation emails.
JWT	JSON Web Token; used for signed user sessions.
SMTP	Simple Mail Transfer Protocol; used for outbound email.
YuNet / SFace	OpenCV face detection (YuNet) and face recognition/embedding (SFace) models used for optional biometric matching.

2. Overall Description

2.1 Overview

Product perspective. RecruitO is a self-contained web application delivered through Docker Compose. A static browser frontend (served by Nginx) communicates with a FastAPI backend. PostgreSQL stores job, candidate, interview, score, audit, notification, and consent records. LangGraph coordinates job drafting, role-aware assistants, CV scoring, application ranking, and interview analysis. Google Gemini provides the LLM capabilities (JD drafting, chat, CV assessment, chunk transcription, interview assessment). OpenCV YuNet/SFace matching runs locally in the API container. Email is delivered through a configured SMTP server.

Product functions. The major functions are: automatic CV screening and ranking; configurable AI-based candidate scoring with quoted evidence; AI-assisted job description drafting and external publishing; manager-driven interview scheduling and notification; browser-based video interviews; consented audio transcription; interview Q&A analysis; and consolidated candidate assessment, comparison, and printable reports.

User characteristics. Hiring managers and interviewers are authenticated staff with role-scoped access. Candidates are self-registered external users who can view only their own applications and public job cards. A role-aware chatbot enforces per-role data allowlists.

Constraints. The stack (Python/FastAPI, LangGraph, PostgreSQL, Docker) is mandated. WebRTC signalling is in-memory and single-process; there is no TURN relay. Transcription is chunked (not low-latency streaming). All AI output must be explainable and must never make automated hiring decisions.

Assumptions and dependencies. A valid Google Gemini API key and a reachable SMTP server are required for full AI and email functionality; without a Gemini key the application still starts and AI features report that they are not configured. Interview scheduling requires at least one active interviewer account. Biometric features require prior trainer/privacy approval before use with real candidate data.

2.2 Technical Platform

Layer	Technology
Backend / API	Python, FastAPI, Pydantic (typed models, automatic OpenAPI docs)
AI orchestration	LangGraph (multi-step, stateful workflows)
LLM provider	Google Gemini API (JD drafting, CV scoring, chat, transcription, assessment)
Database	PostgreSQL
Containers	Docker, Docker Compose (one-command reproducible startup)
Frontend	HTML, CSS, and JavaScript modules served by Nginx
Video	Browser WebRTC with FastAPI WebSocket signalling (no TURN)
Speech-to-text	Google Gemini audio understanding on short consented chunks
Face detection / matching	OpenCV YuNet (detection) and SFace (embedding), run locally in the API container
External publishing	Blogger via a bundled Streamable HTTP MCP service (Mail2Blogger over SMTP)
Authentication	JWT-signed sessions

3. Functional Requirements

3.1 Overview

The following table summarises the main features provided by RecruitO. Each is detailed in the subsections that follow.

Serial No	Main Feature	Description
1	CV screening & ranking (F1)	Extract text from PDF/DOCX CVs (single or batch up to 50), match against job requirements, and rank candidates per job.
2	AI-based candidate scoring (F2)	Score each CV per requirement with configurable weights and quoted, verified evidence; cache and version scores.
3	JD drafting & publishing (core)	Draft policy-checked JDs with a manager assistant and publish approved jobs to Blogger via the MCP service.
4	Interview scheduling & notification	Notify the manager on eligibility; manager assigns date/time/interviewer; email confirmations with .ics and role-scoped join links.
5	Video interview (F3)	Browser WebRTC interview room joined via role-scoped links, with optional panels.
6	Speech capture & transcription (F4)	Capture consented short audio chunks and store transcript text.
7	Interview Q&A analysis (F5)	Produce structured Q&A, map answers to requirements, reference the transcript, flag unexplored requirements.
8	Consolidated assessment & comparison (F6)	Produce a manager report, candidate comparison view, and printable output.
9	Candidate assistant chatbot (innovation)	Privacy-preserving, role-scoped assistant: answers each candidate using only their own data and public jobs; the same engine serves manager/interviewer per role.
10	Biometric match (F7) & extended analysis (F8-F10)	Optional opt-in one-frame identity match (embedding only) and extended CV-claim / weighted-interview / interviewer-quality analysis.

3.1.1 CV Screening and Candidate Ranking (F1)

Allows candidates to upload a CV and hiring managers to batch-import CVs for an approved job. RecruitO extracts text, matches it against job requirements, and ranks candidates. Actors: Candidate, Hiring Manager.

Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_001	Accept a PDF or DOCX CV on single application and on batch import of up to 50 files for an approved job.	Valid files are stored; each file is validated independently.	Scanned/image-only PDFs may yield no text; max 50 files per batch.	TC_F1_01
RECRUITO_002	Extract CV text and match it against the job's stored requirements.	Text is extracted and a per-requirement match is produced for readable CVs.	Extractor cannot read image-only PDFs.	TC_F1_02
RECRUITO_003	Isolate per-file failures during batch import.	An unreadable or duplicate CV is reported without stopping the batch.	Imported CVs use reserved .invalid addresses and are excluded from interview scheduling.	TC_F1_03
RECRUITO_004	Rank scored applicants per job by total score, then by skills and experience points as a tie-breaker.	Ranking is produced and reproducible for scored applicants.	Requires completed scores.	TC_F1_04

3.1.2 AI-Based Candidate Scoring (F2)

Scores each CV against job requirements using configurable weights and produces per-dimension justification with quoted evidence. Actors: Hiring Manager, System.

Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_005	Score each CV per requirement using configurable weights (1-5) and produce category scores with justifications.	A score (0-100) and per-category justification are stored per application.	Depends on Gemini availability; reports 'not configured' without a key.	TC_F2_01
RECRUITO_006	Quote CV evidence for each justification and verify the quote exists in the CV text.	Justifications cite evidence verified against the CV text.	Model output must be well-formed; otherwise re-run (see RECRUITO_007).	TC_F2_02
RECRUITO_007	Re-run evaluation up to three times when output is malformed or evidence is not found, then reject to the queue's backoff retry.	Malformed evaluations are retried and rejected after the limit.	Maximum of three in-graph retries.	TC_F2_03
RECRUITO_008	Use deterministic decoding (temperature 0) and reuse a cached score when CV	Identical inputs reuse the stored, versioned	Output may vary across Gemini	TC_F2_04

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
	hash, requirements version, prompt version, and model are unchanged.	score.	model versions.	
RECRUITO_009	Rescore on request with an audit-logged written reason, keeping earlier versions.	Rescore requires a reason, is audit-logged, and preserves prior versions.	Scores are never edited by hand.	TC_F2_05

3.1.3 Job Description Drafting and External Publishing (Core)

A core must-have capability. A manager-facing assistant drafts policy-checked job descriptions, extracts structured requirements, and publishes approved jobs to Blogger. Actors: Hiring Manager, System.

Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_010	Draft a JD from role details, check it against stored hiring policies, and extract structured requirements.	A draft JD with structured requirements is saved for human review.	Checker may send the draft back for up to two retries.	TC_F11_01
RECRUITO_011	Allow the manager to review, edit, and approve a draft.	Manager can replace JD text/requirements and approve the draft.	Only approved jobs can be published or opened for applications.	TC_F11_02
RECRUITO_012	Publish an approved job to Blogger via the MCP Mail2Blogger service, linking back to the RecruitO application form.	A Blogger post is created with the JD and an application link.	Mail2Blogger returns no post-specific URL; cards link to the blog homepage.	TC_F11_03

3.1.4 Interview Scheduling and Notification

Notifies the hiring manager when a candidate becomes interview-eligible and lets the manager assign the interview and notify participants. Actors: Hiring Manager, Candidate, Interviewer, System.

Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_013	Email the hiring manager when a portal applicant's latest CV score is strictly above 65/100.	An eligibility email with a workspace link is sent for eligible applicants only.	Lower scores do not auto-reject; batch-imported CVs are excluded.	TC_SCH_01
RECRUITO_014	Let the manager assign an interview date, time, and an active interviewer from a dropdown.	An interview record is stored with the assigned date/time/interviewer.	Requires at least one active interviewer account.	TC_SCH_02
RECRUITO_015	Email the candidate and interviewer the confirmed details, an .ics attachment, an	Both participants receive confirmation	No external calendar	TC_SCH_03

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
	add-to-calendar link, and role-scoped join links.	with join links and a calendar file.	integration; no availability checking.	
RECRUITO_016	Allow the manager to reschedule or reassign and to make the final hiring decision.	Reschedule/reassign updates the record and re-notifies participants.	Manager remains the scheduling and decision authority.	TC_SCH_04

3.1.5 Video Interview (F3)

Provides a browser-based WebRTC interview room joined through expiring role-scoped links. Actors: Candidate, Interviewer.

Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_017	Establish a WebRTC interview room using FastAPI WebSocket signalling, joined via role-scoped links.	Participants can join the room via their valid links.	In-memory single-process signalling; no TURN relay.	TC_F3_01
RECRUITO_018	Enforce link scope and expiry for join links.	Expired or wrong-role links are rejected.	Restrictive NAT/firewall may block media.	TC_F3_02

3.1.6 Speech Capture and Transcription (F4)

Captures short consented audio chunks during the interview and stores transcript text. Actors: Candidate, Interviewer, System.

Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_019	Capture ~3.5-second audio chunks only after explicit per-participant consent and send them for transcription.	Chunks are captured and transcribed only with a recorded consent.	Chunked transcription, not low-latency streaming.	TC_F4_01
RECRUITO_020	Store only transcript text; do not retain the raw audio.	Transcript text is persisted; audio is not retained by RecruitO.	Depends on Gemini transcription availability.	TC_F4_02

3.1.7 Interview Q&A Analysis (F5)

Analyses the stored transcript into structured question-and-answer items mapped to job requirements. Actors: Hiring Manager, Interviewer, System.

Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_021	Produce structured Q&A with requirement mapping and transcript references, and flag unexplored requirements.	An analysis result with mapped Q&A and references is stored.	Requires a readable transcript; live provider verification pending.	TC_F5_01

3.1.8 Consolidated Assessment and Comparison (F6)

Produces a consolidated candidate report, a comparison view, and printable output. Actors: Hiring Manager.

Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_022	Generate a consolidated manager report combining CV scoring and interview analysis.	A consolidated report is generated per candidate.	Live provider validation pending.	TC_F6_01
RECRUITO_023	Provide a candidate comparison view and browser print output.	Managers can compare candidates and print the assessment.	Decision support only; no automated decision.	TC_F6_02

3.1.9 Candidate Assistant Chatbot – Innovation Feature

This is the innovation feature of RecruitO: a privacy-preserving, role-scoped conversational assistant. For a candidate it answers questions about their own application and about public jobs, while a strict per-candidate allowlist makes it structurally unable to reveal another candidate's data or any staff-only information. The same role-aware engine also serves hiring managers and interviewers with data bound to their role and identity. Actors: Candidate (primary), Hiring Manager, Interviewer.

Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_024	Answer a signed-in candidate using only their own application status and public job cards.	Candidate chat is restricted to the signed-in candidate's own data and public jobs; it cannot return another candidate's or staff-only data.	Enforced by a candidate-only allowlist of user-bound database tools.	TC_CHAT_01
RECRUITO_025	Answer hiring-manager and interviewer queries using per-role, user-bound database tools.	Each role sees only the data permitted for that role and that user.	Role boundaries are per-role allowlists.	TC_CHAT_02
RECRUITO_026	Resist attempts to cross role or data boundaries (prompt-injection / red-team).	Boundary-probe prompts do not cause disclosure of out-of-scope data; checks follow the Day-8 red-team	Red-team execution and live provider verification pending.	TC_CHAT_03

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
		checklist.		

3.1.10 Biometric Match (F7) and Extended Analysis (F8-F10)

Optional, opt-in capabilities: a one-frame identity match (embedding only) and extended CV-claim, weighted-interview, and interviewer-quality analysis. Actors: Candidate (opt-in), Hiring Manager, System.

Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_027	Store only an SFace embedding for an opted-in candidate, enforce expiry, and allow consent revocation.	Only an embedding is stored; it expires (<=30 days) and can be revoked.	Prototype; must never make or automate a hiring decision; requires trainer/privacy approval.	TC_F7_01
RECRUITO_028	Process source photos and match frames in memory without retaining them.	No source photo or frame is persisted.	Two-browser verification pending.	TC_F7_02
RECRUITO_029	Provide extended analysis: CV-claim follow-up (F8), weighted interview dimensions (F9), and interviewer quality measures (F10).	Extended analysis outputs are produced where inputs allow.	Provider and database verification pending.	TC_F8_01

4. User Interface

The system is accessed entirely through a web browser. The main screens are listed below.

UI No.	UI Name	Related Function Req. ID	Description	Test Case Identifier
RECRUITO_UI_001	Sign-in / registration	RECRUITO_024	Staff sign-in and candidate self-registration; password reset.	TC_UI_01
RECRUITO_UI_002	Job assistant & approval	RECRUITO_010-012	Manager drafts, edits, approves, and publishes a job description.	TC_UI_02
RECRUITO_UI_003	Public application form	RECRUITO_001	Candidate submits an application and uploads a PDF/DOCX CV.	TC_UI_03
RECRUITO_UI_004	Jobs & applicant rankings	RECRUITO_001-009	Ranking panel with evidence, batch CV import, and rescore actions.	TC_UI_04
RECRUITO_UI_005	Interview scheduling panel	RECRUITO_013-016	Manager assigns date/time/interviewer and reschedules.	TC_UI_05
RECRUITO_UI_006	Interview room	RECRUITO_017-020	WebRTC room with consent choices for transcription and biometrics.	TC_UI_06
RECRUITO_UI_007	Assessment & comparison	RECRUITO_021-023	Analysis, consolidated report, comparison, and print view.	TC_UI_07
RECRUITO_UI_008	Role chatbot dashboard	RECRUITO_024-025	Manager / interviewer / candidate assistant panel.	TC_UI_08

5. Non-Functional Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_NFR_001	The application starts with a single 'docker compose up' command and runs database migrations before serving.	One-command startup succeeds on a clean machine.	Requires Docker and Docker Compose.	TC_NFR_01
RECRUITO_NFR_002	The API remains available without a Gemini key, reporting AI features as not configured.	App starts and serves non-AI features without a key.	AI features unavailable without a key.	TC_NFR_02
RECRUITO_NFR_003	Typed request/response models expose automatic OpenAPI documentation at /docs.	Interactive API docs are reachable at runtime.	-	TC_NFR_03

5.1 Performance Requirements

Throughput / capacity (N1). The batch screening path processes up to 50 CVs per import, running screening with SCREENING_CONCURRENCY parallel model calls (default 4, configurable). The N1 benchmark measures the time to parse, screen, score, and rank 20 CVs end to end, recording import time, total time, and time per CV (measurement pending).

Response time (N2). Transcription operates on ~3.5-second audio chunks processed after each upload; it is chunked, not low-latency streaming, so transcript latency is approximate (measurement pending in a two-browser session).

Resource utilisation. The OpenCV SFace model adds ~39 MB and the OpenCV headless wheel ~70 MB to the API image. Degradation mode: when the Gemini quota is reached, SCREENING_CONCURRENCY can be lowered; AI features degrade gracefully by reporting that they are not configured rather than failing the application.

5.2 Safety Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_SAF_001	All AI-generated scores and flags are explainable and traceable to CV content or a transcript segment.	Every score/flag links to quoted evidence or a transcript reference.	Cannot remove bias present in criteria, CV language, or model output.	TC_SAF_01
RECRUITO_SAF_002	The system never makes or automates a hiring or rejection decision.	No code path auto-rejects or auto-hires; decisions remain with people.	Scores above 65/100 only trigger a manager notification.	TC_SAF_02
RECRUITO_SAF_003	Biometric matching (F7) must never make or automate a hiring decision and requires prior approval before real-candidate use.	F7 output is advisory only and gated by approval.	Prototype; trainer/privacy approval required.	TC_SAF_03

5.3 Security Requirements

The system protects personal and application data from unauthorised access, modification, or disclosure. Specific requirements follow.

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_SEC_001	Authenticate users with JWT-signed sessions and configurable session lifetime and secure-cookie setting.	Sessions are signed; expiry and COOKIE_SECURE are enforced from config.	Secret supplied via JWT_SECRET_KEY env var.	TC_SEC_01
RECRUITO_SEC_002	Enforce per-role, user-bound data access across the API and chatbot (manager, interviewer, candidate).	A user can access only data permitted for their role and identity.	Red-team verification pending.	TC_SEC_02
RECRUITO_SEC_003	Issue expiring, role-scoped interview join links.	Expired or wrong-role links are rejected.	-	TC_SEC_03
RECRUITO_SEC_004	Keep all secrets in environment variables; never commit credentials or personal data to the repository.	.env is git-ignored; .env.example holds placeholders only.	-	TC_SEC_04
RECRUITO_SEC_005	Restrict browser origins via CORS configuration and a frontend Content Security Policy.	Only configured origins can access the API.	Private-LAN regex allowance is for local dev only.	TC_SEC_05
RECRUITO_SEC_006	Audit-log sensitive actions (rescore, candidate deletion) with a written reason.	Sensitive actions are recorded with reason and actor.	Deletion reason requires >= 10 characters.	TC_SEC_06
RECRUITO_SEC_007	Support candidate data deletion, cascading scores/transcripts/consents/embedding and clearing personal values in audit entries.	Deletion removes personal data and uploaded files and clears prior audit personal values.	Manager-initiated only.	TC_SEC_07

6. Design Constraints

The following design constraints are mandated and must be adhered to:

- Implementation language and framework: Python with FastAPI and Pydantic.
- AI orchestration must use LangGraph for the multi-step, stateful workflows.
- Persistence must use PostgreSQL.
- Packaging and deployment must use Docker and Docker Compose for one-command reproducible startup.
- The frontend is a small static HTML/CSS/JavaScript application served by Nginx.
- The LLM provider is Google Gemini; face detection/matching uses OpenCV YuNet/SFace running locally in the API container.
- WebRTC signalling is in-memory and single-process; no TURN relay is provided.
- No external calendar integration or OAuth is used; interview times are entered by the hiring manager and shared over email.
- All personal data (CVs, recordings, transcripts, database dumps) must be git-ignored; secrets are supplied only via environment variables.

7. Software Quality Attributes

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_QA_001	Reproducibility: identical scoring inputs produce identical cached results.	Same CV hash, requirements version, prompt version, and model reuse the stored score.	Model output may vary across Gemini versions.	TC_QA_01
RECRUITO_QA_002	Explainability: all AI output is traceable to source evidence.	Each score/flag cites CV text or a transcript segment.	-	TC_QA_02
RECRUITO_QA_003	Reliability: per-file isolation in batch import and in-graph retry on malformed output.	A single bad file or bad model output does not fail the batch/graph.	Up to three in-graph retries.	TC_QA_03
RECRUITO_QA_004	Maintainability / testability: automated backend unit tests cover access rules, scoping, scoring, and batch isolation.	23 backend unit tests pass.	Live provider/browser checks still pending.	TC_QA_04
RECRUITO_QA_005	Portability: the full stack starts on a clean machine via Docker Compose.	Clean-machine startup succeeds with the required env vars.	Requires Docker.	TC_QA_05
RECRUITO_QA_006	Privacy by design: data minimisation, consent, and expiry are enforced.	Only necessary data is stored; embeddings expire; audio is not retained.	-	TC_QA_06

8. User Interface (Notes)

UI No.	UI Name	Related Info No.	Description	Notes	Test Case Identifier
RECRUITO_UI_004	Rankings panel	RECRUITO_001-009	Evidence quotes, batch import, rescore.	Scores shown with justifications.	TC_UI_04
RECRUITO_UI_006	Interview room	RECRUITO_017-020	WebRTC room with consent toggles.	Transcription and biometrics are separate opt-ins.	TC_UI_06
RECRUITO_UI_007	Assessment view	RECRUITO_021-023	Report, comparison, print.	Print uses the browser print output.	TC_UI_07

9. Other Requirements

Requirement ID	Requirement Description	Acceptability / Completion Criteria	Limitations / Constraints	Test Case Identifier
RECRUITO_OTH_001	Database: relational storage of jobs, candidates, interviews, scores, audit, notifications, and consents in PostgreSQL with migrations applied on startup.	Schema migrations run via 'alembic upgrade head' before FastAPI serves.	-	TC_OTH_01
RECRUITO_OTH_002	Configuration: all settings supplied via environment variables documented in .env.example.	Copying .env.example and setting the Gemini key and JWT secret is sufficient for a local run.	Never commit .env.	TC_OTH_02
RECRUITO_OTH_003	Email: outbound application receipts and interview confirmations delivered via configured SMTP, with a fallback transport for queued emails.	Emails are delivered through SMTP; queued mail uses the fallback when SMTP_HOST is blank.	Requires valid SMTP credentials.	TC_OTH_03
RECRUITO_OTH_004	Legal / privacy: personal data handled per the privacy principles (data minimisation, consent, third-party disclosure to Gemini, deletion on request).	Privacy behaviour matches docs/Privacy_and_Fairness.md.	Real candidate biometric data requires trainer approval.	TC_OTH_04

This section defines requirements not covered elsewhere, including database, configuration, email, and legal/privacy requirements. Budget and schedule requirements are tracked separately in the project WBS workbooks and progress logs under docs/.