

Rafif Tri Hartanto


SIB 2A

26


## Jobsheet 1 PWL

Laragon

1.




2.




# PhpMyAdmin

1.




2.



3.


```
/* Server parameters */
$cfg['Servers'][$i]['host'] = 'localhost';
$cfg['Servers'][$i]['compress'] = false;
$cfg['Servers'][$i]['AllowNoPassword'] = true;
$cfg['Servers'][$i]['port'] = 3306;
```

4.




## Composer

1.



2.



3.

```
C:\>composer

Composer version 2.8.8 2025-04-04 16:56:46

Usage:
  command [options] [arguments]

Options:
  -h, --help                Display help for the given command. When no command is given display help for the list
command
  -q, --quiet               Do not output any message
  -V, --version              Display this application version
                          --ansi|--no-ansi    Force (or disable) ANSI output
  -n, --no-interaction      Do not ask any interactive question
  --profile                 Display timing and memory usage information
  --no-plugins              Whether to disable plugins.
  --no-scripts              Skips the execution of all scripts defined in composer.json file.
  -d, --working-dir=WORKING-DIR If specified, use the given directory as working directory.
                          Prevents use of the cache.
```

## Git

1.

```
C:\>git
usage: git [-v | --version] [-h | --help] [-C <path>] [-c <name>=<value>]
          [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
          [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--bare]
          [--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
          [--config-env=<name>=<envvar>] <command> [<args>]

These are common Git commands used in various situations:


start a working area (see also: git help tutorial)
    clone      Clone a repository into a new directory
    init       Create an empty Git repository or reinitialize an existing one


work on the current change (see also: git help everyday)
    add        Add file contents to the index
    mv         Move or rename a file, a directory, or a symlink
    restore    Restore working tree files
    rm         Remove files from the working tree and from the index
```

## Laravel

1.

```
C:\laragon\www>composer create-project laravel/laravel="10.3.*" PWL_25
Creating a "laravel/laravel=10.3.*" project at "./PWL_25"
Installing laravel/laravel (v10.3.3)
 - Installing laravel/laravel (v10.3.3): Extracting archive
Created project in C:\laragon\www\PWL_25
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 111 installs, 0 updates, 0 removals
 - Locking brick/math (0.12.3)
 - Locking carbonphp/carbon-doctrine-types (2.1.0)
 - Locking dflydev/dot-access-data (v3.0.3)
 - Locking doctrine/inflector (2.0.10)
 - Locking doctrine/lexer (3.0.1)
 - Locking dragonmantank/cron-expression (v3.4.0)
 - Locking egulias/email-validator (4.0.4)
 - Locking fakerphp/faker (v1.24.1)
 - Locking filp/whoops (2.18.0)
```