Rafif Tri Hartanto

SIB 2A

26


Jobsheet 5 PWL Revisi

Praktikum 1


1.





2.




http://localhost/PWL 25/PWL POS/public/adminIte/http://127.0.0.1:8000/adminIte/index.html









```
EXPLORER
                 ... php
                             user.blade.php
                                                🗱 kategori.blade.php
                                                                      index.html U

∨ OPEN EDITORS

                       PWL_POS > resources > views > layouts > ♥ template.blade.php > ...
    UserController.p...
                             <!DOCTYPE html>
    UserModel.php...
                             <html lang="en">
    R LevelModel.php...
    🐄 user.blade.php...
                                <meta charset="utf-8">
    💏 kategori.blade.p...
                               <meta name="viewport" content="width=device-width, in</pre>
     o index.html... U
                               <title>AdminLTE 3 | Blank Page</title>
    en dashboard.... U
                               <!-- Google Font: Source Sans Pro -->
    😭 app.blade.... U
                               <link rel="stylesheet" href="https://fonts.googleapis</pre>
  🗙 🦬 template.bl... U
∨ PWL_25
                                <link rel="stylesheet" href="../../plugins/fontawesom</pre>

✓ PWL_POS

✓ public

                               <link rel="stylesheet" href="../../dist/css/adminlte.</pre>
                              </head>
   m index.php
                             <body class="hold-transition sidebar-mini">
   <!-- Site wrapper -->

✓ resources

                             <div class="wrapper">
   > css
   > js
                                <nav class="main-header navbar navbar-expand navbar-w</pre>

✓ views

                                  <!-- Left navbar links -->

✓ layouts

                                   en app.blade.... U
                                     <a class="nav-link" data-widget="pushmenu" href</pre>
     en template.b... U
    😭 dashboard.b... U
                                   ndex.blade.... U
                                     <a href="../../index3.html" class="nav-link">Ho
    kategori.blade.php
                                    m level.blade.php
```

PWL_POS > resources > views > layouts > 🖛 template.blade.php 3

9.

10.

```
//head>
//head
//head>
//head
//head>
//head
//head>
//head>
//head
//head>
//head
//head>
//head
//head>
//head
//head>
//head
//head>
//head
```

11.

12.

```
91 <!-- jQuery -->
92 <script src="{{ asset('adminIte/plugins/jquery/jquery.min.js') }}"></script>
93 <!-- Bootstrap 4 -->
94 <script src="{{ asset('adminIte/plugins/bootstrap/js/bootstrap.bundle.min.js') }}"></script>
95 <!-- AdminITE App -->
96 <script src="{{ asset('adminIte/dist/js/adminIte.min.js') }}"></script>
97 </body>
98 </html>
```

15. Breadcrumb dan content

16.

17.Layout konten

18.

```
cbody class="hold-transition sidebar-mini">
cl-- Site wrapper -->
cl-- Site wrapper -->
cdiv class="wrapper">
cl-- Navbar -->
ginclude('layouts.header')
cl-- Anavbar -->
cl-- Main Sidebar Container -->
caside class="main-sidebar sidebar-dark-primary elevation-4">
cl-- Brand Logo -->
ca href="{{ url('/')}}" class="brand-link">
cl-- Brand Logo -->
ca href="{{ assets('adminlte/dist/img/AdminLTELogo.png')}}" alt="AdminLTE Logo" class="brand-image img-circle elevat (/a)
cl-- Sidebar -->
cl-- Sidebar -->
ginclude('layouts.sidebar')
cl-- Sidebar -->
c/aside

cl-- Content Wrapper. Contains page content -->
cdiv class="content-wrapper">
cl-- Content Wrapper. Contains page content -->
cl-- Content
```


Praktikum 2

1.

2.

```
PWL_POS > resources > views > layouts > ♥ sidebar.blade.php > ♥ div.sidebar
                     <div class="sidebar"
                            <div class="form-inline mt-2">
                                 <div class="input-group" data-widget="sidebar-search">
                                       <input class="form-control form-control-sidebar" type="search" placeholder="Search" aria-label="Search">
                                         <div class="input-group-append">
                                             <button class="btn btn-sidebar">
                            <nav class="mt-2">
                                 <a href="\{\{ url('/') \}\}" class="nav-link \{\{ (\text{sactiveMenu} == 'dashboard') ? 'active' : '' \}\}">
                                                    <i class="nav-icon fas fa-tachometer-alt"></i></i>
                                                     \begin{tabular}{ll} $$\langle p\rangle Dashboard  \end{tabular}
                                        Data Pengguna
                                        <a href="{{ url('/level') }}" class="nav-link {{ ($activeMenu == 'level') ? 'active' : '' }}">
                                                  <i class="nav-icon fas fa-layer-group"></i></i>
                                                   Level User
                                         <a href="{{ url('/user') }}" class="nav-link {{ ($activeMenu == 'user') ? 'active' : '' }}">
                                                    Data User
                                        Data Barang
                                        \begin{tabular}{ll} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMenu == 'kategori') ? 'active' : '' } } \end{tabular} $$ \arresponsible { ( $activeMe
                                                  Kategori Barang
                                        \begin{tabular}{ll} $$ \arrowvert & \arro
                                                    <i class="nav-icon fas fa-list-alt"></i></i>
                                                  Data Barang
                                       Data Transaksi
                                             <a href="{{ url('/stok') }}" class="nav-link {{ ($activeMenu == 'stok') ? 'active' : '' }}">
                                                    Stok Barang
                                        <a href="{{ url('/penjualan') }}" class="nav-link {{ ($activeMenu == 'penjualan') ? 'active' : '' }}"</pre>
```

```
5.
20 route::get('/', [WelcomeController::class, 'index']);
```



Praktikum 3

1. Crud tabel m_user

2

```
PS C:\laragon\www\PML_2S\PML_POS> composer require yajra/laravel-datatables-oracle
Cannot use yajra/laravel-datatables-oracle's latest version v12.4.0 as it requires php ^8.2 which is not satisfied by your platform.
./composer.json has been updated
Running composer update yajra/laravel-datatables-oracle
Loading composer update yajra/laravel-datatables-oracle
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
- Locking yajra/laravel-datatables-oracle (v10.11.4)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
- Installing yajra/laravel-datatables-oracle (v10.11.4): Extracting archive
5 package suggestions were added by new dependencies, use `composer suggest` to see details.
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

INFO Discovering packages.

DONE
laravel/sail
Laravel/sanctum
DONE
```

```
c?php
namespace App\Http\Controllers;

use App\Models\LevelModel;
use App\Models\UserModel;
use App\Models\UserModel;
use Illuminate\Http\Request;
use Yajra\DataTables\Facades\DataTables;

class UserController extends Controller

// Menampilkan halaman awal user
public function index()

sbreadcrumb = (object) [
    'title' => 'Daftar User',
    'list' => ['Home', 'User']
];

spage = (object) [
    'title' => 'Daftar user yang terdaftar dalam sistem'
];


sactiveMenu = 'user'; // set menu yang sedang aktif

return view('user.index', ['breadcrumb' => $breadcrumb, 'page' => $page, 'activeMenu' => $activeMenu]);


return view('user.index', ['breadcrumb' => $breadcrumb, 'page' => $page, 'activeMenu' => $activeMenu]);
}
```

5.

```
<script src="{{ asset('adminIte/plugins/jquery/jquery.min.js') }}"></script>
<!-- Bootstrap 4 -->
<script src="{{ asset('adminIte/plugins/bootstrap/js/bootstrap.bundle.min.js') }}"></script>
<script src="{{ asset('adminlte/plugins/datatables-bs4/js/dataTables.bootstrap4.min.js') }}"></script>
<script src="{{ asset('adminIte/plugins/datatables-responsive/js/dataTables.responsive.min.js') }}"></script>
<script src="{{ asset('adminIte/plugins/datatables-responsive/js/responsive.bootstrap4.min.js') }}"></script>
\label{lem:continuous} $$ \script src="{\{ asset('adminIte/plugins/datatables-buttons/js/dataTables.buttons.min.js') }} $$ \script src="{\{ asset('adminIte/plugins/datatables-buttons/js/dataTables.buttons.min.js') }} $$
<script src="{{ asset('adminIte/plugins/datatables-buttons/js/buttons.bootstrap4.min.js') }}"></script>
<script src="{{ asset('adminIte/plugins/jszip/jszip.min.js') }}"></script>
<script src="{{ asset('adminIte/plugins/pdfmake/pdfmake.min.js') }}"></script>
<script src="{{ asset('adminIte/plugins/pdfmake/vfs_fonts.js') }}"></script>
<script src="{{ asset('adminIte/plugins/datatables-buttons/js/buttons.html5.min.js') }}"></script>
<script src="{{ asset('adminIte/plugins/datatables-buttons/js/buttons.print.min.js') }}"></script>
<script src="{{ asset('adminIte/plugins/datatables-buttons/js/buttons.colVis.min.js') }}"></script>
<script src="{{ asset('adminIte/dist/js/adminIte.min,js') }}"></script>
 $.ajaxSetup({headers: {'X-CSRF-TOKEN': $('meta[name="csrf-token"]').attr('content')}});
 @stack('js') <!-- Digunakan untuk memanggil custom js dari perintah push('js') pada masing-masing view -->
</html>
```




```
NL_POS > resources > views > user > 🧌 create.blade.php > ...
    @extends('layouts.template')
    @section('content')
           <div class="card-tools"></div>
           <\!\!form\ \ method = "POST"\ \ action = "\{\{\ url('user')\ \}\}"\ \ class = "form-horizontal">
               <div class="form-group row">
                      @foreach($level as $item)
                             <option value="{{ $item->level_id }}">{{ $item->level_nama }}</option>
                      @error('level_id')
| <small class="form-text text-danger">{{ $message }}</small>
               <div class="form-group row">
                   <label class="col-1 control-label col-form-label">Username</label>
                   <div class="col-11">
                       <input type="text" class="form-control" id="username" name="username" value="{{ old('username') }}" red</pre>
                      @error('username')
```



13.Detail user


```
// Menampilkan detail user
public function show(string $id)
    $user = UserModel::with('level')->find($id);
    $breadcrumb = (object) [
    'title' => 'Detail User',
    'list' => ['Home', 'User', 'Detail']
    1;
    $page = (object) [
    'title' => 'Detail user'
    ];
    $activeMenu = 'user'; // set menu yang sedang aktif
    return view('user.show', [
    'breadcrumb' => $breadcrumb,
    'page'
                => $page,
    'user'
                => $user,
    'activeMenu' => $activeMenu
    ]);
ħ
```


```
PWL_POS > resources > views > user > ♥ show.blade.php > ...
     @section('content')
     <div class="card card-outline card-primary">
        <div class="card-header">
           <h3 class="card-title">{{ $page->title }}</h3>
           <div class="card-tools"></div>
        <div class="card-body">
           @empty($user)
              <div class="alert alert-danger alert-dismissible">
                  <h5><i class="icon fas fa-ban"></i> Kesalahan!</h5>
                  Data yang Anda cari tidak ditemukan.
               ID
                     {{ $user->user_id }}
                     Level
                     {{ $user->level->level_nama }}
                     Username
                     {{ $user->username }}
                    Nama
                     {{ $user->nama }}
```



17.Memodifikasi data user

18.







20.Menghapus data user

21.

22.





Praktikum 4

1.

```
class UserController extends Controller

// Menampilkan halaman awal user

public function index()

sbreadcrumb = (object) [
    'title' => 'Daftar User',
    'list' => ['Home', 'User']

spage = (object) [
    'title' => 'Daftar user yang terdaftar dalam sistem'

spage = (object) [
    'title' => 'Daftar user yang terdaftar dalam sistem'

spage = (object) [
    'title' => 'Daftar user yang terdaftar dalam sistem'

spage = (object) [
    'title' => 'Daftar user yang terdaftar dalam sistem'

spage = (object) [
    'title' => 'Daftar user yang terdaftar dalam sistem'

return view('user.index', | 'set menu yang sedang aktif

slevel = LevelModel::all(); // ambil data level untuk filter level

return view('user.index', | 'breadcrumb' => $breadcrumb, 'page' => $page, 'level' => $level, 'activeMenu' => $active
```

```
### discrete form of the content of
```

```
public function list(Request $request)

public function list(Request $request)

susers = UserModel::select('user_id', 'username', 'nama', 'level_id')

->with('level');


// Filter data user berdasarkan level_id

if ($request->level_id) {

susers->where('level_id', $request->level_id);
}


return DataTables::of($users)
```

6. Filtering dan seaching




Tugas


1. M_level



2. M_kategori



3. M_supplier



4. M_barang

