

1		MEANING	DEFINITION
2	2FA	Two-factor Authentication	A security process requiring two types of credentials (like a password and a mobile code) to verify identity.
3	3DES	Triple Data Encryption Standard	An encryption method that applies DES three times to increase security for sensitive data.
4	AAA	Authentication Authorization and Accounting	A framework used to verify identity assign access rights and log activity.
5	ACL	Access Control List	A set of rules attached to resources specifying who can access what and what actions are allowed.
6	AES	Advanced Encryption Standard	A symmetric encryption algorithm used worldwide to protect sensitive information.
7	AES-	256 Advanced Encryption Standards 256-bit	A highly secure variant of AES that uses a 256-bit encryption key.
8	AH	Authentication Header	A protocol in the IPsec suite that provides data integrity and authentication for IP packets.
9	AI	Artificial Intelligence	Technology that simulates human intelligence for decision-making often used in threat detection.
10	AIS	Automated Indicator Sharing	A DHS initiative that helps organizations share cyber threat data in real time.
11	ALE	Annualized Loss Expectancy	The expected yearly financial loss from a particular risk used in risk assessments.
12	AP	Access Point	A device that enables wireless devices to connect to a wired network using Wi-Fi.
13	API	Application Programming Interface	A set of protocols allowing different software applications to communicate securely.
14	APT	Advanced Persistent Threat	A prolonged targeted cyberattack in which attackers remain undetected for a long period.
15	ARO	Annualized Rate of Occurrence	The estimated number of times a threat is expected to happen in a year.
16	ARP	Address Resolution Protocol	A protocol used to map IP addresses to physical MAC addresses in a local network.
17	ASLR	Address Space Layout Randomization	A security technique that randomizes memory addresses to prevent exploitation.
18	ATT&CK	Adversarial Tactics Techniques and Common Knowledge	A MITRE framework for understanding attacker behaviors and methods.
19	AUP	Acceptable Use Policy	A written agreement that outlines what is and isn't permitted when using organizational IT resources.
20	AV	Antivirus	Software that detects prevents and removes malicious software from systems.
21	BASH	Bourne Again Shell	A command-line shell used in many Unix/Linux systems often relevant in scripting and automation.
22	BCP	Business Continuity Planning	The process of creating systems to recover operations during and after a crisis.
23	BGP	Border Gateway Protocol	A routing protocol used to exchange routing information between autonomous systems on the internet.
24	BIA	Business Impact Analysis	A process to predict and evaluate the impact of disruption to business functions.

25	BIOS	Basic Input/Output System	Firmware that initializes hardware during the booting process and loads the operating system.
26	BPA	Business Partners Agreement	A formal agreement outlining responsibilities when two entities share protected data or systems.
27	BPDU	Bridge Protocol Data Unit	A message used in spanning tree protocols to prevent loops in network switches.
28	BYOD	Bring Your Own Device	A policy allowing employees to use personal devices for work which introduces security considerations.
29	CA	Certificate Authority	A trusted organization that issues digital certificates to verify identity and enable secure communications.
30	CAPTCHA	Completely Automated Public Turing Test to Tell Computers and Humans Apart	A test (CAPTCHA) to distinguish humans from bots.
31	CAR	Corrective Action Report	Documentation used to identify correct and prevent the recurrence of security issues or failures.
32	CASB	Cloud Access Security Broker	A software tool or service that sits between users and cloud services to enforce security policies.
33	CBC	Cipher Block Chaining	A mode of encryption where each plaintext block is XORed with the previous ciphertext block.
34	CCMP	Counter Mode/CBC-MAC Protocol	A secure encryption method combining counter mode for encryption and CBC-MAC for authentication.
35	CCTV	Closed-circuit Television	Video surveillance systems used to monitor and secure physical environments.
36	CERT	Computer Emergency Response Team	A group that responds to cybersecurity incidents and helps mitigate their effects.
37	CFB	Cipher Feedback	A mode of operation for block ciphers that turns them into stream ciphers for data encryption.
38	CHAP	Challenge Handshake Authentication Protocol	A protocol that uses a challenge-response method to authenticate users.
39	CIA	Confidentiality Integrity Availability	The core principles of cybersecurity ensuring data privacy accuracy and access.
40	CIO	Chief Information Officer	An executive responsible for the overall information technology strategy of an organization.
41	CIRT	Computer Incident Response Team	A team that handles and mitigates cybersecurity incidents within an organization.
42	CMS	Content Management System	Software that helps manage digital content often used in websites and document control.
43	COBO	Corporate-owned Business-only	A device policy where company-issued devices are restricted to work-related use only.
44	COOP	Continuity of Operation Planning	A government or business plan to ensure essential functions continue during emergencies.
45	COPE	Corporate Owned Personally Enabled	A policy allowing personal use on corporate devices with oversight and controls.

46	CP	Contingency Planning	Preparing backup procedures to maintain operations during unplanned events or disasters.
47	CRC	Cyclical Redundancy Check	An error-detecting code used to check data integrity in files and network transmissions.
48	CRL	Certificate Revocation List	A list of digital certificates that have been invalidated before their expiration date.
49	CSO	Chief Security Officer	A high-level executive responsible for the organization's entire security strategy physical and cyber.
50	CSP	Cloud Service Provider	A company that delivers cloud computing services like storage processing and apps over the internet
51	CSR	Certificate Signing Request	A request sent from a client to a CA to apply for a digital certificate.
52	CSRF	Cross-site Request Forgery	A web attack where users are tricked into performing actions they didn't intend while authenticated.
53	CSU	Channel Service Unit	A device that connects digital equipment to a digital telephone line often used in leased lines.
54	CTM	Counter Mode	A mode of encryption where a counter value is encrypted and XORed with the plaintext for fast secure encryption.
55	CTO	Chief Technology Officer	An executive who oversees the development and use of technology in an organization.
56	CVE	Common Vulnerability Enumeration	A standardized identifier for known security vulnerabilities.
57	CVSS	Common Vulnerability Scoring System	A numerical scoring system to rate the severity of software vulnerabilities.
58	CYOD	Choose Your Own Device	A workplace policy allowing employees to select from approved personal devices for work use.
59	DAC	Discretionary Access Control	A security model where the data owner determines access permissions allowing flexibility but requiring careful management.
60	DBA	Database Administrator	A person responsible for managing and securing databases ensuring availability integrity and performance.
61	DDoS	Distributed Denial of Service	A type of attack that overwhelms a service with traffic from multiple sources causing disruption or shutdown.
62	DEP	Data Execution Prevention	A security feature that blocks code from running in memory regions not designated for execution helping prevent exploits.
63	DES	Digital Encryption Standard	An older symmetric-key encryption algorithm that has been replaced by stronger methods like AES due to vulnerabilities.
64	DHCP	Dynamic Host Configuration Protocol	A protocol that automatically assigns IP addresses and network settings to devices on a network.
65	DHE	Diffie-Hellman Ephemeral	A cryptographic key exchange method that uses temporary keys for enhanced session security and forward secrecy.

66	DKIM	DomainKeys Identified Mail	An email authentication method that verifies a sender's domain using a digital signature to prevent spoofing.
67	DLL	Dynamic Link Library	A shared library of code used by multiple programs in Windows allowing modular and efficient software functionality.
68	DLP	Data Loss Prevention	Tools and strategies used to prevent unauthorized access transmission or leakage of sensitive information.
69	DMARC	Domain Message Authentication Reporting and Conformance	An email validation system that uses SPF and DKIM to prevent phishing and provides reporting.
70	DNAT	Destination Network Address Translation	A process that changes the destination IP address of incoming packets to route them to internal hosts.
71	DNS	Domain Name System	A naming system that translates human-readable domain names into IP addresses computers use to identify each other.
72	DNSSEC	Domain Name System Security Extensions	A suite of extensions to DNS that provide authentication and integrity to protect against spoofing.
73	DoS	Denial of Service	An attack that aims to shut down a service or system by flooding it with traffic or triggering resource exhaustion.
74	DPO	Data Privacy Officer	An individual responsible for ensuring compliance with data protection laws and managing data privacy policies.
75	DRP	Disaster Recovery Plan	A documented strategy outlining how to resume IT services and operations after a disruptive incident.
76	DSA	Digital Signature Algorithm	A cryptographic algorithm used to validate the authenticity and integrity of digital messages and documents.
77	DSL	Digital Subscriber Line	A high-speed internet connection over telephone lines commonly used in homes and small offices.
78	EAP	Extensible Authentication Protocol	A framework used in network access authentication that supports multiple authentication methods.
79	ECB	Electronic Code Book	A simple mode of symmetric encryption that encrypts each block of data separately making it less secure.
80	ECC	Elliptic Curve Cryptography	A type of asymmetric encryption using elliptic curves for fast strong encryption with smaller key sizes.
81	ECDHE	Elliptic Curve Diffie-Hellman Ephemeral	A secure key exchange protocol using elliptic curves and temporary keys for session confidentiality.
82	ECDSA	Elliptic Curve Digital Signature Algorithm	A digital signature method using elliptic curves that provides high security with efficient performance.
83	EDR	Endpoint Detection and Response	A security solution that monitors endpoints for malicious activity and provides real-time threat response.

84	EFS	Encrypted File System	A Windows feature that encrypts files and folders to protect them from unauthorized access on the local system.
85	ERP	Enterprise Resource Planning	Integrated software systems that manage core business processes often requiring tight security controls.
86	ESN	Electronic Serial Number	A unique identifier embedded in mobile devices used for tracking and authentication purposes.
87	ESP	Encapsulated Security Payload	A component of IPsec that provides confidentiality integrity and authentication of IP packets.
88	EULA	End User License Agreement	A legal contract between software developers and users outlining terms of use and restrictions.
89	FACL	File System Access Control List	A set of rules attached to files or folders that define which users or groups can access them and how.
90	FDE	Full Disk Encryption	A security feature that encrypts all data on a disk drive protecting contents even if the drive is stolen.
91	FIM	File Integrity Management	A process that monitors and detects changes to files helping identify unauthorized modifications or corruption.
92	FPGA	Field Programmable Gate Array	A hardware device that can be programmed to perform specific logic tasks used in custom security solutions.
93	FRR	False Rejection Rate	The rate at which valid users are incorrectly denied access in a biometric authentication system.
94	FTP	File Transfer Protocol	A standard protocol used to transfer files between systems over a network but not inherently secure.
95	FTPS	Secured File Transfer Protocol	A secure version of FTP that uses encryption (typically via SSH) to protect file transfers.
96	GCM	Galois Counter Mode	A secure encryption mode combining counter mode with authentication often used in AES encryption.
97	GDPR	General Data Protection Regulation	A European law that regulates data protection and privacy for individuals within the EU.
98	GPG	Gnu Privacy Guard	An open-source encryption software that enables secure data communication and digital signatures.
99	GPO	Group Policy Object	A collection of settings in Windows used to control user and computer configurations in an Active Directory environment.
100	GPS	Global Positioning System	A satellite-based navigation system used for location tracking and coordination with security implications in mobile devices and applications.
101	GPU	Graphics Processing Unit	A specialized processor that handles image rendering and parallel computations increasingly used in cryptographic operations.

102	GRE	Generic Routing Encapsulation	A tunneling protocol that encapsulates data packets to enable point-to-point communication over IP networks.
103	HA	High Availability	A design approach that ensures a system remains operational with minimal downtime even during failures.
104	HDD	Hard Disk Drive	A traditional magnetic storage device used to store operating systems applications and user data.
105	HIDS	Host-based Intrusion Detection System	Software that monitors a single system for suspicious activity or policy violations.
106	HIPS	Host-based Intrusion Prevention System	Software that detects and actively blocks malicious behavior on an individual host.
107	HMAC	Hashed Message Authentication Code	A hash function combined with a secret key to verify the integrity and authenticity of data.
108	HOTP	HMAC-based One-time Password	A secure one-time password algorithm that changes with each authentication attempt using HMAC.
109	HSM	Hardware Security Module	A physical device that securely stores cryptographic keys and performs encryption operations.
110	HTML	Hypertext Markup Language	The standard language used to create and format content for web pages.
111	HTTP	Hypertext Transfer Protocol	A protocol used to request and transfer web pages over the internet typically on port 80.
112	HTTPS	Hypertext Transfer Protocol Secure	The encrypted version of HTTP using TLS/SSL to secure web communications.
113	HVAC	Heating Ventilation Air Conditioning	Physical environmental controls that protect IT equipment from temperature and humidity-related issues.
114	IaaS	Infrastructure as a Service	A cloud computing model where users rent virtualized hardware resources like servers and storage.
115	IaC	Infrastructure as Code	The practice of managing and provisioning IT infrastructure using machine-readable configuration files.
116	IAM	Identity and Access Management	A framework for ensuring the right individuals access the right resources at the right times.
117	ICMP	Internet Control Message Protocol	A network protocol used for sending error messages and operational information about IP traffic.
118	ICS	Industrial Control Systems	Networked systems used to monitor and control industrial processes often targeted in critical infrastructure attacks.
119	IDEA	International Data Encryption Algorithm	A symmetric-key encryption algorithm used in secure communications.
120	IDF	Intermediate Distribution Frame	A wiring frame that connects and manages network cabling between equipment and end-user devices.
121	IdP	Identity Provider	A service that authenticates users and provides identity data to applications and systems.

122	IDS	Intrusion Detection System	A system that monitors network or system activity for signs of security breaches or malicious behavior.
123	IEEE	Institute of Electrical and Electronics Engineers	A global organization that develops technical standards including those used in networking and security.
124	IKE	Internet Key Exchange	A protocol used in IPsec to establish secure communication sessions by exchanging cryptographic keys.
125	IM	Instant Messaging	Real-time communication via text over a network which must be secured to prevent data leaks.
126	IMAP	Internet Message Access Protocol	A protocol used by email clients to retrieve messages from a mail server while keeping them stored on the server.
127	IoC	Indicators of Compromise	Evidence or artifacts that suggest a system has been breached or is under attack.
128	IoT	Internet of Things	The network of physical devices embedded with sensors and connectivity posing unique security risks.
129	IP	Internet Protocol	The primary protocol for sending data across networks assigning addresses and routing packets.
130	IPS	Intrusion Prevention System	A system that actively monitors and blocks detected threats or unauthorized activity in real-time.
131	IPSec	Internet Protocol Security	A suite of protocols for securing IP communications through encryption and authentication.
132	IR	Incident Response	The process of detecting analyzing and responding to security incidents to minimize damage.
133	IRC	Internet Relay Chat	A real-time messaging protocol used for chat often associated with command-and-control communications in attacks.
134	IRP	Incident Response Plan	A documented set of procedures for detecting responding to and recovering from security incidents.
135	ISO	International Standards Organization	An international body that creates standards for technology including information security (e.g. ISO/IEC 27001).
136	ISP	Internet Service Provider	A company that provides access to the internet for individuals and organizations.
137	ISSO	Information Systems Security Officer	A professional responsible for implementing and managing an organization's IT security policies.
138	IV	Initialization Vector	A random value used with encryption algorithms to ensure that the same plaintext doesn't produce the same ciphertext.
139	KDC	Key Distribution Center	A server used in Kerberos authentication to issue keys and tickets to users and services.
140	KEK	Key Encryption Key	A key used to encrypt other cryptographic keys providing an extra layer of key management security.

141	L2TP	Layer 2 Tunneling Protocol	A VPN protocol that supports tunneling without encryption; often paired with IPsec for security.
142	LAN	Local Area Network	A group of interconnected computers and devices within a limited area such as an office or building.
143	LDAP	Lightweight Directory Access Protocol	A protocol used to access and maintain directory information like usernames and credentials.
144	LEAP	Lightweight Extensible Authentication Protocol	An authentication protocol often used with wireless networks for secure client verification.
145	MaaS	Monitoring as a Service	A cloud-based solution for monitoring systems networks or applications for performance and security.
146	MAC	Mandatory Access Control	A strict access control model where access rights are regulated by a central authority based on classifications.
147	MAC	Media Access Control	A unique hardware identifier assigned to network interfaces for communications on the physical network.
148	MAC	Message Authentication Code	A short piece of data used to confirm the integrity and authenticity of a message.
149	MAN	Metropolitan Area Network	A network that spans a city or campus larger than a LAN but smaller than a WAN.
150	MBR	Master Boot Record	The section of a hard drive containing boot information often targeted by malware.
151	MD5	Message Digest 5	A cryptographic hash function used for checksums now considered insecure due to vulnerability to collisions.
152	MDF	Main Distribution Frame	The central point where telecommunications lines terminate and connect to internal networks.
153	MDM	Mobile Device Management	Software used to monitor manage and secure employees' mobile devices used in the workplace.
154	MFA	Multifactor Authentication	A security method that requires two or more types of credentials for user authentication.
155	MFD	Multifunction Device	Hardware that combines functions like printing scanning copying and faxing into a single device.
156	MFP	Multifunction Printer	A type of multifunction device focused on printing-related tasks and often integrated into office networks.
157	ML	Machine Learning	A type of artificial intelligence that allows systems to learn from data and improve over time often used in threat detection.
158	MMS	Multimedia Message Service	A messaging service that allows sending multimedia content such as images and videos which can carry embedded threats.
159	MOA	Memorandum of Agreement	A formal document outlining specific agreements between parties including security responsibilities.

160	MOU	Memorandum of Understanding	A non-binding agreement that outlines terms and expectations for collaboration between entities.
161	MPLS	Multi-protocol Label Switching	A high-performance routing technique used to direct data across wide area networks efficiently.
162	MSA	Master Service Agreement	A contract that defines terms between parties for ongoing services including security and service levels.
163	MSCHAP	Microsoft Challenge Handshake Authentication Protocol	An authentication protocol used in Microsoft environments susceptible to certain attacks.
164	MSP	Managed Service Provider	A third-party company that remotely manages a customer's IT infrastructure and end-user systems.
165	MSSP	Managed Security Service Provider	A third-party vendor that provides outsourced monitoring and management of security systems.
166	MTBF	Mean Time Between Failures	The predicted time between one failure and the next for a system used to assess reliability.
167	MTTF	Mean Time to Failure	The average time a system is expected to operate before its first failure.
168	MTTR	Mean Time to Recover	The average time it takes to recover a system or service after a failure or security incident.
169	MTU	Maximum Transmission Unit	The largest size of a packet that can be transmitted on a network without fragmentation.
170	NAC	Network Access Control	A security solution that enforces policies for device compliance before allowing network access.
171	NAT	Network Address Translation	A process that modifies IP address information to allow multiple devices to share a single public IP.
172	NDA	Non-disclosure Agreement	A legal contract ensuring parties don't share confidential information with unauthorized entities.
173	NFC	Near Field Communication	A short-range wireless technology used in contactless payments and data sharing between devices.
174	NGFW	Next-generation Firewall	An advanced firewall with features like deep packet inspection intrusion prevention and application awareness.
175	NIDS	Network-based Intrusion Detection System	A system that monitors network traffic for signs of malicious activity or policy violations.
176	NIPS	Network-based Intrusion Prevention System	A security system that inspects network traffic and blocks threats in real time.
177	NIST	National Institute of Standards & Technology	A U.S. agency that develops cybersecurity standards and guidelines including the NIST Cybersecurity Framework.
178	NTFS	New Technology File System	A Windows file system offering features like permissions encryption and journaling.

179	NTLM	New Technology LAN Manager	A Microsoft authentication protocol used in Windows environments now replaced by Kerberos in most systems.
180	NTP	Network Time Protocol	A protocol used to synchronize clocks between systems over a network critical for accurate logging and security.
181	OAuth	Open Authorization	A protocol that allows secure delegated access without sharing passwords often used in single sign-on for web apps.
182	OCSP	Online Certificate Status Protocol	A protocol used to check the revocation status of a digital certificate in real-time.
183	OID	Object Identifier	A globally unique string used to identify specific objects in standards like certificates and LDAP schemas.
184	OS	Operating System	The core software that manages hardware and software resources and provides services for applications.
185	OSINT	Open-source Intelligence	Publicly available information (like websites or social media) used for investigative or threat intelligence purposes.
186	OSPF	Open Shortest Path First	A dynamic routing protocol used in internal networks to determine the best path for data.
187	OT	Operational Technology	Systems used to control industrial equipment like SCADA often found in manufacturing or utilities.
188	OTA	Over the Air	The wireless transmission of data often used for updating firmware or mobile device settings remotely.
189	OVAL	Open Vulnerability Assessment Language	An XML-based language used to standardize and automate vulnerability testing and reporting.
190	P12	PKCS #12	A format for storing and transporting a user's private keys certificates and other credentials securely.
191	P2P	Peer to Peer	A decentralized network model where each device can act as both a client and a server raising security concerns.
192	PaaS	Platform as a Service	A cloud computing model that provides hardware and software tools over the internet for application development.
193	PAC	Proxy Auto Configuration	A file used by browsers to automatically select the appropriate proxy server for a given URL.
194	PAM	Privileged Access Management	Tools and strategies used to monitor and control accounts with elevated access rights to reduce risk.
195	PAM	Pluggable Authentication Modules	A flexible framework used in Linux to integrate multiple authentication technologies.
196	PAP	Password Authentication Protocol	A basic authentication method where usernames and passwords are sent in plain text now considered insecure.
197	PAT	Port Address Translation	A form of NAT where multiple devices share a single public IP by using different port numbers.

198	PBKDF2	Password-based Key Derivation Function 2	A key derivation function used to generate secure encryption keys from passwords.
199	PBX	Private Branch Exchange	A private telephone network used within an organization often integrated with VoIP systems.
200	PCAP	Packet Capture	The process of intercepting and logging network traffic for analysis often used in intrusion detection.
201	PCI DSS	Payment Card Industry Data Security Standard	A set of standards ensuring secure handling of credit card information.
202	PDU	Power Distribution Unit	A device that distributes electrical power to various IT equipment in a data center or server room.
203	PEAP	Protected Extensible Authentication Protocol	An authentication method that creates a secure tunnel before sending credentials.
204	PED	Personal Electronic Device	A user-owned device like a phone or tablet that may be used for work often under BYOD policies.
205	PEM	Privacy Enhanced Mail	A standard for securing email using encryption and digital signatures now largely outdated.
206	PFS	Perfect Forward Secrecy	A cryptographic feature that ensures session keys are not compromised even if the server's key is stolen.
207	PGP	Pretty Good Privacy	A data encryption program used for securing emails through encryption and digital signing.
208	PHI	Personal Health Information	Any health-related information tied to an individual protected by regulations like HIPAA.
209	PII	Personally Identifiable Information	Any data that can identify a person such as name SSN or email critical for data privacy.
210	PIV	Personal Identity Verification	A U.S. government standard for secure identity credentials used in federal employee authentication.
211	PKCS	Public Key Cryptography Standards	A set of standards developed to guide secure public key cryptography usage.
212	PKI	Public Key Infrastructure	A framework for managing digital certificates and public-key encryption to support secure communications.
213	POP	Post Office Protocol	A protocol used to retrieve emails from a mail server and delete them from the server after download.
214	POTS	Plain Old Telephone Service	The traditional analog telephone service still used in many environments for reliability.
215	PPP	Point-to-Point Protocol	A data link protocol used to establish a direct connection between two network nodes.
216	PPTP	Point-to-Point Tunneling Protocol	An older VPN protocol that encapsulates PPP frames; often combined with encryption protocols.
217	PSK	Pre-shared Key	A shared secret used in symmetric encryption and VPNs for authentication between parties.
218	PTZ	Pan-tilt-zoom	A feature in security cameras that allows remote control over viewing angles and zoom levels.

219	PUP	Potentially Unwanted Program	Software that may not be malicious but is often intrusive or unnecessary like adware or toolbars.
220	RA	Recovery Agent	A user or entity with the authority to restore encrypted data in case the original key is lost.
221	RA	Registration Authority	An entity that verifies user identity and forwards certificate requests to a Certificate Authority.
222	RACE	Research and Development in Advanced Communications Technologies in Europe	A European program that funded communication security innovations including cryptographic standards.
223	RAD	Rapid Application Development	A software development model that emphasizes quick prototyping and iterative feedback over long planning.
224	RADIUS	Remote Authentication Dial-in User Service	A centralized protocol for authentication authorization and accounting in remote access.
225	RAID	Redundant Array of Inexpensive Disks	A data storage method using multiple drives to improve performance or fault tolerance.
226	RAS	Remote Access Server	A server that allows remote users to connect to a network securely from offsite locations.
227	RAT	Remote Access Trojan	A type of malware that gives attackers unauthorized control over an infected computer.
228	RBAC	Role-based Access Control	A system of managing access where permissions are assigned based on user roles in the organization.
229	RBAC	Rule-based Access Control	A control model that applies predefined rules (like firewall or ACL policies) to determine access.
230	RC4	Rivest Cipher version 4	A widely used stream cipher in protocols like WEP and SSL now considered insecure.
231	RDP	Remote Desktop Protocol	A Microsoft protocol that allows users to remotely access and control a Windows computer.
232	RFID	Radio Frequency Identifier	A technology using electromagnetic fields to automatically identify and track tags on objects.
233	RIPEMD	RACE Integrity Primitives Evaluation Message Digest	A hash function developed as part of the European RACE project rarely used today.
234	ROI	Return on Investment	A metric used to evaluate the cost-effectiveness of a security solution by comparing benefits to costs.
235	RPO	Recovery Point Objective	The maximum acceptable amount of data loss measured in time used in disaster recovery planning.
236	RSA	Rivest Shamir & Adleman	A widely used asymmetric encryption algorithm known for secure data transmission.
237	RTBH	Remotely Triggered Black Hole	A network security technique that drops malicious traffic by routing it to a null interface.

238	RTO	Recovery Time Objective	The target time to restore systems and operations after a disruption or disaster.
239	RTOS	Real-time Operating System	An OS designed for real-time applications where consistent response time is critical.
240	RTP	Real-time Transport Protocol	A protocol used to deliver audio and video over IP networks often seen in VoIP systems.
241	S/MIME	Secure/Multipurpose Internet Mail Extensions	A protocol that provides email message encryption and digital signatures.
242	SaaS	Software as a Service	A cloud computing model where applications are delivered over the internet and maintained by a provider.
243	SAE	Simultaneous Authentication of Equals	A secure key exchange protocol used in WPA3 for Wi-Fi authentication.
244	SAML	Security Assertions Markup Language	An XML-based standard used for exchanging authentication and authorization data between parties.
245	SAN	Storage Area Network	A dedicated network that provides access to consolidated block-level data storage.
246	SAN	Subject Alternative Name	An extension in a digital certificate allowing multiple domain names to be associated with a single certificate.
247	SASE	Secure Access Service Edge	A cloud-delivered architecture that combines networking and security into one service.
248	SCADA	Supervisory Control and Data Acquisition	A control system used for industrial processes like power plants and water treatment.
249	SCAP	Security Content Automation Protocol	A set of standards for automating security configuration vulnerability checking and compliance.
250	SCEP	Simple Certificate Enrollment Protocol	A protocol that allows devices to automatically request digital certificates from a CA.
251	SD-WAN	Software-defined Wide Area Network	A virtual WAN architecture that provides more flexibility control and security over traditional WANs.
252	SDK	Software Development Kit	A collection of tools libraries and documentation developers use to build software applications
253	SDLC	Software Development Lifecycle	A structured process for planning developing testing and deploying software systems.
254	SDLM	Software Development Lifecycle Methodology	A set of practices or frameworks (like Agile or Waterfall) for managing the SDLC process.
255	SDN	Software-defined Networking	An approach that separates the control plane from the data plane for flexible and programmable network management.
256	SELinux	Security-enhanced Linux	A Linux kernel security module that provides access control policies for enforcing mandatory access control.
257	SED	Self-encrypting Drives	Hard drives with built-in hardware encryption that automatically encrypt and decrypt data on the drive.
258	SEH	Structured Exception Handler	A Windows feature that handles unexpected system or application errors securely.
259	SFTP	Secured File Transfer Protocol	A secure version of FTP that uses SSH to encrypt file transfers and protect data in transit.

260	SHA	Secure Hashing Algorithm	A family of cryptographic hash functions used to ensure data integrity by producing a unique digest.
261	SHTTP	Secure Hypertext Transfer Protocol	An obsolete encryption method once used to secure HTTP traffic replaced by HTTPS (SSL/TLS).
262	SIEM	Security Information and Event Management	A centralized solution for collecting analyzing and correlating security data in real time.
263	SIM	Subscriber Identity Module	A small chip in mobile devices that stores the subscriber's identity and enables cellular connectivity.
264	SLA	Service-level Agreement	A contract between a service provider and customer that outlines performance availability and responsibilities
265	SLE	Single Loss Expectancy	The monetary loss expected from a single occurrence of a risk or threat event.
266	SMB	Server Message Block	A network protocol for sharing files printers and serial ports between nodes on a network.
267	SMS	Short Message Service	A text messaging service used in mobile devices sometimes leveraged in security notifications or MFA.
268	SMTP	Simple Mail Transfer Protocol	A protocol used to send email from clients to servers and between servers.
269	SMTPS	Simple Mail Transfer Protocol Secure	A secure version of SMTP using encryption (like TLS) for email transmission.
270	SNMP	Simple Network Management Protocol	A protocol used to monitor and manage devices on a network such as routers and switches.
271	SOAP	Simple Object Access Protocol	A protocol used for exchanging structured information in web services using XML.
272	SOAR	Security Orchestration Automation Response	A platform that integrates security tools to automate and streamline incident response.
273	SoC	System on Chip	A single chip that contains all components of a computer system commonly used in mobile and embedded systems.
274	SOC	Security Operations Center	A centralized team and facility that monitors and manages an organization's security posture.
275	SOW	Statement of Work	A formal document that outlines deliverables timelines and expectations for IT or security services.
276	SPF	Sender Policy Framework	An email validation system designed to prevent spoofing by verifying sender IPs.
277	SPIM	Spam over Internet Messaging	A form of unwanted or malicious content delivered through instant messaging platforms.
278	SQL	Structured Query Language	A standard language used for managing and querying databases.
279	SQLi	SQL Injection	A type of attack where malicious SQL code is inserted into input fields to access or manipulate a database.
280	SRTP	Secure Real-Time Protocol	A protocol used to deliver encrypted audio and video over IP enhancing VoIP security.

281	SSD	Solid State Drive	A fast and reliable data storage device with no moving parts commonly used in modern systems.
282	SSH	Secure Shell	A protocol that provides secure remote command-line access and encrypted data communication.
283	SSL	Secure Sockets Layer	An older encryption protocol used to secure web communications now deprecated in favor of TLS.
284	SSO	Single Sign-on	A user authentication process that allows access to multiple systems with one set of credentials.
285	STIX	Structured Threat Information eXchange	A standardized format for sharing threat intelligence across organizations.
286	SWG	Secure Web Gateway	A security solution that filters web traffic to prevent access to malicious websites and enforce policy.
287	TACACS+	Terminal Access Controller Access Control System	A legacy protocol that provides centralized authentication and authorization for remote access systems.
288	TAXII	Trusted Automated eXchange of Indicator Information	A DHS framework that automates the real-time exchange of cyber threat intelligence between organizations.
289	TCP/IP	Transmission Control Protocol/Internet Protocol	The foundational suite of communication protocols that governs how data is transmitted across networks.
290	TGT	Ticket Granting Ticket	A credential in Kerberos authentication used to obtain service tickets without needing to reauthenticate the user.
291	TKIP	Temporal Key Integrity Protocol	A security protocol used with WPA to improve WEP by rotating encryption keys dynamically.
292	TLS	Transport Layer Security	A cryptographic protocol that ensures privacy and data integrity between applications over a network.
293	TOC	Time-of-check	Refers to when a system checks a condition which may be manipulated if the condition changes before execution (TOCTOU vulnerability).
294	TOTP	Time-based One-time Password	A temporary code generated using time and a secret key often used in two-factor authentication.
295	TOU	Time-of-use	Refers to when a resource is accessed or used which when mismatched with time-of-check may lead to race conditions.
296	TPM	Trusted Platform Module	A secure hardware chip used to store cryptographic keys and perform hardware-based encryption functions.
297	TTP	Tactics Techniques and Procedures	A cybersecurity framework describing how attackers operate and organize their behavior.
298	TSIG	Transaction Signature	A security mechanism used in DNS to authenticate the origin and integrity of a message.

299	UAT	User Acceptance Testing	A phase in the development cycle where end users test a system to ensure it meets requirements before final release.
300	UAV	Unmanned Aerial Vehicle	A drone that may pose a cybersecurity risk when equipped with surveillance or wireless scanning tools.
301	UBA	User Behavior Analytics	A method that monitors and analyzes user activity to detect anomalies that could indicate security threats.
302	UDP	User Datagram Protocol	A connectionless communication protocol used for fast data transmission but with no error correction.
303	UEFI	Unified Extensible Firmware Interface	A modern firmware interface that replaces BIOS and provides more features including secure boot.
304	UEM	Unified Endpoint Management	A centralized platform that manages and secures various endpoint devices like laptops smartphones and tablets.
305	UPS	Uninterruptible Power Supply	A device that provides backup power during outages and helps protect systems from sudden shutdowns.
306	URI	Uniform Resource Identifier	A general identifier used to locate or identify resources on the internet including URLs and URNs.
307	URL	Universal Resource Locator	A specific type of URI that provides the address to access resources on the internet (e.g. https://example.com).
308	USB	Universal Serial Bus	A common interface used to connect peripherals to computers; can be a vector for malware if unmanaged.
309	USB OTG	USB On the Go	A USB technology that allows mobile devices to act as hosts potentially expanding attack surfaces.
310	UTM	Unified Threat Management	A security solution that integrates multiple features (e.g. firewall antivirus IDS) into a single appliance
311	UTP	Unshielded Twisted Pair	A common Ethernet cable type that is vulnerable to electromagnetic interference if not properly shielded.
312	VBA	Visual Basic for Applications	A Microsoft programming language often used in scripts or applications potentially exploitable if not securely coded.
313	VDE	Virtual Desktop Environment	A user interface that runs on a virtual machine providing access to desktop OS and apps remotely
314	VDI	Virtual Desktop Infrastructure	A centralized server-based solution delivering virtual desktops to users over a network.
315	VLAN	Virtual Local Area Network	A logical grouping of devices on a network segmented by function or department improving security.
316	VLSM	Variable Length Subnet Masking	A technique that uses subnet masks of different lengths to allocate IP addresses more efficiently.

317	VM	Virtual Machine	A software-emulated computer system that runs an OS and apps independently of the physical host system.
318	VoIP	Voice over IP	A technology that allows voice communication over internet protocols which must be secured to prevent eavesdropping.
319	VPC	Virtual Private Cloud	A private cloud hosted within a public cloud provider's infrastructure giving isolated and secure computing resources.
320	VPN	Virtual Private Network	A secure connection over the internet that encrypts data between a user and a private network.
321	VTC	Video Conferencing	The transmission of audio and video between remote users often targeted for eavesdropping or exploitation.
322	WAF	Web Application Firewall	A security filter that monitors and blocks malicious traffic targeting web applications.
323	WAP	Wireless Access Point	A device that connects wireless clients to a wired network extending connectivity and requiring proper security configuration.
324	WEP	Wired Equivalent Privacy	An outdated and insecure encryption protocol used in early wireless networks replaced by WPA/WPA2.
325	WIDS	Wireless Intrusion Detection System	A system that monitors wireless traffic to detect suspicious activity or policy violations.
326	WIPS	Wireless Intrusion Prevention System	An extension of WIDS that actively blocks malicious wireless activity or rogue devices.
327	WO	Work Order	A formal document detailing tasks approvals and responsibilities for changes or maintenance in IT operations.
328	WPA	Wi-Fi Protected Access	A wireless security protocol that improves on WEP by using stronger encryption and key management.
329	WPS	Wi-Fi Protected Setup	A method of connecting devices to Wi-Fi easily but often disabled due to known security vulnerabilities.
330	WTLS	Wireless TLS	The use of TLS encryption in wireless networks to secure data in transit and protect against sniffing or tampering.
331	XDR	Extended Detection and Response	A cybersecurity approach that integrates threat data across endpoints networks and servers for holistic response.
332	XML	Extensible Markup Language	A flexible format for storing and transporting structured data often used in web and security applications
333	XOR	Exclusive Or	A logical operation used in cryptography where output is true if inputs differ commonly used in stream ciphers.
334	XSRF	Cross-site Request Forgery	A web attack that tricks users into performing unwanted actions on authenticated websites.
335	XSS	Cross-site Scripting	A web vulnerability where attackers inject malicious scripts into websites viewed by other users.